

Vol 5 Chapter 11 — POVMs and Quantum Information

Keeper (author pass — deep math/physics revision)

2026-05-23 Saturday

Chapter 11 — POVMs and Quantum Information

Legacy chapter (May 2026). Last accuracy-checked 2026-09-11 (Keeper, K1892): the presentation scan found no retired reading here, and the tiers in the front matter are the May tiers, not re-verified line by line. Where this chapter and the Spine (Curriculum/Spine_DIV5_QM_GR_SM/) disagree, the Spine is current; where the Spine and the theorem registry disagree, the registry wins.

Level 1 — one sentence

Generalized measurements (POVMs) — and the apparatus of quantum information (qubits, entanglement, no-cloning, teleportation) — extend Chapter 7's Born=Bergman from projective measurements to arbitrary positive operator-valued measures, with the substrate's K-type tensor-product structure giving the natural framework for multi-qubit systems and the SCMP (Chapter 8) providing concrete quantum-computational falsifier predictions. [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.]

Level 2 — graduate-physicist precision

11.1 Beyond projective measurement: POVMs

Chapter 7's Born rule covered projective measurements: the outcome basis $\{|\phi_n\rangle\}$ is orthonormal, and the measurement projects onto exact eigenstates. Many physical measurements don't fit this clean picture — detectors have finite resolution, photon counters miss some photons, photodetector dark counts add noise.

POVMs (positive operator-valued measures) generalize. A POVM is a collection $\{\hat{E}_n\}$ of positive operators satisfying $\sum_n \hat{E}_n = \hat{I}$. The probability of outcome n for a system in state $|\psi\rangle$ is

$$P(n) = \langle \psi | \hat{E}_n | \psi \rangle$$

When the $\hat{E}_n = |\phi_n\rangle\langle\phi_n|$ are rank-one projectors onto an orthonormal basis, this reduces to the standard Born rule. In general, the $\hat{E}_n$ need not be orthogonal — they need only be positive and sum to identity.

11.2 Naimark dilation

Every POVM $\{\hat{E}_n\}$ on a Hilbert space $\mathcal{H}$ can be realized as a projective measurement on a larger Hilbert space $\mathcal{H} \otimes \mathcal{H}_A$ (system plus ancilla). This is the Naimark dilation theorem.

Operationally: a POVM is a projective measurement made imprecise by coupling to an ancilla. Any non-orthogonal “smeared” measurement can be obtained by adding auxiliary degrees of freedom and projecting on the larger space.

11.3 Substrate POVM = Bergman projection on extended K-types

The BST substrate framework extends Chapter 7’s K67 Born=Bergman from projective to general POVMs (SP-31-12, BST task #283).

For a POVM $\{\hat{E}_n\}$ on the substrate K-type subspace V : - The substrate’s Zone 3 commitment uses Bergman-kernel projection onto an *extended* outcome basis - Naimark dilation realizes the POVM as a projective measurement on $V \otimes V_A$ (ancilla) - Tracing over ancilla recovers the POVM probabilities $P(n) = \langle \psi | \hat{E}_n | \psi \rangle$

The substrate-mechanism reading: POVMs are substrate Zone 3 commitments to *coarse-grained* outcome bases that incorporate environmental coupling. The Born=Bergman derivation of Chapter 7 generalizes; the only change is that the outcome basis is no longer orthonormal but spans a larger ancilla-extended space.

11.4 Qubits and the Bloch sphere

The simplest quantum system is the qubit — a two-state quantum system with Hilbert space $\mathcal{H} = \mathbb{C}^2$. Standard basis: $\{|0\rangle, |1\rangle\}$. General pure state:

$$|\psi\rangle = \cos(\theta/2)|0\rangle + e^{i\phi} \sin(\theta/2)|1\rangle$$

with $\theta \in [0, \pi]$, $\phi \in [0, 2\pi)$. Parametrizes the unit sphere S^2 — the Bloch sphere.

Substrate-mechanism reading: a qubit is the substrate’s two-state K-type — specifically, the substrate’s $Pin(2)$ weight $\pm 1/2$ representation (Chapter 3 Section 3.5). The Bloch sphere is the substrate’s natural state space for spin-1/2 K-types. Spin states $|+\rangle, |-\rangle$ along any axis are the substrate’s Zone 3 commitment bases under that axis’s measurement boundary condition.

11.5 Entanglement

Two qubits: Hilbert space $\mathcal{H} = \mathbb{C}^2 \otimes \mathbb{C}^2 = \mathbb{C}^4$. Some states factor as $|\psi_A\rangle \otimes |\psi_B\rangle$ (separable); others don't (entangled).

The Bell states are maximally entangled two-qubit states:

$$|\Phi^\pm\rangle = \frac{1}{\sqrt{2}}(|00\rangle \pm |11\rangle), \quad |\Psi^\pm\rangle = \frac{1}{\sqrt{2}}(|01\rangle \pm |10\rangle)$$

These violate Bell-CHSH (Chapter 8) maximally up to the BST sub-Tsirelson ceiling $S \leq 2.8062$. [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.]

Substrate-mechanism reading: entanglement is the substrate's K-type tensor-product structure for multi-particle systems. The Bell states are the substrate's natural maximally-entangled K-types under bipartite splitting.

11.6 The no-cloning theorem

No-cloning (Wootters and Zurek 1982, Dieks 1982): there is no unitary $\hat{U}$ on $\mathcal{H}_S \otimes \mathcal{H}_A$ such that $\hat{U}(|\psi\rangle \otimes |0\rangle_A) = |\psi\rangle \otimes |\psi\rangle_A$ for all $|\psi\rangle$.

Proof: linearity of $\hat{U}$ implies that two different input states $|\psi\rangle, |\phi\rangle$ must have the same overlap after cloning as before. But $\langle\phi|\psi\rangle^2 \neq \langle\phi|\psi\rangle$ in general — contradiction unless $\langle\phi|\psi\rangle = 0$ or 1.

Substrate-mechanism reading: cloning would require the substrate to *generate* additional K-type amplitude from nothing, which violates substrate unitarity in Zone 2 evolution. The no-cloning theorem is the substrate's information-conservation principle (Volume 14 Chapter 5 connects to this).

11.7 Quantum teleportation

Alice has a qubit in unknown state $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$. She shares one of a Bell pair $|\Phi^+\rangle$ with Bob. By measuring her qubit and Bell-pair qubit in the Bell basis, then sending Bob 2 classical bits with her result, Bob can reconstruct $|\psi\rangle$ on his Bell-pair qubit.

Substrate-mechanism reading: teleportation is the substrate's natural K-type “broadcasting” via Bell-pair K-type entanglement plus classical Zone 4 communication. The substrate doesn't transport the K-type amplitude; it broadcasts the *recipe* for reconstructing it.

11.8 Quantum computing and BST falsifiers

Quantum computers use multi-qubit entangled states to perform computations exponentially faster than classical for certain problems (Shor's algorithm for factoring, Grover's algorithm for search).

BST framework's interaction with quantum computing: - SCMP (Chapter 8): bipartite quantum correlations capped at $S \leq 2.8062$ — the substrate's substrate-cognition-maintenance overhead. This may impose limits on quantum-computational performance: errors in multi-qubit entangled gates may inherit a $1/2^{N_c}$ overhead per substrate cycle. [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.] - Time granularity: Koons-tick scale 10^{-120} s is far below any current quantum-computing operation timescale; no immediate constraint. - Decoherence (Chapter 10): quantum-computing main practical challenge; BST substrate framework's decoherence picture (SP-31-13) gives operational predictions for decoherence rates as functions of substrate boundary conditions.

These are open research areas; the substrate framework provides operational predictions that, in principle, distinguish from standard QM at high precision.

11.9 Worked example: Bell measurement and teleportation protocol

Alice's unknown qubit: $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$. Shared Bell pair: $|\Phi^+\rangle_{AB} = (|00\rangle + |11\rangle)/\sqrt{2}$ between Alice and Bob.

Combined state:

$$|\psi\rangle \otimes |\Phi^+\rangle_{AB} = \frac{1}{\sqrt{2}}[\alpha|0\rangle(|00\rangle + |11\rangle) + \beta|1\rangle(|00\rangle + |11\rangle)]$$

$$= \frac{1}{2}[|\Phi^+\rangle(\alpha|0\rangle + \beta|1\rangle) + |\Phi^-\rangle(\alpha|0\rangle - \beta|1\rangle) + |\Psi^+\rangle(\alpha|1\rangle + \beta|0\rangle) + |\Psi^-\rangle(\alpha|1\rangle - \beta|0\rangle)]_{\text{Bob}}$$

When Alice measures in the Bell basis ($|\Phi^\pm\rangle, |\Psi^\pm\rangle$), Bob's qubit collapses to one of four states correlated with Alice's outcome. With 2 classical bits from Alice, Bob applies the corresponding Pauli operator (I, Z, X, XZ) to recover $|\psi\rangle$.

Probability of each outcome: 1/4 each (Born rule on Bell-basis projection). Substrate-mechanism: substrate Zone 3 commits Alice's Bell-basis measurement; substrate Zone 4 emits 2 classical bits; substrate at Bob's location performs corresponding K-type rotation; final state is $|\psi\rangle$.

11.10 K-audit anchors

- SP-31-12 (BST task #283): POVM extension of K67 Born=Bergman
- K67 Born=Bergman (Chapter 7): projective Born derivation
- SCMP T2469 (Chapter 8): substrate coherence overhead in multi-qubit systems [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.]
- Volume 14 Chapter 5: information-theoretic readings; no-cloning + substrate information conservation

Level 3 — 5th-grader accessibility

In Chapter 7 we learned the Born rule: $\text{chance} = |\text{amplitude}|^2$. That works when your measurement is sharp. Real detectors are fuzzy; they don't always work; sometimes they fire when they shouldn't. POVMs are the math for fuzzy measurements. The Born rule generalizes: $\text{chance} = \langle \psi | \hat{E}_n | \psi \rangle$ where $\hat{E}_n$ is a “fuzzy outcome operator.” In BST, POVMs are still Bergman projection — just on a larger space that includes the detector's noise. Quantum information uses qubits (the substrate's spin-1/2 K-types) and entanglement (Bell states, the substrate's two-particle K-type pairings). You can't clone an unknown qubit (the substrate doesn't make information from nothing) but you can teleport it by sharing a Bell pair and sending two classical bits. Quantum computers would, in principle, hit the BST Bell ceiling at $S \leq 2.81$ — possibly limiting some quantum-computational performance, possibly not (open research).

What comes next

Chapter 12 brings the volume together — synthesizing how Bergman $\rightarrow$ operators $\rightarrow$ Schrödinger $\rightarrow$ Born $\rightarrow$ Bell $\rightarrow$ decoherence $\rightarrow$ POVMs all hang together as substrate's natural quantum-mechanical framework, with bridges to Vol 6 (thermo), Vol 8 (classical), Vol 14 (info theory).

Where to look this up

- POVMs: Nielsen and Chuang, *Quantum Computation and Quantum Information*, Ch 2
- No-cloning: Wootters and Zurek 1982; Dieks 1982
- Quantum teleportation: Bennett et al. 1993
- BST anchors: SP-31-12 task #283, K67 + SCMP combined picture [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by

Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.]

- Volume 14 Chapter 5: Born=Bergman from information-theoretic viewpoint
- Volume 14 Chapter 6: Bell sub-Tsirelson information bound (SCMP) [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.]