

Vol 9 Chapter 1 — Condensed Matter as Substrate Many-Electron Behavior

Keeper (author pass — deep math/physics revision)

2026-05-24 Sunday

Chapter 1 — Condensed Matter as Substrate Many-Electron Behavior

Extended-reach chapter (May 2026), identification tier. Stamped 2026-09-13 (Keeper, K1895): the same five integers appear here as identifications — formulas that match, mechanisms not claimed — presented on a separate shelf from the derived core so that a reader can trust the core without accepting the reach. Not re-verified line by line since May; the presentation scan found no retired reading in this file except where a dated FIRED note says so. Where this chapter and the Spine (../Spine_DIV5_QM_GR_SM/) or the theorem registry disagree, they win.

Level 1 — one sentence

Condensed matter physics is where BST is most experimentally falsifiable at modest cost — the BaTiO₃ 137-plane substrate eigentone (~\$25K), photonic crystal eigentone (~\$10K), cuprate superconductor mechanism, and B12H₃₂ hydride T_c ~214 K are all BST-specific predictions testable in working laboratories — and this volume develops the substrate framework underlying solid-state physics from band structure through topological phases.

Level 2 — graduate-physicist precision

1.1 Why condensed matter is BST's experimental sweet spot

BST's substrate-mechanism predictions span many domains, but most are either:
- Astronomically expensive (LHC-scale) - Astrophysical and untestable in lab (cosmological Λ) - Extreme precision (Bell sub-Tsirelson, \$300-500K) [FIRED — bracket 10:09 2026-09-13 (Grace, R143 G2; register E4, certified K1893): the sub-Tsirelson ceiling / SCMP Layer-1 prediction quoted here was refuted by Poh et al., PRL 115, 180408 (2015): $S = 2.82759 \pm 0.00051$, 41.9σ above BST's 2.806. This sentence is a May-2026 record, not a standing claim; nothing else on the line is changed.] - Sub-Planck (time granularity at 10^{-120} s)

Condensed matter is different. The substrate's natural integer $N_{\max} = 137$ singles out specific material configurations (BaTiO3 137-plane); substrate eigentones in BST-anchored photonic crystals are tabletop-accessible; specific superconductor mechanisms produce numerical T_c predictions checkable against existing or near-future synthesis.

This volume develops the BST framework for condensed matter, with experimental falsifiers prominently flagged.

1.2 What this volume covers

Ch	Topic
1	Volume framing (this chapter)
2	Crystal lattices + Bravais
3	Electron band structure + Bloch
4	Superconductivity from substrate — LOAD-BEARING (cuprate + B12H32)
5	Topological phases (QHE, topological insulators, Weyl)
6	Magnetism
7	Phonons
8	BaTiO3 137-plane ~\$25K falsifier
9	Photonic crystal ~\$10K falsifier
10	Strongly correlated systems
11	Spin liquids
12	Synthesis

1.3 The BST experimental falsifier set (this volume)

1. BaTiO3 137-plane (Ch 8): Substrate predicts an eigentone at specific frequency in BaTiO3 in 137-plane crystallographic configuration. Cost ~\$25K; standard solid-state lab equipment. Falsifier: no eigentone observed.
2. Photonic crystal (Ch 9): Substrate-anchored photonic crystal predicted to ring at substrate-natural frequency. Cost ~\$10K. Cheapest BST experimental test.
3. Cuprate mechanism (Ch 4): BST predicts specific cuprate superconductor mechanism via substrate K-type structure; tested via response measurements.
4. B12H32 hydride (Ch 4): BST predicts $T_c \sim 214$ K. Requires synthesis but is in principle accessible.
5. BST topological insulator classification (Ch 5): substrate provides specific classification scheme; checkable against existing materials database.
6. Quantum Hall plateau precision (Ch 5): BST predicts plateau values with specific corrections to standard QED.

7. Iron pnictide T_c predictions (Ch 4): cross-check on family-wide BST predictions.

1.4 Substrate-mechanism reading

Condensed matter is substrate K-type many-electron behavior under periodic ionic boundary conditions: - Electrons are substrate $\text{Pin}(2)$ half-integer-weight K-types - Ions/nuclei provide periodic substrate boundary condition - Resulting electron K-type configurations = band structure, superconductivity, magnetism, etc.

The substrate's integer $N_{\text{max}} = 137$ is load-bearing for BST condensed-matter falsifiers because 137-plane BaTiO_3 configurations engage the substrate's natural integer.

1.5 K-audit anchors

- Vol 0 Ch 5: $N_{\text{max}} = 137$ derivation
- Vol 5 Ch 9: spin-statistics (electron as $\text{Pin}(2)$ fermion)
- SP-30 substrate engineering program (BST task #185+)
- Various Vol 9 chapters: specific BST predictions

Level 3 — 5th-grader accessibility

Condensed matter — solids, liquids, exotic phases — is where BST has lab-accessible tests. Two cheap experiments to falsify BST: 1. BaTiO_3 in 137-plane (\$25K): BST predicts a specific resonance frequency. If it's not there, BST is wrong. 2. Photonic crystal (\$10K): BST predicts a specific photonic-crystal eigentone. Same falsifier logic.

The 137 comes from the substrate's natural integer $N_{\text{max}} = N_c^3 \cdot n_C + \text{rank} = 27 \cdot 5 + 2 = 137$. Substrate “likes” 137-configurations. Plus other BST predictions: cuprate superconductor mechanism, $\text{B}_{12}\text{H}_{32}$ hydride $T_c \sim 214$ K, topological insulator classification, quantum Hall plateau corrections. Lots to test, low cost.

What comes next

Chapter 2 develops crystal lattices and Bravais classification.

Where to look this up

- Ashcroft and Mermin, *Solid State Physics*
- BST Vol 0 Ch 5 (N_{max}); SP-30 program