

Vol 9 Chapter 12 — Synthesis and Cross-Volume Bridges

Keeper (author pass — deep math/physics revision)

2026-05-24 Sunday

Chapter 12 — Synthesis and Cross-Volume Bridges

Extended-reach chapter (May 2026), identification tier. Stamped 2026-09-13 (Keeper, K1895): the same five integers appear here as identifications — formulas that match, mechanisms not claimed — presented on a separate shelf from the derived core so that a reader can trust the core without accepting the reach. Not re-verified line by line since May; the presentation scan found no retired reading in this file except where a dated FIRED note says so. Where this chapter and the Spine (./Spine_DIV5_QM_GR_SM/) or the theorem registry disagree, they win.

Level 1 — one sentence

Condensed matter is BST's most experimentally falsifiable sector, with three lab-accessible go/no-go tests at modest cost: photonic crystal eigentone (\$10K), BaTiO₃ 137-plane eigentone (\$25K), and B12H32 hydride T_c ~214 K — plus family-wide predictions for cuprate superconductors, iron pnictides, topological insulators, and quantum spin liquids.

Level 2 — graduate-physicist precision

12.1 BST condensed-matter falsifier ranking

Falsifier	Cost	Timeline	Decisive
Photonic crystal eigentone (Ch 9)	~\$10K	3-6 mo	Yes
BaTiO ₃ 137-plane eigentone (Ch 8)	~\$25K	6-12 mo	Yes
B12H32 hydride T _c ~214 K (Ch 4)	\$multi-M (synthesis hard)	2-5 yr	Yes

Falsifier	Cost	Timeline	Decisive
Quantum Hall plateau corrections (Ch 5)	existing measurements	months	Yes (at 10^{-10})
Cuprate mechanism signatures (Ch 4)	existing materials	months	Partial
Iron pnictide family T_c (Ch 4)	existing measurements	months	Partial
Topological insulator classification (Ch 5)	existing database	weeks	Partial
Spin liquid order parameters (Ch 11)	existing materials	months	Partial

12.2 Cross-volume bridges

- Vol 5 (QM): condensed matter is many-body QM
- Vol 6 (Thermo/StatMech): phase transitions + thermodynamic phases
- Vol 7 (EM): photonic crystals + EM-in-matter (Vol 7 Ch 10)
- Vol 8 (Classical Mech): elasticity + fluid mechanics
- Vol 11 (Generative Geometry): K3 + topological structures appear in topological insulator classification

12.3 What's new BST-specific

- Substrate eigentones as material resonance predictions
- Substrate K-type bundle classification of topological phases
- Cuprate mechanism via substrate CuO_2 -plane K-types
- Bi_2H_{32} hydride $T_c \sim 214$ K specific number
- Quantum Hall plateau substrate corrections at 10^{-10} level

12.4 Why this is BST's experimental sweet spot

Restated: condensed matter accepts substrate engineering at lab cost. Other physics sectors: - Particle physics: LHC-scale (\$billions) - Cosmology: untestable in lab - Bell experiments: \$300-500K - Astrophysical: passive observation

Condensed matter: \$10K-\$25K decisive tests, lab-accessible everywhere. This is where BST will either be confirmed or refuted soonest.

What comes next

Vol 10 develops mathematical methods — the math toolkit needed for the physics volumes.

Where to look this up

- Ashcroft and Mermin
- BST condensed-matter task list (#88, #105-108)