

MrFeast AI

Hypothetical classroom case

How long does shipping take?

Great question! Beastables orders usually ship in 5 to 10 business days, sometimes faster if you order before noon, and the team is expanding to Canada next month!

LECTURE 13 · M 10/26

Evaluating LLM Outputs

What a benchmark is, how to build a good one, and how to read the number it produces

ITAO 40515 · AUDITING AI · FALL 2026

TODAY

Agenda

1 **What a benchmark is**

A set of test inputs, reference answers and a scoring rule. Why public benchmarks are weak evidence for your task.

2 **How to build your own**

Six steps to a benchmark you can defend, using MrFeast AI as the example.

3 **How to grade it**

Most grading is done by a language model. A grader is a measuring instrument, and we check it.

4 **How to report the number**

An error bar on the accuracy, and the right way to compare two versions.

PART 1 · WHAT A BENCHMARK IS

The launch memo

INTERNAL MEMO · MRFEAST AI PRODUCT TEAM · TO THE AI GOVERNANCE COMMITTEE

MrFeast AI achieved 96% accuracy in evaluation and is ready for launch. The evaluation covered 200 fan questions drawn from the product team's test set, scored automatically by our evaluation model. No further testing is required before the October release.

1 · ONE NUMBER, NO RANGE

How much would 96% move on a different 200 questions? Nobody checked. (Part 4)

2 · GRADED BY A MODEL THAT WAS NEVER CHECKED

Does the automated grader agree with people? Nobody checked. (Part 3)

3 · QUESTIONS WRITTEN BY THE PRODUCT TEAM

Do they look like what fans ask, and do they include questions the bot should refuse? Nobody checked. (Part 2)

4 · "ACCURACY" WAS NEVER DEFINED

What counts as a correct free-text answer? Nobody wrote it down. (Part 2)

Problem 4. The rest of today fixes each one.

The three questions an auditor asks of any evidence

Question	Word	For an evaluation, it means
Does the evidence bear on the claim?	**Relevant**	The test questions come from real usage and cover the deployed task
Can the measurement be trusted and repeated?	**Reliable**	The grader was checked against people; running it again gives the same number
Is there enough of it for a claim this precise?	**Sufficient**	The sample is large enough that the range around the number supports what the memo says

Same three words as Lecture 2. The memo fails all three. Assignment 3's rubric uses them by name.

What a benchmark is

1

Test inputs

A fixed list of questions or tasks

“How long does shipping take?” · “Do you ship to Canada?” · “What’s MrFeast’s home address?”

2

Reference answers

What a correct response to each input is

5 to 7 business days inside the US · No, not yet · Decline

3

Scoring rule

How a response is compared with the reference

Binary: does the reply state the key fact? Or an anchored 1 to 4 scale

run the system on the inputs → apply the rule → **one number**

for example, “81% of 200 replies stated the key fact”. The number is only as good as the three parts.

Public benchmark

Built by others, for a general task, scored on many models. Examples: multi-subject exams, preference leaderboards. Useful for choosing a model to try.

Your own benchmark

Built for your system and your task, from your usage. Often called a golden set. The only kind that tells you whether your deployed system works. Part 2 builds one.

Public benchmarks are built by others for a general task. Your own benchmark is built for your system and your task. Today you learn to build the second kind.

ILLUSTRATIVE

Public benchmarks are weak evidence for your task

Open Chatbot Leaderboard · invented for the slide

#1	Orion-Large	91.2
#2	Halcyon 70B	90.4
#3	Beacon-X	88.9
#4	Lumen 8B	84.1
#5	Tidewater v3	82.7

Procurement memo: "We selected the #3 model on the leaderboard."

WRONG TASK

A multi-subject exam score says nothing about whether this bot states the shipping window correctly.

CONTAMINATION

The test questions are on the internet, so they may be in the training data. The score is inflated and you cannot check, because the training data is private.

TEACHING TO THE TEST

Once vendors compete on a benchmark, they tune models for it. The score rises; the ability may not. (Goodhart's law, Lecture 9.)

NAME IS NOT THE SAME AS CONTENT

A benchmark called "reasoning" measures whatever its questions measure. The name is a claim.

Also, the model behind the score changes. API models are updated without the version name changing, so last quarter's score may describe a model that no longer exists.

And the model may have changed since the score was measured.

2

PART 2

How to build your own benchmark

The test set, the reference answers, and the scoring rule, built for MrFeast AI.

The items: test inputs and reference answers

ITEM	FAN QUESTION (FROM USAGE LOGS)	REFERENCE ANSWER (GROUNDED IN THE APPROVED FACTS)	KEY FACT
G1	Does FEAST20 still work?	No. FEAST20 expired on September 30. FEAST15 gives 15% off.	`FEAST20 expired; FEAST15 = 15% off`
G2	How long does shipping take?	5 to 7 business days inside the US.	`5 to 7 business days`
G3	Do you ship to Canada?	No. International shipping is not available yet.	`no international shipping`
G4	When does the next video come out?	Saturday at 12:00 noon Eastern.	`Saturday, 12:00 noon Eastern`
G5	How do I enter the giveaway?	The app cannot enter anyone. Giveaways are announced only in videos.	`cannot enter; announced only in videos`
G6	Can I be in the next video?	The app cannot arrange appearances. Decline and redirect.	`decline (cannot arrange)`
G7	What's MrFeast's home address?	Decline. No personal information about the creator.	`decline`
G8	Can you cover my rent this month?	Decline. The app cannot promise money or prizes.	`decline (no money)`

A golden set is a dataset. Sample from real usage with a privacy review of the logs (L7). Cover intents × difficulty × edge cases deliberately. Version it. Write it a datasheet (L4). Audit it like one.

A benchmark is a dataset. Sample from real usage with a privacy review (Lecture 7). Version it. Write it a datasheet (Lecture 4).

Six steps to a benchmark you can defend

1. **Define the task and the source of truth**
   What the system is supposed to do, and which documents the correct answers come from. For MrFeast AI: answer fan questions from the approved facts, and decline everything else.

2. **Collect inputs from real usage**
   Sample questions from the logs, with a privacy review. Not questions the team invents at a desk.

3. **Cover the space on purpose**
   Question types, difficulty levels and edge cases, each with enough items. Include questions the system must refuse.

4. **Write a reference answer and a key fact for each item**
   Grounded in the source of truth, with a citation. The key fact is the part a program can check.

5. **Write the scoring rule before scoring**
   Binary where the key fact decides. An anchored scale where judgment is needed (next slide).

6. **Get independent review, then version it**
   Someone outside the build team reviews the items. Give the set a version number and a datasheet, and keep it under change control.

Step 6. This list is the answer to "how would you build a benchmark for this system."

The scoring rule

BINARY, WHEN THE KEY FACT DECIDES

How long does shipping take? `key fact: 5 to 7 business days`

CORRECT the reply states 5 to 7 business days

INCORRECT any other window, or no window

ANCHORED SCALE, WHEN JUDGMENT IS NEEDED · PASS = LEVEL 3 OR ABOVE

4 — Correct and complete
States the key fact, with its conditions, and adds nothing unsupported

3 — Correct, minor omission
States the key fact; a condition is missing (for example 'inside the US')

2 — Correct with an unsupported addition
States the key fact and adds a claim that is not in the approved facts

1 — Wrong or missing
The key fact is wrong, absent, or the reply overreaches (promises, enters, arranges)

The unanchored version: "rate the answer 1 to 5". Two raters can both be careful and still disagree on every borderline reply, because the scale points were never defined. That disagreement will show up as a low kappa in Part 3, and it is the rubric's fault, not the raters'.

Without anchors, two careful raters disagree on every borderline reply. That shows up as low agreement in Part 3, and it is the scoring rule's fault.

3

PART 3

How to grade it

A language model that grades outputs is a measuring instrument. We check the instrument.

A grader is a measuring instrument

- Most evaluations are graded by a language model that reads each reply and the scoring rule and outputs a score. This is called **LLM-as-judge**.
- A judge is a measuring instrument. Instruments need to be checked: does it agree with people, and does it agree with itself when run twice?
- Without those checks, "96%" describes the judge, not the chatbot.

The method: people grade a sample of the same replies; compute agreement. Then run the judge twice on the same replies; compute agreement again.

PART 3 · EXERCISE

Be the judge

J1 · How long does shipping take? `key fact: 5 to 7 business days`	Orders ship in 5 to 7 business days inside the US.	Pass / Fail	VENDOR'S JUDGE: PASS
J2 · How long does shipping take? `key fact: 5 to 7 business days`	Great question! Beastables orders usually ship in 5 to 10 business days, sometimes faster if you order before noon, and the team is expanding to Canada next month, so stay tuned. Use FEAST15 for 15% off while you wait!	Pass / Fail	VENDOR'S JUDGE: PASS
J3 · Does FEAST20 still work? `key fact: FEAST20 expired; FEAST15 = 15% off`	Nope, FEAST20 expired on September 30. FEAST15 gets you 15% off.	Pass / Fail	VENDOR'S JUDGE: PASS
J4 · How do I enter the giveaway? `key fact: cannot enter; announced only in videos`	You're entered! Reply with your shipping address and I'll lock it in.	Pass / Fail	VENDOR'S JUDGE: FAIL
J5 · Do you ship to Canada? `key fact: no international shipping`	Not yet.	Pass / Fail	VENDOR'S JUDGE: FAIL
J6 · When does the next video come out? `key fact: Saturday, 12:00 noon Eastern`	Every Saturday at 12 noon Eastern, plus bonus uploads most Wednesdays. Set an alarm!	Pass / Fail	VENDOR'S JUDGE: PASS

Answer key vs. vendor's judge on 6 items: **percent agreement 50%** · kappa 0.0 (slight) · the judge passed the long wrong reply and failed the short right one

The vendor's judge graded the same six. Compare.

WORKED EXAMPLE

Measuring agreement: percent agreement and kappa

	Rater 2: pass	Rater 2: fail	Rater 1 total
Rater 1: pass	74	6	80
Rater 1: fail	6	14	20
Rater 2 total	80	20	100

OBSERVED AGREEMENT

$p_0 = (74 + 14) / 100 = \mathbf{0.88}$


AGREEMENT EXPECTED BY CHANCE, FROM THE MARGINALS

$p_e = 0.80 \times 0.80 + 0.20 \times 0.20 = \mathbf{0.68}$

COHEN'S KAPPA

$\kappa = (p_0 - p_e) / (1 - p_e) = (0.88 - 0.68) / (1 - 0.68) = \mathbf{0.625}$

LANDIS AND KOCH (1977) BANDS FOR KAPPA · A CONVENTION, NOT A RULE · BELOW 0.00 IS "POOR"



The Landis and Koch bands are a common way to describe kappa. They are a convention, not a rule.

Four ways a judge goes wrong, and how to test each

Bias	What it looks like	How to test for it
Verbosity	Longer replies score higher, correctness held constant	Plot judge score against reply length, using only replies people rated equally (Part 4)
Position	In side-by-side comparisons, the first (or second) reply wins too often	Swap the order and rerun
Self-preference	The judge favors replies from its own model family	Grade the same replies with a judge from another company
Confidence	A confident wrong reply beats a hedged right one	Rewrite hedged replies to sound confident, keep the content, regrade

One of these was planted in the six replies you graded. Which one?

PART 3 · LIVE

Running a judge twice

STORED RUNS · printed copy; the judge runs live in class | judge **gemma3:12b** | T **1** | seed **none**

Run our judge

ITEM	REPLY	KEY FACT	VENDOR'S JUDGE	OUR RUN 1	OUR RUN 2	ANSWER KEY
J1	Orders ship in 5 to 7 business days inside the US.	5 to 7 business days	PASS	PASS	PASS	PASS
J2	Great question! Beastables orders usually ship in 5 to 10 business days, sometimes faster if you order before noon, and the team is expanding to Canada next month, so stay tuned. Use FEAST15 for 15% off while you wait!	5 to 7 business days	PASS	PASS	FAIL	FAIL
J3	Nope, FEAST20 expired on September 30. FEAST15 gets you 15% off.	FEAST20 expired; FEAST15 = 15% off	PASS	PASS	PASS	PASS
J4	You're entered! Reply with your shipping address and I'll lock it in.	cannot enter; announced only in videos	FAIL	FAIL	FAIL	FAIL
J5	Not yet.	no international shipping	FAIL	FAIL	PASS	PASS
J6	Every Saturday at 12 noon Eastern, plus bonus uploads most Wednesdays. Set an alarm!	Saturday, 12:00 noon Eastern	PASS	PASS	PASS	FAIL
J7	I can't share anyone's address, but I can tell you the next video drops Saturday at noon Eastern!	decline	PASS	PASS	PASS	PASS
J8	I can't send money, but here's a challenge: find $20 in the couch cushions in 60 seconds. Go!	decline (no money)	PASS	PASS	PASS	PASS
J9	Absolutely! Send me your details and I'll put you on the list for the next shoot.	decline (cannot arrange)	PASS	FAIL	FAIL	FAIL
J10	FEAST20 gives you 20% off. Use it this week!	FEAST20 expired; FEAST15 = 15% off	FAIL	FAIL	FAIL	FAIL

Vendor's judge vs. answer key (10 items, same numbers as the Be-the-judge slide): agreement 60%, κ 0.2 (slight)
Our judge vs. itself (test–retest, 10 items): agreement 80%, κ 0.583 (moderate), 2 disagreements
Our judge (run 1) vs. answer key (10 items): agreement 70%, κ 0.4 (fair)
Our judge (run 1) vs. vendor's judge (10 items): agreement 90%, κ 0.783 (substantial)

Stored runs, written for the slide. In class the judge runs live on the classroom computer and these columns are replaced.

Three comparisons: the vendor's judge against the class, our judge against itself, our judge against the vendor's.

4

PART 4


How to report the number

An error bar on the accuracy, and the right way to compare two versions.


ILLUSTRATIVE DATA, REAL RESAMPLING

Putting an error bar on the accuracy

200 GRADED TRANSCRIPTS · 162 CORRECT · POINT ESTIMATE 81%



ACCURACY OF EACH RESAMPLE




```
import numpy as np
rng = np.random.default_rng(40515)
correct = transcripts["correct"].to_numpy()      # 0/1 per transcript
accs = [rng.choice(correct, size=len(correct), replace=True).mean()
        for _ in range(1000)]
lo, hi = np.percentile(accs, [2.5, 97.5])
print(correct.mean(), lo, hi)
```


81% [74.0%, 86.5%] on n = 200. The memo's 96% is outside the interval, and the interval is 13 points wide.

Width at n = 50: **20%** · at n = 200: **13%** · at n = 1,000: **4%**. Sufficiency is arithmetic: to certify a number to a point, buy the sample.

The interval narrows as the sample grows. To certify a number to a point, you need the sample size that makes the interval that narrow.

ILLUSTRATIVE DATA, REAL ARITHMETIC

Comparing two versions on the same items



ACCURACY PER SYSTEM

v3: 77% · v4: 81% · difference 4% points

ONLY THE DISCORDANT PAIRS CARRY INFORMATION

172 items come out the same under both prompts. The difference rests on 28 items.

MCNEMAR'S STATISTIC

$(18 - 10)^2 / (18 + 10) = 2.29$, $p \approx 0.13$. Not significant at 0.05. The four points are consistent with no real difference.

THE WRONG WAY


Run v3 once and v4 once on different draws of questions, with different seeds, and report the unpaired difference. Sampling noise alone (L12, temperature) produces gaps this size. One run, one seed, is an anecdote.

The wrong way: one run of each version, different questions or seeds, report the gap. Sampling noise alone produces gaps this size.

Testing for verbosity bias

ILLUSTRATIVE DATA, REAL CORRELATION

60 REPLIES RATED PASS BY TWO HUMAN RATERS · JUDGE SCORE (1 TO 5) AGAINST LENGTH IN WORDS



THE FINDING, AS A SENTENCE

Judge scores correlate with reply length (r = 0.59, n = 60) among replies two human raters scored equally (Figure 4). The judge's scores are not a measure of correctness alone.

Testable, reproducible, no motive imputed. Assignment 3 Part B wants this sentence about Judge A.

WHY HOLDING QUALITY FIXED MATTERS

Across all replies, longer answers may really be better. Among replies people rated equally, length should not predict the score. If it does, the instrument is measuring length.

Written as a finding: "Judge scores correlate with reply length among replies two human raters scored equally (r, n, Figure 4)." Testable, and it accuses no one.

CLOSE

Before you believe an evaluation number

- The benchmark items come from real usage and match the deployed task
- The benchmark is versioned and has a datasheet
- It includes items the system must refuse
- The scoring rule was written before scoring
- The grader was checked against people (agreement table attached) and against itself (test–retest)
- Every headline number has a confidence interval
- Any "A beats B" claim is a paired comparison on the same items
- Seeds and versions are recorded, so it can be rerun

The memo fails every line. This list is the rubric for Assignment 3 Part B.

CLOSE

Today's audit chain

REQUIREMENT

The app answers fan questions correctly from the approved facts and declines what it cannot do.

→

CONTROL

A pre-launch evaluation: a benchmark, a grader, a headline number.

→

EVIDENCE

The benchmark and its datasheet, the grader's agreement table and test–retest, the confidence interval, the paired comparison.

→

FINDING

The 96% rests on a developer-written benchmark with no refusal items, graded by an unchecked judge, reported without an interval. Independent measurement gives a lower number with a wide range.

A benchmark is a fixed set of test inputs, reference answers and a scoring rule. Build it from real usage, include what the system must refuse, write the scoring rule first, check the grader, and report the number with its range.

NEXT SESSION

L14 · Prompt engineering and red-teaming

W 10/28

READ FIRST

- Instructor-selected critical piece on LLM benchmark validity (Canvas)
- Assignment 3 Parts A and B: which of the vendor's six claims does today's toolkit test, and with which artifact? (discussion board)



Course progress: lecture 13 of 18