

CS333 Application Software Development Lab

Laboratory Manual

Dr C K Raju

Copyright © 2018 Dr CK Raju

PUBLISHED BY MITS, ERNAKULAM

KTU SYLLABUS

Licensed under the Creative Commons Attribution-NonCommercial 3.0 Unported License (the "License"). You may not use this file except in compliance with the License. You may obtain a copy of the License at <http://creativecommons.org/licenses/by-nc/3.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

First printing, July 2018



Contents

| | | |
|----------|------------------------------------------|-----------|
| I | Part One | |
| 1 | Syllabus | 7 |
| 1.1 | Course Objectives | 7 |
| 1.2 | Course Outcomes | 7 |
| 1.3 | List of Experiments | 7 |
| 2 | Brief Outline | 9 |
| 2.1 | History | 9 |
| 3 | EER Schema and DDL Commands | 11 |
| 3.1 | EER Schema | 11 |
| 3.2 | DDL Commands | 12 |
| 3.3 | DCL Commands | 12 |



Part One

| | | |
|----------|-----------------------------------------|-----------|
| 1 | Syllabus | 7 |
| 1.1 | Course Objectives | |
| 1.2 | Course Outcomes | |
| 1.3 | List of Experiments | |
| 2 | Brief Outline | 9 |
| 2.1 | History | |
| 3 | EER Schema and DDL Commands | 11 |
| 3.1 | EER Schema | |
| 3.2 | DDL Commands | |
| 3.3 | DCL Commands | |



1. Syllabus

1.1 Course Objectives

- To introduce basic commands and operations on database
- To introduce stored programming concepts PL-SQL using Cursors and Triggers
- To familiarise front end tools of database

1.2 Course Outcomes

1. Design and implement a database for a given problem using database design principles
2. Apply stored programming concepts PL-SQL using Cursors and Triggers
3. Use Graphical user Interface, Event Handling and Database connectivity to develop and deploy application and applets
4. Develop medium-sized project in a team

1.3 List of Experiments

1. Creation of database using DDL commands and writes DQL queries to retrieve information from database
2. Performing DML commands like Insertion, Deletion, Modifying, Altering, and Updating records based on conditions
3. Creating relationship within databases. *
4. Creating a database to set various constraints. *
5. Practise of SQL TCL commands like Rollback, Commit, Savepoint
6. Practise of SQL DCL commands for granting and revoking user privileges
7. Creation of Views and Assertions *
8. Implementation of Built-in functions in RDBMS *
9. Implementation of various aggregate functions in SQL. *
10. Implementation of Order By, Group By and Having Clause. *
11. Implementation of set operators, nested queries and Join Queries. *
12. Implementation of various control structures using PL/SQL *

13. Creation of Procedures and Functions *
14. Creation of Packages *
15. Creation of Database Triggers and Cursors *
16. Practise various front-end tools with report generation.
17. Creating Forms and Menus
18. Mini Project (Application Development using Oracle/MySQL using Database connectivity)*
 - (a) Inventory Control System
 - (b) Material Requirement Processing
 - (c) Hospital Management System
 - (d) Railway Reservation System
 - (e) Personal Information System
 - (f) Web-based User Identification System
 - (g) Timetable Management System
 - (h) Hotel Management System



2. Brief Outline

2.1 History

MariaDB is a community-developed fork of the MySQL relational database management system intended to remain free under the GNU GPL. The lead developer of MariaDB is Michael "Monty" Widenius, one of the founders of MySQL AB and the founder of Monty Program AB. On 16 January 2008, MySQL AB announced that it had agreed to be acquired by Sun Microsystems for approximately \$1 billion.

The acquisition completed on 26 February 2008. MariaDB is named after Monty's younger daughter Maria, similar to how MySQL is named after his other daughter My. The developers of MySQL forked it due to concerns over its acquisition by Oracle Corporation. Contributors are required to share their copyright with the MariaDB Foundation.

| | Windows | Mac OS X | Linux | BSD | UNIX |
|-----------------------------|---------|----------|-------|-----|------|
| DB2 | Yes | No | Yes | No | Yes |
| Microsoft SQL Server | Yes | No | No | No | No |
| MySQL | Yes | Yes | Yes | Yes | Yes |
| MariaDB | Yes | Yes | Yes | Yes | Yes |
| Oracle | Yes | Yes | Yes | No | Yes |
| PostgreSQL | Yes | Yes | Yes | Yes | Yes |
| Teradata | Yes | No | Yes | No | Yes |

Figure 2.1: RDMS and Operating Systems

MariaDB intends to maintain high compatibility with MySQL, ensuring a drop-in replacement capability with library binary equivalency and exact matching with MySQL APIs and commands. It includes the XtraDB storage engine for replacing InnoDB,[8] as well as a new storage engine, Aria, that intends to be both a transactional and non-transactional engine perhaps even included in

future versions of MySQL.

MariaDB is used at DBS Bank, Google, Mozilla and the Wikimedia Foundation since 2013 and is emerging as the most preferred RDBMS for many establishments and professionals worldwide.



3. EER Schema and DDL Commands

3.1 EER Schema

Exercise 3.1 Download an existing database and generate an EER schema for it. ■

R An Entity Relationship (ER) Diagram is a type of flowchart that illustrates how “entities” such as people, objects or concepts relate to each other within a system. ER Diagrams are most often used to design or debug relational databases in the fields of software engineering, business information systems, education and research.




Figure 3.1: EER Schema for a school

3.2 DDL Commands

Exercise 3.2

- Create database from an existing database dump.
- Create a new user and associate privileges with it.



3.3 DCL Commands

- CREATE USER 'newuser'@'localhost' IDENTIFIED BY 'password';
- GRANT ALL PRIVILEGES ON * . * TO 'newuser'@'localhost';
- FLUSH PRIVILEGES;