TEAM JAKE

Wingspan Prospectus

CARTER F., FEDHIL A., JAKE G., ANSH J.

2025-2026

INDEX

Overview

01

Outline

i. One Page Outline.....1

02

Modeling Design

i. UML.....2
ii. Explanation of UML.....3
iii. Game User Interface.....9
iv. Explanation of GUI.....13

03

Implementation

i. Algorithms.....15
ii. Testing Logic.....17
iii. Testing Graphics.....18

04

Timeline

i. Communication.....
ii. General Timeline.....19
iii. Division of Workload and Checklist.....21

OUTLINE

One Page Outline

We will be programming the game "Wingspan" in Java. Wingspan is an engine-building board game played with up to 5 players, where the main objective is for players to try to collect bird cards and gain points over the span of 3 rounds, depending on a point index randomized at the beginning of the game.

This prospectus will outline our progress and plan for creating this game, providing insight on how Team Jake will divide up work, execute the numerous behaviors and functions of the board game, and serve as a reference for future improvements or changes to the game.

Our Project:

- Our project will be played among four total players with each owning their individual board and randomized birds.
- The game will be divided into a total of 7 classes and 2 enumerators: the Wingspan class, the MenuPanel class, the GamePanel class, the Game class, the Player class, the Board class, the Spot class, the BirdCard enum, and the BonusCard enum. The game will mainly run through the Game class, while the graphics will be handled by the MenuPanel and GamePanel classes.
- This prospectus contains:
  - **UML:** the barebones of the program and rough outline as to what the plan is going forward into programming the game
  - **Explanation of UML:** An in depth guide into explaining each method and functionality of the UML diagram
  - **GUI:** A basic draft of how the game will look graphically
  - **Explanation of GUI:** An in depth guide into explaining how we plan to draw out the game
  - **Round of Play:** A walkthrough of the available options the players can do during rounds
  - **Algorithms:** A walkthrough of the steps in the game that will happen during rounds/gameplay
  - **Testing Logic:** Possible conflicts and problems that may occur with the logic of the game
  - **Test Graphics:** Possible conflicts and problems that may occur with the graphics of the game
  - **Timeline:** How we plan on completing the game

MODELING DESIGN

UML



MODELING DESIGN

UML Explanation

The Class Wingspan (Extends JFrame)

Overview: This class is the runner class of the program and contains methods required for transitioning between and displaying panels.

Attributes

- **JPanel panel:** The current panel being displayed on the frame

Methods

- **void main(String[] args):** Program runner function; first displays the MenuPanel to the player
- **void backToMenu():** Returns the player to the menu after the game is over
- **void setPanel(JPanel panel):** Set the attribute panel to the provided panel and update which panel is being displayed
- **void startGame(Wingspan frame, int playerCount):** Creates a new Game and runs setPanel to update the panel to a new GamePanel

The Class Game

Overview: This class is the bulk of the program and contains attributes and methods required for initialization, scoring, and turn mechanics. It also contains global variables required throughout the entire game.

Attributes

- **HashSet<BirdCard> birdDeck:** A set of all the BirdCards in the game, one created for each instance of the enum BirdCard
- **HashSet<BonusCard> bonusDeck:** A set of all the BonusCards in the game, one created for each instance of the enum BonusCard
- **Wingspan frame:** The instance that contains necessary methods for transition of panels and the beginning and ending of the game
- **GamePanel panel:** The GamePanel used to communicate with the graphical user interface
- **int[] playerPoints:** An array containing each player's points
- **Player[] players:** An array containing all Player objects used to play the game, one for each player
- **int playerTurn:** The index of the Player instance corresponding to the player whose turn it is
- **int round:** The current round being played

Methods

- **Game(Wingspan frame, int playerCount):** Initializes the object to create the players array with playerCount amount of Players and to hold the parent class in the frame attribute
- **BirdCard drawBird():** Removes and returns a BirdCard from the HashSet birdDeck
- **BonusCard drawBonus():** Removes and returns a BonusCard from the HashSet bonusDeck
- **void endGame():** Calculates scores and displays the leaderboard/victors; ends the game
- **Player getPlayer(int i):** Returns the Player at index i of the array players
- **void handOutCards():** Draws five BirdCards per player allows the player to select a total of five items out of five foodTokens and the five cards, then allows the player to select one of two drawn BonusCards; discards unused cards
- **void nextTurn():** Sets the playerTurn to the next index and runs all necessary functions for the player's turn
- **void nextRound():** Sets up the next round by decrementing each Player's starting actionCubes and adding up points based on the criteria of the current round

The Class MenuPanel (Extends JPanel)

Overview: This class is the graphical user interface for the startup menu and communicates primarily the number of players to the Wingspan class.

Attributes

- **Wingspan frame:** The Wingspan instance containing methods for panel transition and game startup

Methods

- **MenuPanel(Wingspan frame):** Initializes the object to hold the parent class in the frame attribute
- **void mouseClicked(MouseEvent e):** Communicates the information of the graphical user interface to the Wingspan class, primarily the number of players and when to start the round
- **void mousePressed(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void mouseReleased(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void mouseEntered(MouseEvent e):** Necessary for the MouseListener interface; unused

- **void mouseExited(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void paint():** Updates graphics in response to the user's clicks

The Class GamePanel (Extends JPanel)

Overview: This class is the graphical user interface for the main game and comunicates actions launched by the player. It will display the board of each player and will give the option to display other players' boards during each player's turn.

Attributes

- **Game game:** The Game instance that the graphical user interface communicates with
- **Player playerDisplaying:** The Board of the Player being displayed

Methods

- **GamePanel(Wingspan frame):** Initializes the object to hold the parent class in the frame attribute and to set the playerDisplaying attribute
- **void mouseClicked(MouseEvent e):** Communicates the information of the graphical user interface to the Game class including the action being done and the board being displayed
- **void mousePressed(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void mouseReleased(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void mouseEntered(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void mouseExited(MouseEvent e):** Necessary for the MouseListener interface; unused
- **void paint():** Updates graphics in response to the user's clicks

The Class Player

Overview: This class will contain attributes related to each player's items and board as well as functions required for playing cards and executing actions.

Attributes

- **int actionCubes:** The remaining number of actions the corresponding player can take in a given round
- **Board board:** The Board class corresponding to this Player instance
- **ArrayList<BirdCard> birdCards:** The hand of BirdCards corresponding to the player
- **ArrayList<BonusCard> bonusCards:** The hand of BonusCards corresponding to the player

- **int[] foodTokens:** An array of size 4 holding the corresponding player's number of food tokens of each category
- **Game game:** The Game instance that the Player communicates with for drawing cards (establishes a bidirectional relationship)
- **boolean marker:** Whether or not the corresponding player holds the first player marker

Methods

- **Player(Game game):** Initializes the Player object with a bidirectional relationship to the Game instance
- **int bonusAction(BonusCard bonus):** Returns the bonus points given by the bonus
- **boolean enoughFor(BirdCard bird):** Determines whether or not the player has enough food tokens and eggs to play the given BirdCard
- **Board getBoard():** Returns the Board instance for Game and GamePanel
- **void placeAction(int habitat):** Executes the action for the given habitat before decrementing the actionCube's column to execute preceeding actions
- **boolean playCard(BirdCard, int habitat):** Plays the given BirdCard in the given habitat if requirements are met; returns whether or not the play was legal and successful
- **void runAction(int id):** Runs the action corresponding to the given actionId
- **void setActionCubes(int a):** Sets the actionCubes by the Game class

The Class Board

Overview: This class will be used primarily for storing a grid of the cards played by each player as well as food points and eggs stored on the board. It will contain necessary functions for modifying such attributes as well as for moving and launching actions.

Attributes

- **int[] actionCube:** The x- and y- values of the current actionCube on the Board
- **int[] finishedActions:** The y-value of finished actionCubes on the board for the purpose of displaying
- **Spot[][] grid:** The matrix of Spots that hold BirdCards, eggs, and food tokens
- **Player player:** The Player instance corresponding to the Board

Methods

- **Board(Player player):** Initializes the Board with a bilateral relationship to the Player
- **void act():** Runs the action corresponding to the Spot on the coordinate of the actionCube
- **int getEggCount():** Returns the sum of the eggs on all the Spots in the grid

- **void moveAction():** Moves the actionCube to the left and continues to act until the actionCube is finished, where it sets the coordinate values of actionCube to -1 and increments the corresponding value in finishedActions
- **void placeAction(int habitat):** Decrements the Player's actionCubes and sets the coordinate of the Board's actionCube
- **void playCard(BirdCard card, int habitat):** Places the BirdCard in the corresponding Spot in the grid and gives the option to run the Action onPlay
- **boolean placeEgg(int gridX, int gridY):** Places the egg on the Spot corresponding to the given coordinates; returns whether or not the placement was successful

The Class BirdFeeder

Overview: This class is simply meant to represent the bird feeder and the management of the dice.

Attributes

- **ArrayList<Integer> dice:** The five dice the BirdFeeder contains

Methods

- **void roll():** Randomly assigns five values from 1-6 to the dice
- **boolean allSame():** Returns whether or not all the values are the same in order to prompt the user to reroll

The Class Spot

Overview: This class will be representative of each spot on the player's board. It will contain attributes of each spot - such as the card holding the spot, food points, and eggs - as well as functions for modifying attributes (i.e. placing a card, adding and removing eggs and food points).

Attributes

- **BirdCard card:** The BirdCard occupying the Spot, if any
- **int eggCount:** The number of eggs on the Spot, if occupied
- **int[] foodPoints:** The number of each food token cached as a point on the Spot, if occupied
- **ArrayList<BirdCard> tuckedCards:** The BirdCards tucked underneath the occupying BirdCard, if occupied

Methods

- **void assignCard():** Assigns a BirdCard to occupy the Spot if unoccupied
- **boolean addEgg():** Adds an egg to the Spot if possible; returns whether or not the placement was successful
- **void addFood(int[] food):** Adds a food point to the Spot

- **boolean occupied():** Returns whether or not the Spot has a BirdCard occupying it
- **void removeEgg():** Decrements the eggCount of the Spot

The Enum BirdCard

Overview: This enum structures the bird cards with necessary values for the initialization of all of them in one long file. It contains constants that will vary for each card but should otherwise not be modified.

Attributes

- **final String name: The name of the BirdCard**
- **final int actionId: The ID of the action that the BirdCard holds**
- **final boolean onPlay:** Whether the action is upon the BirdCard's placement or upon activation
- **final int eggMax:** The number of eggs that can be placed on the Spot the BirdCard occupies
- **final int habitats:** A bitmask of the habitats the BirdCard can be placed in
- **final double wingspan:** The wingspan of the BirdCard
- **int[] foodCost:** The number of food tokens of each variety required to play the BirdCard

Methods

- **BirdCard(String name, int maxEgg, int habitats, double wingspan, int[] foodCost, int actionId, boolean onPlay):** Initializes the BirdCard with respective values

The Enum BonusCard

Overview: This enum is primarily for the sake of encapsulation so as to correspond with images and actions easier.

Attributes

- **final String name:** The name of the BonusCard

Methods

- **BonusCard(String name)**

Game User Interface

Title Screen

Round Scoring



Game User Interface

Bird Feeder Screen



Game Screen

Game User Interface

Selection Screen (Beginning)



Selection Screen (Cards)



Game User Interface

Scoring at the end of the rounds and game



End Game Screen

GUI Explanation

Title Screen/Menu

After the JAR file is run, the menu screen/a picture of Wingspan will be displayed. The user will be able to click a button to start the game. We will not be adding the choice of the number of players; it will stay constant at 4 players.

Round Scoring

After the user has clicked the button to start the game, the first screen that will pop up will be a round scoring indicator. This will tell the users what the scoring per round will be based on.

Bird Feeder Screen

When a user needs to take a food token, a screen will appear showing the die in the bird feeder. The user can then click a food token to take it, and if all foods within the feeder are the same, they will be able to reroll all dice.

Selection Screen

At the beginning of the game, each player will choose which bird cards to keep and which food tokens to keep. If the number of bird cards and number of tokens do not add to 5, they will not be able to continue.

Game Screen

The game screen will show the player's board, active player, round, available action cubes, and scoring.

Selection Screen

When the player needs to choose a bonus card from the two given options, this screen will appear to display the choices.

Scoring at the end of the rounds and the game

Displays the points gained after rounds and the game

End Game Screen

Displays who won the game

Round of Play

Title Screen/Menu

When the game is first run, the menu screen will just be a picture of Wingspan and a button to start the game. We will not be adding the choice of choosing the number of players. It will stay constant at 4 players.

Game Screen

After the user has clicked the button to start the game, the

IMPLEMENTATION

Algorithms

Setup Algorithm

1. The main method in the Wingspan class starts the game on a newly created MenuPanel.
2. The MenuPanel contains a basic interface to select the number of players in the game and a play button. It runs the startGame method in the Wingspan class afterwards with the proper variables and a newly initialized GamePanel, setting the GamePanel as the panel to be displayed by the Wingspan class.
3. The startGame method creates the Game class, which instantiates new Player classes (that instantiate their own Board classes with grids of Spot instances), creates the global decks, and draws five cards; two bonus cards; and five food tokens for each player to select a total of five items and one bonus card. Others are discarded.
4. The Round Algorithm is run.
5. The endGame method of the Game class will run the bonusAction method for each card and add the bonus points to each player in the playerPoint array.
6. The leaderboard and a victor will be displayed by the GamePanel as well as an option to restart. Upon restarting, the Setup Algorithm runs again.

Round Algorithm

1. The Game class sets the first player's (or the next player from the previous round's) marker to true and displays their board on the GamePanel.
2. The Turn Algorithm is run until the nextRound method is called. The Game class increments the round attribute and runs the Scoring Algorithm.
    a. If the round attribute of the Game reaches 4, the endGame method is called in the Game class, and the Round Algorithm terminates.
    b. Otherwise, the Round Algorithm continues to loop.
3. Each Player's actionCubes attribute is initialized to one less than the round before.the GamePanel with the option to restart. Restarting will display the MenuPanel once again to restart the overall game loop.

Turn Algorithm

1. The GamePanel listens for a mouseClicked event and internally manages code relating to graphics (which may include basic variables not detailed in the UML) until an action is performed.
2. The Player's actionCubes will be decremented upon any action selected by a player, and the Board's actionCube will have its coordinate set to the respective spot.
    a. If the action is playing a card, the Card Placement Algorithm is run.
    b. Otherwise, the Action Algorithm is run.
3. After the action is completed, the nextTurn method of the Game class will be run, restarting the Turn Algorithm on the next player's turn. If the next Player's actionCubes count is equal to 0, the nextRound method is called, and the Turn Algorithm terminates.

Card Placement Algorithm

1. The playCard method is run in the respective Player class to determine if the card was legal to play.
2. If legal, the method plays it by calling the subsequent playCard method in its Board instance, returning true if successful and false otherwise.
3. If successful, the GamePanel will display the option to run the card's on-play effect, running the runAction method in the Player class if so.
4. The respective finishedActions count in the Board instance will be incremented and the actionCube will be set to [-1, -1].

Action Algorithm

1. The placeAction method will be run to launch a loop in the Board instance where the initial position of the actionCube, an unoccupied spot, will affect the player with its respective trait, be that adding eggs, gaining food, or drawing a bird card.
2. The GamePanel will give the option to trade if the spot on the board offers, running the respective trade.
3. The loop will continued with the moveAction method - the method to move the actionCube left - being called until the actionCube's first value is -1, at which point the actionCube will be set to [-1, -1] and the respective finishedActions count will be incremented.
    a. The GamePanel will give the option to activate each card it crosses over if possible. If activated, the runAction method will be run in the Player instance to activate the action of the BirdCard's actionId.

Scoring Algorithm

1. The Game class will evaluate the round attribute and provide a specific criteria on which to assign points.
2. A nested loop runs through each Spot of each Board of each Player instance and adds points to the playerPoints array based on the given criteria.

Testing Logic

Setup Algorithm

1. The main method in the Wingspan class starts the game on a newly created MenuPanel.
2. The MenuPanel contains a basic interface to select the number of players in the game and a play button. It runs the startGame method in the Wingspan class afterwards with the proper variables and a newly initialized GamePanel, setting the GamePanel as the panel to be displayed by the Wingspan class.
3. The startGame method creates the Game class, which instantiates new Player classes (that instantiate their own Board classes with grids of Spot instances), creates the global decks, and draws five cards; two bonus cards; and five food tokens for each player to select a total of five items and one bonus card. Others are discarded.
4. The Round Algorithm is run.
5. The endGame method of the Game class will run the bonusAction method for each card and add the bonus points to each player in the playerPoint array.
6. The leaderboard and a victor will be displayed by the GamePanel as well as an option to restart. Upon restarting, the Setup Algorithm runs again.

Round Algorithm

1. The Game class sets the first player's (or the next player from the previous round's) marker to true and displays their board on the GamePanel.
2. The Turn Algorithm is run until the nextRound method is called. The Game class increments the round attribute and runs the Scoring Algorithm.
    a. If the round attribute of the Game reaches 4, the endGame method is called in the Game class, and the Round Algorithm terminates.
    b. Otherwise, the Round Algorithm continues to loop.
3. Each Player's actionCubes attribute is initialized to one less than the round before.the GamePanel with the option to restart. Restarting will display the MenuPanel once again to restart the overall game loop.

Testing Graphics

Setup Algorithm

1. The main method in the Wingspan class starts the game on a newly created MenuPanel.
2. The MenuPanel contains a basic interface to select the number of players in the game and a play button. It runs the startGame method in the Wingspan class afterwards with the proper variables and a newly initialized GamePanel, setting the GamePanel as the panel to be displayed by the Wingspan class.
3. The startGame method creates the Game class, which instantiates new Player classes (that instantiate their own Board classes with grids of Spot instances), creates the global decks, and draws five cards; two bonus cards; and five food tokens for each player to select a total of five items and one bonus card. Others are discarded.
4. The Round Algorithm is run.
5. The endGame method of the Game class will run the bonusAction method for each card and add the bonus points to each player in the playerPoint array.
6. The leaderboard and a victor will be displayed by the GamePanel as well as an option to restart. Upon restarting, the Setup Algorithm runs again.

Round Algorithm

1. The Game class sets the first player's (or the next player from the previous round's) marker to true and displays their board on the GamePanel.
2. The Turn Algorithm is run until the nextRound method is called. The Game class increments the round attribute and runs the Scoring Algorithm.
    a. If the round attribute of the Game reaches 4, the endGame method is called in the Game class, and the Round Algorithm terminates.
    b. Otherwise, the Round Algorithm continues to loop.
3. Each Player's actionCubes attribute is initialized to one less than the round before.the GamePanel with the option to restart. Restarting will display the MenuPanel once again to restart the overall game loop.

IMPLEMENTATION

General Timeline

Week number 1: October 19th - October 26th

Main goal: Create the structure of the project, startup all of the main classes, and establish the UML representation in the program.

Tasks for the week:

- Make a structure of the whole project folder(essentially create packages for game, user interface cards, and player and store the respective classes in each package)
  - This will help with organization which is essential for planning.
- Give definitions to all of the enums, and the classes.
  - This includes the classes Wingspan, Game, Player, Board, Spot, MenuPanel, GamePanel and the enums BirdCard, and BonusCard.
- Write the constructors, private instance variables(encapsulation), and the placeholder methods.
- The UML diagram should show the respective relationships as follows.
  - Wingspan→ Game→ Player→ Board→ Spot→ BirdCard and BonusCard.
- Set up the github shared folder for collaboration of each individual's work.

Weekly assigned roles:

- Jake: create the skeleton classes for Game, and Wingspan.
- Ansh: Build the Player class with the planned variables and the empty methods that go along with the player class.
- Carter: Establish the structure of Board and Spot class and create the placeholder methods, and variables and link them together(Board will have a List of Spot objects)
- Fedhil: Form the basic MenuPanel, and GamePanel placeholders.Also work on the initialization of the enums.

Simplified milestones that counts towards the whole project:

- All the classes are defined
- UML diagrams are implemented in the program.
- The repository and folder are finalized.

Due date for this main goal: October 26th

Week number 2: October 26th - November 2nd

Main goal: Focus on the integration between the Enums and the Player and Game class.

Tasks for the week:

- Work on BirdCard enum by specifically programming the constants of each bird, with its attributes.
  - The attributes of the BirdCard include name, eggMax, habitats(bitmask), wingspan, foodCost, actionId, oneplay which will be the parameters of the constructor.
- Work on the BonusCard enum with its respective constants as well, although it will have a simpler structure.
  - The single attribute is the name which will be the parameter of the constructor.
- Work on the Game class in order to create the decks through the method in the Enum, which is Enum.values().
- Work on the functionality of the placeholder methods in the Player class that are storage related.
  - These methods include drawBird(), drawBonus(), discard(), addEgg()
- Make sure that the decks are successfully distributed to each player, and they are able to discard and draw other items in the game.

Weekly assigned roles:

- Jake: He will be implementing the constructor for the Game, creating the players in the game, and developing the method handOutCards()
- Ansh: Add more functionality to the Player class methods in order to successfully accomplish the necessary tasks.
- Carter: Establishing the connection between the Board and the Spot Class. Work on the assignCard(), occupied() methods in the Spot class,
- Fedhil: Create the setup for GUI and create the layout for the frame.

Simplified milestones that counts towards the whole project:

- Players can hold the cards(BirdCard and BonusCard)
- The initialization of the game successfully distributes the cards to the players.

Due date for the main goal: November 2nd

Week number 3: November 2nd - November 9th

Main goal: The main goal focus for this week will be to create a proficient turn system between the players in the game.

Tasks for the week:

- Work on the methods in the Game class which correspond to the turn system.
  - startGame(), nextTurn(), nextRound(), endGame()
- Further expand the methods in the Player class for the flow of the game between the players.
  - playCard(), gainFood(), layEggs()
- Have the Board and Spot class connect to each other so the birds can be activated in the correct habitat.
- Track the state of the round during the game, and also have basic score calculation as well.
- Work on test cases for the players so the round rotation is successful.

Weekly assigned roles:

- Jake: He will be working on the turning logic and the progressive state of the rounds of the game.
- Ansh: The main role will be to debug the actions of the players and their interactions with the components of the game itself.
- Carter: Focus on and potentially finish the Spot.activateCard() and Board.playCard() logic.
- Fedhil: Begin adapting upon the GUI of the game by focusing on the transitions in between the turns.

Simplified milestones that counts towards the whole project:

- The systems of the turns amongst the players is working successfully.
- The rounds are adding on to the game and the scoring is working side by side as well.

Due date for this goal: November 9th

Week number 4: November 9th - November 16th

Main goal: Collaborative enhanced development of the graphical user interface(GUI).

Tasks for the week:

- Form the layout for how the Menupanel will look like with the different buttons on the screen.
  - This is very important because this is essentially the aspect of the program the user interacts with.
- Build the GamePanel that displayed each players' food, eggs, and board as well. (The board for each player will not be shown all at once because we will keep a button for the user to toggle between the board in order to maintain organization.
- Code the mouseListener methods (we will be using mouseClicked(()) so the interactions are working.
- Essentially, link the Panel with the backend aspect of the programs
  - startGame(), Wingspan.setPanel()

Weekly assigned roles:

- Jake: He will focus on the seamless and smooth integration of the game methods with the panel of the game.
- Ansh: Make sure that the data that is being shown on the panel matches with the logic of the backend.
- Carter: make sure that the coordinates of the grids are in match with the visual of the board on the panel.
- Fedhil: lead the whole team with the creation of GUI with all the handling of the events.

Simplified milestones that counts towards the whole project:

- The menu and the game panel are working.
- The Gui is able to show data and it is able to respond to input.

Due date for this main goal: November 16th

Week number 5: November 16th - November 23th

Main goal: Further integration of the systems, completely finalize the whole scoring system, and make sure of the smooth interconnection between the GUI and logic.

Tasks for the week:

- Focus on the full merging of the actions in the GUI and the logic of the Game class.
- Work on the Bonus card scoring methods through the development/use of the Bonus Card enum.
- Create the final version of the calculateScore() method and the logic for nextRound() as well.
- Ensure that the turn system is actually seamless and the displays of the round are working in cases of any small bugs from the third week.

Weekly assigned roles:

- Jake: focus on the tweaking and refinement of the logic that is within the Game class.
- Ansh: Integrate the functions of the Player and further test the functionality of the gameplay.
- Carter: Work on the debugging of the board as well as the systems for activations of the cards.
- Fedhil: Clean up and refine the GUI alongside the transitions within the GUI.

Simplified milestones that counts towards the whole project:

- Now there should be a complete playable loop and the scoring should not be basic, but it should be fully developed.
- The effects of the Bonus cards are correctly working and functional.
- GUI is fully in sync with the backend of the program.

Due date for main goal: November 23rd

Week number 6: November 23th - November 30th

Main goal: This week will be focused on testing the game, and further developing upon the performance of the game**.**

Tasks for the week : *This week will rely on the testing data aspect of our program that is in this prospectus*

- Run the unit tests for the classes and enums in the program.
  - These classes include Game, Board, Player, Spot, and the enums BirdCard and BonusCard.
- Make sure of all the gameplay actions in the game and that they accurately follow the rules of the Wingspan rulebook, and focus on the potential edge cases involved in the program which might cause the program to crash.
- Test different possible cases that involve the Graphics;some of these include when the user clicks on the blank screen(error occurring due to the mouseclicked method).
- Keep track of the results of the tests that we are carrying out in our program.

Weekly assigned roles:

- Jake: He will be the main leader of testing and fixing of the logic issues in the program.
- Ansh: Further expand on the potential test cases for the classes and the enums to conduct in the code, which are not covered in the section: Testing Data.
- Carter: He will be very focused on testing the logic for the board logic.
- Fedhil: Further better and optimize the (GUI) and fix any crashes or errors in the panels if necessary.

Simplified milestones that counts towards the whole project:

- Make sure that the tests are able to pass successfully.
- Check if the game is without any runtime errors.
- Make the game ready for any additional changes and further/extra polishing.

Due date for the main goal: November 30th

Week number 7: November 30th - December 5th

This week will most likely be a continuation of the next week depending on the extent of the errors that we are encountering in our program

Main goal: The main goal for this week is to make final touches to the project, and ensure that it runs smoothly. Help other teammates that are encountering conflicts in their role specific goals.

Tasks for the week : *This week will also rely on the testing data aspect of our program that is in this prospectus*

- Conduct the final round of testing in the game.
  - Essentially our group will play the game because it is a four player game and our group consists of four members.
- Perfect the performance of the GUI and the user experience
- Potentially make the UI of the game more

Weekly assigned roles: **they are the same for last two weeks**

- Jake: He will be the main leader of testing and fixing of the logic issues in the program.
- Ansh: Further expand on the potential test cases for the classes and the enums to conduct in the code, which are not covered in the section: Testing Data.
- Carter: He will be very focused on testing the logic for the board logic.
- Fedhil: Further better and optimize the (GUI) and fix any crashes or errors in the panels if necessary.

Simplified milestones that counts towards the whole project:

- Finish all the main goals.
- Focus on any conflicts that are present in the code.

Testing Data

Thank You

www.reallygreatsite.com

+123-456-7890