

BRAND MANUAL

EMEA REGION
EDITION #07|2026

The Niterrra logo features the word "Niterrra" in a bold, teal, sans-serif font. A small yellow dot is positioned above the letter "i". The logo is set against a background of two large, light gray concentric circles that are partially visible on the right side of the page.

Niterrra

BRAND MANUAL

Simply click on a chapter or article
to be forwarded to the respective page



1.0 COMPANY 03

1.1 Logo	04
1.2 Colour	09
1.3 Typography	10
1.4 Graphic Elements	11
1.5 Corporate Illustration	13
1.6 Corporate Video	14
1.7 Wording	15
1.8 Corporate Message	16
1.9 Office Supplies	18
1.10 Merchandise	22

2.0 AUTOMOTIVE BRANDS 23

2.1 Brand Messaging	24
2.2 Brand Attributes & Personality	27

2.3 Brand Basics 28

2.4 Design Basics	43
2.5 Office Supplies	47
2.6 Imagery	49
2.7 Merchandise	53
2.8 Links	57

3.0 GROUP RULES 58

4.0 REVISION HISTORY 59

5.0 CONTACT 60

1.0 COMPANY

1.1 Logo	04
Logo, Size and Colour	04
Branded House (vertical)	05
Branded House (horizontal)	06
No-Go Examples	07
Signature	08
1.2 Colour	09
1.3 Typography	10
1.4 Graphic Elements	11
Shining Ring	11
Pattern	12
1.5 Corporate Illustration	13
Niterra Main Visual	13
1.6 Corporate Video	14
1.7 Wording	15
1.8 Corporate Message	16
Size and Colour	16
1.9 Office Supplies	18
Business Paper	18
Business Card	19
Announcement Paper	20
Presentation Template	21
1.10 Merchandise	22

1.1 Logo

Logo, Size and Colour

MediaBox: Logo



The Niterra logo is always the first choice to also highlight the internationality of the company. When using the Niterra logo, a reference to the legal entity name will need to be given in the document (footer or elsewhere). The legal entity logo should only be used when you need to refer to the legal entity but can only use a logo.

Niterra Logo Protection Zone



The EMEA logo is shown as a reference, each legal entity has its own logo.

Legal Entity Logo (vertical)


Niterra
Niterra EMEA GmbH

Legal Entity Logo (horizontal)

Niterra Niterra EMEA GmbH

Minimum Size

Minimum width for the logo is **17 mm** (print) and **48 px** (online). Only favicons can be used with a width of **18 px**.



Colour Application

Niterra

Mono Colour Form
Black

Niterra
Niterra EMEA GmbH

Dark Grey

Niterra
Niterra EMEA GmbH

The logo may be positioned on earth green or black backgrounds if the **background is fully displayed** in this colour. The visualisations below are only exemplary and must not be used as single logos.

Negative Colour



Reverse Expression



1.1 Logo

Branded House (vertical)

MediaBox: Logo




The Niterra logo may appear in combination with the Aftermarket brand logos. In the vertical version, the distance between the brand logos stays at twice the diameter ("x"), where "x" must not be less than the minimum size of **60px** (online) or **15mm** (print). The distance between the Niterra logo and the brand logos must at least be the N's height "y".

Colour Application

The logo may be positioned on black backgrounds if the background is fully displayed in this colour. The logo may never be positioned on an earth green background.

Distance



Mono Colour Form Black

Niterra



IGNITION
PARTS



VEHICLE
ELECTRONICS

1.1 Logo

Branded House (horizontal)

MediaBox: Logo




The Niterra logo may appear in combination with the Aftermarket brand logos. In the horizontal version, the distance between the brand logos must be at least one diameter ("x"), where "x" must not be less than the minimum size of **60px** (online) or **15mm** (print). The distance between the Niterra logo and the brand logos must at least be the N's height "y".

Colour Application

The logo may be positioned on black backgrounds if the background is fully displayed in this colour. The logo may never be positioned on an earth green background.

Distance



Mono Colour Form Black

Niterra



IGNITION
PARTS



VEHICLE
ELECTRONICS

1.1 Logo

No-Go Examples



Incorrect Colours

The logo colours may not be modified. The only acceptable colours are those shown on the pages before.

Niterra

Niterra

Niterra

Niterra



Logo Change

The logo may not be changed visually at any point.

Niterra



Wrong Background

The only acceptable backgrounds for the logo are black, white or earth green (in various saturations).



Wrong Distance

The spacing between the logo and the tagline must not be changed from the originally supplied logos.

Niterra



Niterra EMEA GmbH

Niterra



Niterra EMEA GmbH

Niterra



IGNITION
PARTS



VEHICLE
ELECTRONICS

1.1 Logo

Signature

All employees have to include the Niterra logo to their signature according to the 'Regulation of the user account profile' policy.

[LINK: <https://drive.google.com/drive/folders/13TiK-RnLIAOnNjSQB-8Irfom5XBzQZrv>].

To Aftermarket colleagues only the option of including the Branded House logo combination is possible.

For better legibility the size of the logos is slightly increased which results in different Niterra logo sizes depending on the department and selection. It is not a must to use the Branded House if you are working in the Aftermarket departments.



1.2 Colour

MediaBox: Colour



Primary Niterra Colour Earth Green	Pantone C: 7713 C Pantone U: P123-7 U CMYK: 100/40/50/0 RGB: 0/117/128 HEX: #007580 RAL: 5021 Water blue	Support Colour Nittoku Black	Pantone C: Black C Pantone U: P179-16 U CMYK: 0/0/0/100 RGB: 0/0/0 HEX: #000000 RAL: 9005 Jet black	Support Colour Light Grey	Pantone C: Cool Grey 1C Pantone U: P179-2 U CMYK: 0/0/0/10 RGB: 242/242/242 HEX: #f2f2f2 RAL: 7035 Light grey
Secondary Niterra Colour Shine Yellow	Pantone C: 7549 C Pantone U: P10-8 U CMYK: 0/35/100/0 RGB: 238/181/0 HEX: #eeb500 RAL: 1003 Signal yellow	Support Colour Dark Grey	Pantone C: Cool Grey 10 C Pantone U: P179-11 U CMYK: 0/0/0/75 RGB: 102/102/102 HEX: #666666 RAL: 7012 Basalt grey		

	0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
Basic	Niterra	Niterra	Niterra	Niterra	Niterra						
Reverse								Niterra	Niterra	Niterra	Niterra
Black	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra
Negative					Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra

	0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
Basic	Niterra	Niterra								Niterra	Niterra
Reverse								Niterra	Niterra	Niterra	Niterra
Black	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra			
Negative					Niterra	Niterra	Niterra	Niterra	Niterra	Niterra	Niterra

1.3 Typography

Typography is one of the most important building blocks when it comes to a company's corporate identity. In the best cases, the sender or the company can already be identified by the type of font. Typography has an inestimable value as a recognition feature and, once defined, is used across all media.

Usage

The font to be used for office applications is Arial. For graphic designs created with e.g. Adobe applications the font to be used is Frutiger.

ARIAL – REGULAR

Copy

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

ARIAL – BOLD

Headline

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

ARIAL – REGULAR ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

ARIAL – BOLD ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 55 ROMAN

Copy

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 65 BOLD

Headline

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 45 LIGHT

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 56 ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 66 BOLD ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

FRUTIGER – 46 LIGHT ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

1.4 Graphic Elements

Shining Ring


The shining ring is a graphic image that complements the meaning of "Nitterra". When it is shown on a white background, the ring is light grey.



The shining ring can be used alone or in combination with the Nitterra logo; if so, the centre of the "i" dot must be in the centre of the inner circle. However, indirect combinations where both elements don't touch are also possible.



The shining ring is always inserted around the corner and is therefore never completely visible. The shining ring can also be used on an earth green background; if so, the shining ring is white with an opacity of 20%.




1.4 Graphic Elements

Pattern

It is possible to use the logo as a pattern on a white or earth green background.


Pattern
White



The pattern shows the Niterra logo repeated on a white background. The "i" dots serve as a design element that appears at regular intervals between the logo. The spacing between the Niterra logos is 2x, with the respective "i" dot always remaining visible.



Pattern
Earth Green



The pattern shows the Niterra logo repeated on an earth green background. The "i" dots serve as a design element that appears at regular intervals between the logo. The Niterra logo is shown in an 80% colour gradation. The spacing between the Niterra logos is 2x, with the respective "i" dot always remaining visible.



1.5 Corporate Illustration

Niterra Main Visual

Meaning

The design expresses the "Shining Earth" that Niterra stands for. It is shown with a brushstroke and it is meant to show specialness and uniqueness.

Usage

The main copy "Brilliant ideas for a brighter future." must only be used with the main graphic.

Approval process

Approval from GHQ is needed, therefore a draft needs to be handed in.


Position

The main graphic can be used either alone or in combination with the Niterra logo. In the vertical version, the Niterra logo must be placed on the right, below the main graphic, on a white background. In the horizontal version, the Niterra logo is centered to the right of the main graphic on a white background.

Vertical Version




Horizontal Version



It is forbidden to use the main graphic in combination with the Aftermarket brand logos.

1.6 Corporate Video

The brand movie is available in three different film lengths: short, medium and long.
The brand movie may be used in the time between 1.3.2023 and 29.2.2024. It is not allowed to edit or translate the movie. The English language versions have to be used.



1.7 Wording

The company name Niterra shall be used to represent the group. The legal entity name, e.g. Niterra EMEA GmbH may be used when the legal part is of importance, e.g. for contracts.

Please do not write Niterra in capital letters. When writing Niterra Group please start with a capital letter as well as e.g. for Niterra Middle East or Niterra South Africa.

Punctuation Symbols

Quotation Marks

“To introduce direct speech”

Guillemets

»Only use guillemets in France.«

Examples:

- | | |
|---|---|
| ✓ Niterra EMEA GmbH | ✗ NGK SPARK PLUG EUROPE GmbH |
| ✓ The Niterra Group is represented by the Niterra logo. | ✗ Niterra EMEA GmbH represents the group. |
| ✓ Niterra is the new company name. | ✗ NITERRA is the new company name. |
| ✓ Niterra sells NGK spark plugs. | ✗ Niterra spark plugs are sold. |

1.8 Corporate Message

Size and Colour

MediaBox: Logo



Meaning

"Ignite your Spirit" still expresses the direction in which the company is going. The font used in this slogan has been adapted in order to be consistent with the logo change. "Ignite your Spirit" now uses capital letters and a slightly slimmer font that is meant to evoke the same concepts of "innovation" and "trust" as the new "Niterra" logo. The design emphasises "11 November", the anniversary of the company's founding on 11 November 1936, therefore, four 1's are used as "I's".

Minimum Size

The minimum size for the use of the corporate message is **24mm** (print) or **68px** (online).

Combination

The corporate message can be used alone or in combination with the Niterra logo. It may not be combined with the legal entity logos.

IGNITE YOUR SPIRIT

IGNITE YOUR SPIRIT
≥ 24 mm
or 68 px

Colour Application

Niterra
IGNITE YOUR SPIRIT

Mono Colour Form

Black

Niterra
IGNITE YOUR SPIRIT

The logo may be positioned on earth green or black backgrounds if the **background is fully displayed** in this colour. The visualisations below are only exemplary and must not be used as single logos.

Negative Colour



Reverse Expression





Variants

The combination with the Niterra logo is available in both vertical (previous page) and horizontal (this page) versions.

Colour Application

Niterra IGNITE YOUR SPIRIT

Mono Colour Form Black

Niterra IGNITE YOUR SPIRIT

Negative Colour

Niterra IGNITE YOUR SPIRIT
Niterra IGNITE YOUR SPIRIT

Reverse Expression

Niterra IGNITE YOUR SPIRIT
Niterra IGNITE YOUR SPIRIT

Business Paper

Different versions for all legal entities are available as Microsoft Word and Google Docs templates in the respective template galleries.



Nitterra GmbH & Co. KG · Postfach 1040 · D-38472 Nienburg

Supplier Company GmbH
 Supplierstreet 345
 D- 38472 Supplier City

Abteilung / Department
 Tel.: +49 (0) 21 02 974 000
 Mob: +49 (0) 1520 297 40 39
 E-Mail: max_mustermann@ngnknk.de

Datum / Date: 01.04.2023

Betreff / Reference Heading

Text

Nam elitatur, nobisinite dus ad et odit adit, secus sitaspe ruptum re nist la de et haribusaecte ratur? At as magnihit qui restiorrore dolenda aut haribosci dolum sanducit fugita dolum con nossimin porum sae sequeae volo voluplatem net quodi del eum si ut dit aut poreroria quas abo. Nam inim volupta valor sit harchic tem es repemdis mo est, intus alis eos ex ea arum, officis dem est harcilla pelentus. Ga. Ut et vellest et quis ex et porupta sequi uttessectate suntlo voluplām eossimi nverci quatem cus que valor alit maionse mature nus, officiet, sunt audant aligniae nosantur, eos int.

Nam elitatur, nobisinite dus ad et odit adit, secus sitaspe ruptum re nist la de et haribusaecte ratur? At as magnihit qui restiorrore dolenda aut haribosci dolum sanducit fugita dolum con nossimin porum sae sequeae volo voluplatem net quodi del eum si ut dit aut poreroria quas abo. Nam inim volupta valor sit harchic tem es repemdis mo est, intus alis eos ex ea arum, officis dem est harcilla pelentus. Ga. Ut et vellest et quis ex et porupta sequi uttessectate suntlo voluplām eossimi nverci quatem cus que valor alit maionse mature nus, officiet, sunt audant aligniae nosantur, eos int.

Nam elitatur, nobisinite dus ad et odit adit, secus sitaspe ruptum re nist la de et haribusaecte ratur? At as magnihit qui restiorrore dolenda aut haribosci dolum sanducit fugita dolum con nossimin porum sae sequeae volo voluplatem net quodi del eum si ut dit aut poreroria quas abo. Nam inim volupta valor sit harchic tem es repemdis mo est, intus alis eos ex ea arum, officis dem est harcilla pelentus. Ga. Ut et vellest et quis ex et porupta sequi uttessectate suntlo voluplām eossimi nverci quatem cus que valor alit maionse mature nus, officiet, sunt audant aligniae nosantur, eos int.

Nam elitatur, nobisinite dus ad et odit adit, secus sitaspe ruptum re nist la de et haribusaecte ratur? At as magnihit qui restiorrore dolenda aut haribosci dolum sanducit fugita dolum con nossimin porum sae sequeae volo voluplatem net quodi del eum si ut dit aut poreroria quas abo. Nam inim volupta valor sit

Geschäftsführer / Managing Director: Clemens Garmes, AG, Düsseldorf 40456



harchic tem es rempedis mo est, intus alis eos ex ea arum, officiis dem est harcilla pelentus. Ga. Ut et vellest et quis ex et porupta sequi utessectate suntto voluptam eossimi nverci quatem cus que volor alit maionse mature nus, officiet, sunt audant aligniae nosantur, eos int.

- Punkt 1
- Punkt 2
- Punkt 3
 - Unterpunkt
 - Unterpunkt
- Punkt 4

Nam elitatur, nobisinite dus ad et odit adit, secus sitaspe ruptium re nist la de et haribusaecte ratur? At as magnihit qui restiorore dolenda aut haribuscui dolum sanducit fugita dolume con nossimin porum sae seque volo voluptatem net quodi del ei eum si ut dit aut poreroria quas abo. Nam inim volupta volor sit harchic tem es rempedis mo est, intus alis eos ex ea arum, officiis dem est harcilla pelentus. Ga. Ut et vellest et quis ex et porupta sequi utessectate suntto voluptam eossimi nverci quatem cus que volor alit maionse mature nus, officiet, sunt audant aligniae nosantur, eos int.

Mit freundlichen Grüßen / Best Regards

Niterra EMEA GmbH

Name

Job title

Department Region

2

Geschäftsführer | Managing Director | Damien Gerardo AG | Geschäftsbrief HRB 43319

- **Copy** Arial – 10pt


1.9 Office Supplies

Business Card

MediaBox: Business Card



The business card may not show any other logos than the Niterra logo.



Back AM



Back OE



1.9 Office Supplies

Announcement Paper

Different versions for all legal entities are available as Microsoft Word and Google Docs templates in the respective template galleries. A version without footer is additionally available for general announcements.



HEADLINE

1. Header

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Header

1.1. Header

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et.

1.1.1. Header

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et.

1.2. Examples

1.2.1. Numbered List

1. Numbered List
2. Numbered List
3. Numbered List

2. Bullet list

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et.

- Bullet Points
- Bullet Points
- Bullet Points

2.1. Example image inkl. description



Description 1 Image Description

Nitterra EMEA GmbH • Marktplatz 41 • D-40880 Ratingen • www.ngktrb.com





3. Example Table

Lorem Ipsum	Lorem Ipsum	Lorem Ipsum
Lorem Ipsum	Lorem Ipsum	Lorem Ipsum

Nitterra EMEA GmbH • Marktplatz 41 • D-40880 Ratingen • www.ngktrb.com



1.9 Office Supplies

Presentation Template

Templates are available in Microsoft Powerpoint and Google Slides format via the respective template galleries.

2-Option Comparison Niterra

Subtitle

OPTION 01	OPTION 02
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.	 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.	 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.	 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.	 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.	 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.

Niterra EMEA GmbH | All Rights Reserved Strictly Confidential 12

Niterra EMEA GmbH Niterra

CLICK TO EDIT TITLE
CLICK TO EDIT SUBTITLE

Author DOMMEYYY



All Rights Reserved Strictly Confidential 1

Click to edit title Niterra

• click to edit text



Niterra EMEA GmbH | All Rights Reserved 12

Click to edit title Niterra

• Click to edit content



Niterra EMEA GmbH | All Rights Reserved 2

1.10 Merchandise

Niterra merchandise articles may show the Niterra logo without mentioning the legal entity. Please be aware of the correct colour use depending on the colour of the item.

Positioning

The logo can be positioned freely, but note that the protection zone around the logo must remain free blank. The logo must be placed in an appropriate size and has to be legible.

Graphical Elements

The shining ring or the pattern may be used on merchandise items if it is possible to position it according to the guideline.


For non-merchandise clothing (e.g. business clothing for events or exhibitions) the combined use of the Niterra logo and the Aftermarket brand logos is allowed (together as Branded House or separated from each other).

The corporate message shall only be used with the Niterra logo alone, not with any brand logos.




Older company clothing can of course still be worn if only branded with brand logos and not with the former company logo.

Pens



Notebook



Laptop Bag



Signboards or Flags



3:1
Further Standards
4:1, 2:1, 1:1, 1:2, 1:3, 1:4



Sweets Packaging



Stickers



Exception for merchandise articles only: the black Niterra logo can be used on a black background as long as it is still clearly recognisable, e.g. due to different textures.

2.0 AUTOMOTIVE BRANDS

2.1 Brand Messaging	24	2.5 Office Supplies	47
Statements	24	Announcement Paper	47
Story	25	Presentation Template	48
Key Messages	26	2.6 Imagery	49
2.2 Brand Attributes & Personality	27	Brand Imagery	49
2.3 Brand Basics	28	General Brand Images	50
Logos	28	Product Renderings	51
Tagline & Protection Zone	29	Product Visuals	52
Colour Chart NGK	30	2.7 Merchandise	53
Colour Chart NTK	31	Branded House Merch (vertical)	55
No-Go Logo Examples	32	Branded House Merch (horizontal)	56
Colour	33	2.8 Links	57
Typography	34		
Graphic Element Power Source	35		
Graphic Element Power Line	38		
Graphic Element Eye-Catcher	40		
Graphic Element Pictograms	41		
Wording	42		
2.4 Design Basics	43		
Standard Formats	43		
Non-Standard Formats	44		
Logo Position	45		
Go and No-Go Examples	46		

2.1 Brand Messaging

Statements


Brands should always be able to understand and speak the language of the market. NGK and NTK have a confident, clear, and active style. This describes the tone of the language.

In terms of content, they need to communicate different strengths, ranging from the company through to the products.

These relevant core messages are compiled in the form of brief overviews below for NGK and NTK.

Two brands. Two characters. So many facets. One focus. Discover the power and vision of NGK and NTK.

NGK and NTK Personality



NGK Personality



NTK Personality



NGK and NTK Brand Statement

"Ours is a position of power. Wherever we are, power takes place. We enable performance and take precision to extremes."

NGK Brand Statement

"We empower your performance and unleash the power within engines. Performance at heart."

NTK Brand Statement

"We take precision to extremes and match the precision and accuracy of your industry. Precision at its best."

2.1 Brand Messaging

Story

One brand already has a lot to say. But two brands have a whole story to tell. Learn more about our two powerful brands.

What drives a company that's in the business to drive others?

It's perfection.

And that's why our business is driven by extremes.

A business where standards apply only until a better one is defined.

A business that doesn't allow for compromises.

But when we meet those challenges, that go beyond the standard,
when we face these tasks close to the limit,
that's exactly when we succeed,
when we are at our best.

Because it's in our culture
to dedicate ourselves without compromise,
to be curious beyond any limit,
to be relentlessly committed,
to provide our customers with the means for
extraordinary **performance** and
exceptional **precision**.

And that's what drives us:
performance through precision,
precision through performance.
The power of both.
At any given moment.
And right now.

2.1 Brand Messaging

Key Messages

MediaBox: Key Messages



The purpose of key messages is to reinforce the two brands NGK and NTK with their brand values. "When Performance Meets Precision," "Powered by Performance," and "Powered by Precision" are the key messages which communicate the two brands NGK and NTK.

NGK Key Message

POWERED BY
PERFORMANCE



NTK Key Message

POWERED BY
PRECISION



NGK and NTK Key Message

WHEN
PERFORMANCE
MEETS
PRECISION



2.2 Brand Attributes & Personality

The two brands NGK and NTK have many aspects – as diverse as they might appear at first sight, they match each other perfectly.



Bold:

This will be a merciless job – no fun at all. For others. To me, this is life. I am courageous, because I know the limits: I like pushing them, and I love leaving them behind.

Competitive:

It finally happens. Powerful. Borderline. I need to feel myself being challenged. My team gives me strength, I give my all. I am unshakable. You can rely on me. NGK

Hungry:

Every challenge makes me stronger, makes me more curious. Now more than ever. Bring it on.

Driven:

My surroundings fade from view. I see my path and nothing will lead me astray. I am relentless. Exact. Radical. In constant contact. My focus is set.

Sharp:

Adapting to a situation when it happens is too late. I am wide awake, my senses are sharp, I am well trained. This concentration is not just a phase. This concentration is who I am. NTK

Ahead:

The standards are high – after all, several of them I set myself. I am drawn to unknown territory.

2.3 Brand Basics

Logos

MediaBox: Logo



As a graphic symbol, a logo can represent an entire company or its products or services. High recognition value is the key to success here. The fewer variants that are used and the greater the recurrences in regulated usage, the faster the recognition value will take effect. Each message is then more clearly connected to the brand.

The brand logos are used on product group level and brand communication such as

Print (brochure, flyer)

Online

Events and shows

Product link

Clothing (official company clothing for events/exhibitions, not to be mistaken with merchandise clothing articles)



The logo with tagline below is the preferred version.

Minimum Size

To ensure an ideal presentation, the circle logo should be displayed with a width of at least **60 px** (online) and **15 mm** (print).



NGK should always appear first, meaning on the left for the horizontal combination.



IGNITION
PARTS



VEHICLE
ELECTRONICS



IGNITION
PARTS



VEHICLE
ELECTRONICS

Red Circle Logo

The red circle logo represents the NGK business brand. It represents the product groups under this brand.

60px or
15mm



IGNITION
PARTS

60px or
15mm



VEHICLE
ELECTRONICS

2.3 Brand Basics


Tagline & Protection Zone

Tagline

The NGK tagline "IGNITION PARTS" and the NTK tagline "VEHICLE ELECTRONICS" are inextricably linked to the logo throughout the entire communication. The lower edge of the tagline must be positioned $1/2x$ from the bottom edge of white circle frame of the logo and must not be repositioned.

Protection Zone

The protection zone between the logos is always x , it is $1/2x$ around each circle logo. No content such as text or images may be placed within this area. Furthermore, if the power source is being used, then this area should be fully enclosed by it.



2.3 Brand Basics

Colour Chart NGK

It is important that the logo has sufficient contrast and colour to stand out. The original colour is preferred, an exception is two-colour printing. The tagline may be coloured white (negative) in the case of poor contrast to improve legibility.

Full-colour Display

0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS
 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS
 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS

Two-colour Display

0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS	 IGNITION PARTS



2.3 Brand Basics

Colour Chart NTK

It is important that the logo has sufficient contrast and colour to stand out. The original colour is preferred, an exception is two-colour printing. The tagline may be coloured white (negative) in the case of poor contrast to improve legibility.

Full-colour Display

0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS
 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS
 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS

Two-colour Display

0 %	10 %	20 %	30 %	40 %	50 %	60 %	70 %	80 %	90 %	100 %
 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS	 VEHICLE ELECTRONICS


2.3 Brand Basics

No-Go Logo Examples




Incorrect Spacing

The spacing between the two circle logos is at least one diameter of the single brand logo.




No Distortions Permitted

The logo proportions may not be modified.




Incorrect Tagline Colour

As with the logo, the tagline colour may not be modified.




Incorrect Spacing To Logo

The required spacing between the logo and tagline must be observed.




Incorrect Colours

The logo colours may not be modified.



Incorrect Tagline

The NGK and NTK taglines may not be changed or modified.



2.3 Brand Basics

Colour

MediaBox: Colour




Colour is the fastest recognition factor. We have always used colour for orientation and for emotional impact. People from different cultural backgrounds are largely in agreement when it comes to naming colours – the colour effects red, green, black, and white are regarded as essential colours throughout the world. The NGK and NTK brands also draw on this power and clarity. This should be protected and supported in the interests of the brand.



NGK Brand Colour
Red

Pantone: **032C**
CMYK: **0/100/100/0**
RGB: **225/0/0**
HEX: **#e10000**
HKS: **12K**
RAL: **3020**




Support Colour
Nittoku Black

Pantone: **426**
CMYK: **0/0/0/100**
RGB: **0/0/0**
HEX: **#000000**
HKS: **97K**
RAL: **9017**



Additive Colour
#190

Pantone: **11C**
CMYK: **60/50/45/35**
RGB: **95/95/100**
HEX: **#5f5f64**
HKS: **93**
RAL: **7024**



NTK Brand Colour
Green

Pantone: **340C**
CMYK: **100/20/100/10**
RGB: **0/98/40**
HEX: **#006228**
HKS: **57K**
RAL: **6029**



Support Colour
Pure White

CMYK: **0/0/0/0**
RGB: **255/255/255**
HEX: **#ffffff**
RAL: **9016**



Additive Colour
#125

Pantone: **7544C**
CMYK: **50/35/30/10**
RGB: **135/145/155**
HEX: **#87919b**
HKS: **93 in 60 %**
RAL: **7040**



Additive Colour
#70

Pantone: **428C**
CMYK: **30/20/20/0**
RGB: **190/195/200**
HEX: **#bec3c8**
HKS: **93 in 40 %**
RAL: **7047**



Additive Colour
#40

Pantone: **650C**
CMYK: **20/10/10/0**
RGB: **210/220/225**
HEX: **#d2dce1**
HKS: **41 in 15 %**
RAL: **7035**

2.3 Brand Basics

Typography

MediaBox: Font



In the case of NGK and NTK we use a font with the corresponding cuts that underline the clear external communication.

Usage

The font to be used for office applications is Arial. For graphic designs created with e.g. Adobe applications, the font to be used is Nimbus Sans Novus.

Copy

NIMBUS SANS NOVUS – REGULAR

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

Headline

NIMBUS SANS NOVUS – BOLD

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

Power line

Font #1

NIMBUS SANS NOVUS – REGULAR ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?

Power line

Font #2

NIMBUS SANS NOVUS – BOLD ITALIC

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
1 2 3 4 5 6 7 8 9 0 ! " § \$ % & / () = ?



2.3 Brand Basics

Graphic Element Power Source

NGK and NTK are powerful brands, which work with and feed off power. Their source, the power source, is represented by an agile **platform** with a dynamic edge area, the **helix**. Always being only partly visible, it is possible to continually present the power source in different ways, so it is always dynamic, characteristic and powerful.


Colour

Having the same shape for each type, it references the different brands in different coloured helices.

Helix

The helix is an interpolation of 27 lines plotting a colour gradient and an increase in contour thickness. The helix can also be integrated as a stand-alone element in pictures or ads.

Usage Elements



NGK

use with black platform
CMYK: 0/0/0/100
RGB: 0/0/0

NTK

use with white platform
CMYK: 0/0/0/0
RGB: 255/255/255

NGK and NTK

use with white platform
CMYK: 0/0/0/0
RGB: 255/255/255

2.3 Brand Basics

Graphic Element Power Source


MediaBox: Power source




Power Source Zones

The power source should be seen as a living object – it is made up of both calm and very dynamic areas. These different zones support the particular type of use and add character to the communication. This would add a dynamic zone to a racing poster, for example, while a product sheet would take on a quieter style.


NGK and NTK Power Source



NTK Power Source



NGK Power Source



Positioning

With other exceptions such as merchandising items, sponsoring items, and such like, the power source should always be positioned in the centre for all communications. It is always used in extracts and is never shown in full size. The position of the power source can be freely selected and is based on the motif. The only thing to consider is that it fully surrounds the logo and associated protection zone.

Size


The next page contains some examples of usage. On its long side, the power source should be five times longer than the shorter side of the document.

Shorter side = **1x**

Power source = **5x**



The power source should **NEVER** be smaller than **540 mm** (print), or rather **1530 px** (online).



Mirroring

The power source can be mirrored, around both the X and Y axes.



Scaling

The shape of the power source may not be distorted.



Angle

The angle of the power source can be freely selected.




2.3 Brand Basics

Graphic Element Power Source


Examples NKG or NTK

The power source has very different areas and tensions which can further support the type of communication. Only one power source, and never more, should be selected per advertising medium.




Examples NGK and NTK

Make sure that both brand logos (NGK and NTK), including protection zone, are also fully surrounded by the power source here.



2.3 Brand Basics

Graphic Element Power Line



Power Line Light

Nimbus Sans Novus **Regular Italic** should be **50 %** of the size of the Power line Bold.

Power Line Bold

Nimbus Sans Novus **Bold Italic**



The colour of the power line shall be selected from the brand or additive colours. **NGK Red** and **NTK Green** are reserved for the respective brands.

A A A A

SPARK
PLUGS

OXYGEN
SENSORS

DOLOR
LOREM
IPSUM



2.3 Brand Basics

Graphic Element Power Line

Three different groups are used for the design application. In advertisements, forms/product sheets, and brochure covers. Depending on the group, elements such as images, text and power source, are arranged differently. See examples adjacent.

Brochure Cover


In the case of covers for brochures, folded flyers, etc., a product or an image can form the focus, in order to illustrate a segment, for example. An image should be used which supports the "When Performance Meets Precision" message or the basis of the medium.

Advertisements and Posters

The focus is on the image in the case of segment, range and product advertisements. Text and product images are located in the power source.

Forms and Product Sheets

The focus is on text and tables in the case of forms and product sheets. These are located outside the power source. The power source only surrounds the logo. It is used as a decorative element.



2.3 Brand Basics

Graphic Element Eye-Catcher

MediaBox: Eyecatcher



As the word implies, the eye-catcher serves to catch the eye of the recipient. As a graphic or text element, it transports important messages about the company, which are to be communicated with high priority for the respective appearance.



Position

The eye-catcher is added at the edge of the image, on either the left- or right-hand side. It can also be placed beyond the edge of product; inside or outside the power source, but never on the helix.


Size

The size of the eyecatcher should not exceed a height of approx. **1x–1.5x** (x corresponds to a logo diameter here).

Placement



Left vs. Right



2.3 Brand Basics

Graphic Element Pictograms


The pictograms illustrated here outline the depiction of products or applications for promotional purposes. (catalogue covers, advertisements, POS material).

Placement

All pictograms may be placed in a circle. If so, the order in line with the logo(s) must take place.


! Further pictos for all three categories (application, product, general) are available and may also be newly created when needed.

! Pictos should not be smaller than **7 mm** (print), or rather **20 px** (online) for digital use. Otherwise important details cannot be displayed.



Design

The pictograms can be used with or without a circle, in fully black or white colour.



MediaBox: Picto



Example

Product Pictograms



Spark Plug



Oxygen Sensor



EGR Valves

General Pictograms



Book



Camera



Communication

2.3 Brand Basics

Wording

When referring to the company, always use **Niterra EMEA GmbH** or the corresponding legal entity name.



Niterra should not be mistaken with the brand **NGK**.

The brands **NGK** and **NTK** are always separated by the conjunction "and" or "or". Always give a hint that NGK and NTK refer to brands or products.

Always capitalize the names **NGK** and **NTK** when used to refer to the brand.

Word combinations such as product names are simply separated using a space.

Key messages are written as follows in the case of continuous text:

Product names are written with the first letter capitalised in headlines and small letters in copy text.



NGK, NTK or Niterra should never be used for any neologism.

✓ **Correct:** Niterra markets products under different business brands.

✗ **Incorrect:** NGK markets products under different business brands.

✓ **Correct:** NGK and NTK products developed for all types of vehicles.

✗ **Incorrect:** NGK | NTK products are developed for all types of vehicles.

✓ **Correct:** NGK and NTK products are marketed by Niterra.

✗ **Incorrect:** ngk and ntk products are marketed by Niterra.

✓ **Correct:** NGK glow plugs

✗ **Incorrect:** NGKglowplugs

✓ **Correct:** When Performance Meets Precision
Powered by Performance
Powered by Precision

✓ **Correct:** Exhaust Gas Temperature Sensor
NTK exhaust gas temperature sensors protect the environment.

✗ **Incorrect:** Exhaust gas temperature sensor
NTK Exhaust Gas Temperature sensors protect the environment.

✓ **Correct:** Welcome to a winning team.

✗ **Incorrect:** Welcome to a winniNGK team.

Punctuation Symbols

Quotation Marks

"To introduce direct speech"

Guillemets

»Only use guillemets in France.«


Frank Massia, Director Marketing Aftermarket EMEA, Niterra EMEA GmbH confirmed:

"It is Niterra's continued goal to deliver the optimum, high performance spark plug for every vehicle on the road."


2.4 Design Basics

Standard Formats

The design of all publications and advertising media follows clear rules, which are illustrated in this section. They ensure all publications have a consistent style throughout the EMEA region. All aspect ratios where the longer side is no more than twice as long as the shorter side are deemed to be standard formats. For example, this applies to DIN and US letter formats and square formats.



Landscape / Square



Type Area

The shorter side of the document is divided by ten to form the type area. This unit is "x."

E.g.: **DIN A4: 210 mm** in width, speaking of an "x" width of **21 mm**.

A margin around the document of "x" must be respected. All text and content must be placed within this area.

Font Size

The font size for the copy text should adapt to the medium. For example, a guideline for standard formats would be:

DIN A4 or US Letter: **9–11 pt**


DIN A3: **15–24 pt**

DIN A2: **22–30 pt**


2.4 Design Basics

Non-Standard Formats

If the shorter side of the medium is smaller than half of the longer side, it is deemed to be a non-standard format. This applies to banners, roll-ups, standing displays, and skyscraper newspaper advertisements.



Different Formats



Type Area

The shorter side of the medium is divided by seven to design the type area. This unit is "x".

Font Size

The font size for the copy text should adapt to the medium.

1/7 of the Shorter Side – x

The header, footer, and margin areas each have a spacing of "x". Text, logo and other content may be placed within this area.

2.4 Design Basics

Logo Position

Logo Size and Protection Zone

The logo size corresponds to 1/10 of the shorter side – this corresponds to 1x.


The protection zone of the logo is 1/2 x all around and defines the minimum spacing from the edge.

The power source goes around the logo – how far it goes is optional. However, it may not extend into the protection zone of the logo with the helix.

NGK and NTK Brand Logo Position


The logos may only be placed in one of the four corners, if both logos are used together, they may as well be positioned in the centre.

They are positioned inside an extract of the power source, whose helix needs to extend beyond the protection zone, however. How far the power source extends into the motif is optional however it should not exceed 1/3 of the page.




When using the NGK and NTK brand logos, bear in mind that these should always be placed with x distance between each other.

NGK and NTK Separate




NGK and NTK Together



2.4 Design Basics


Go and No-Go Examples

Advertisements and Posters





The position of the power source can be freely selected and is based on the motif.

Forms and Product Sheets




Brochure Cover



Incorrect Logo Position
Logo should be positioned in a corner

Incorrect Logo Position
Logo should be positioned inside power source


Incorrect Power Source Size
Power source is always five times the size of the smaller side of the document




Copy Outside
Copy should always be positioned inside the power source



No Power Source
There has to be a power source in every medium



Text in Power Source
Text should always be positioned outside the power source in product sheets



Logo Outside Power Source
Logo should be positioned inside power source



No Power Source
There has to be a power source in every medium




Incorrect Logo Size
Logo too large; logo should always be 1/10 of the shorter side



Incorrect Power Source
Incorrect power source for NTK

Two Power Sources
There is only one power source per medium


Power Source Position
Power source positioned too close to logo



Incorrect Format
Too short for standard format; non-standard guide should be followed



Power Line in Power Source
The headline should always be positioned outside the power source







Wrong Power Source
Incorrect power source for brands

2.5 Office Supplies

Announcement Paper




The templates are available as Microsoft Word and Google Docs templates in the respective template galleries. The footer is editable to change the legal entity name if needed.



2.5 Office Supplies

Presentation Template

The templates are available as Microsoft Word and Google Docs templates in the respective template galleries.



2.6 Imagery

Brand Imagery

Content

NGK and NTK imagery is confident, focused, and powerful. The images speak for themselves and constantly portray various different types of power. Dynamic shots and striking perspectives ensure a modern look and unleash the feeling of power.

- Choose a cool colour temperature
- Supplement with natural tones
- Maintain a balance between technical coolness and somewhat warmer naturalness
- Focus on main colour (NGK red, NTK green)
- Keep skin tones natural looking
- Choose strong contrasts
- Desaturate colours slightly



2.6 Imagery

General Brand Images

MediaBox: Visuals



2.6 Imagery

Product Renderings

MediaBox: Renderings



Where possible, these renderings should be used in advertisements and other promotional material to illustrate the respective product. The shadow below does not have to be used but sometimes give a nice touch.



For each product group there are the corresponding renderings and with each new product launch, new renderings will be created.

Front View



Side View



Bottom View



Examples



2.6 Imagery

Product Visuals

MediaBox: Visuals



The brand basics cover the principles and key elements of the brand. They are responsible for ensuring that the brand values are recognizable and clearly communicated. Clear rules ensure a consistent style and brand recognition.



Pictures exist for each product group and new pictures will be added with every new product launch.

In order to make a reference to the existing product, it can be advantageous to shoot the products in a real environment. Here are a few shoot examples:





Merchandising is an important communication tool for both the NGK and NTK product brands. Going far beyond regular marketing, merchandising brings the brand to the streets, to workshops and to living rooms. And in the hands of brand ambassadors, merchandising can even reach people's hearts. As a result, a creative approach is required for selecting the materials and product in order to create extraordinary brand elements. For this reason, clear rules need to be in place to increase the power of the brand and we need to be open to new developments. In principle, any new merchandise item must be approved RHQ EMEA before it is produced.

Logo Usage

Whenever possible, it is preferable to use both logos together. The only exception is when the article is related to only one of the product brands. Another exception is business clothing, for e.g. trade shows, on which brand logos may be combined with the Niterra logo.

Positioning

The logos can be freely positioned on the advertising materials, as long as the protection zone of only 1x between the logos is maintained. The logos themselves do not need to be surrounded by a protection zone, however they must be fully visible and not be cut. They may be placed on a full-colour background or on the helix. Appropriate size and legibility are the only factors to bear in mind.

Power Source


Due to its key role in our communications, the power source is to be used at every opportunity. However, if the advertising item is not suitable due to insufficient space or unmanageable production, the power source can be completely omitted. The power source may also be used if the Niterra logo is added, however it remains the key element for the NGK and NTK brands.

Promotional Articles

When it comes to promotional articles (giveaways), the power source on which the two logos are shown can be either black or white.



Platform White



Platform Black



2.7 Merchandise



Branding Limitations

Please be aware that we are not able to brand every product we might want to.

Goods and services, for the purposes of branding, are divided up into 45 different classes. These classes are defined in the "International Classification of Goods and Services" (also known as the Nice Classification) as established by the Nice Agreement in 1957.

Regarding the NTK brand, another company currently owns the rights to use the logo on different items from the following classes:

Class 11: Items that are used for lighting, heating, cooking, refrigerating etc.

Class 18: Leather, imitation leather, animal skins, luggage and umbrellas etc.

Class 20: Furniture, mirrors, picture frames, containers etc.

Class 21: Household or kitchen utensils, combs, glassware, porcelain etc.



Important: This is only a rough guideline. These categories are complex and any use of the NTK brand will have to be approved by GHQ.

Examples

Sticker



JBL Go Music Box



Dart Arrows



Racing Clock



No-Go Examples

Cups



Umbrella



Thermos



Backpack



All promotional items must be approved by GHQ before production.



2.7 Merchandise

Branded House Merch (vertical)


Niterra Use

The Niterra logo can also be added to merchandise articles together with the merchandise logos. Keep the distance in mind, the logos can be positioned according to the Branded House but the logos can also be separated on the articles. For non-merchandise clothing (e.g. business clothing for events or exhibitions) use the brand logos in combination with the Niterra logo (Branded House or separation), see chapter 1.1.

Colour Application

The logo may be positioned on black backgrounds if the background is fully displayed in this colour. The logo may never be positioned on an earth green background.

Distance



Mono Colour Form Black

Niterra



2.7 Merchandise

Branded House Merch (horizontal)

Colour Application

The logo may be positioned on black backgrounds if the background is fully displayed in this colour. The logo may never be positioned on an earth green background.

Distance



Mono Colour Form

Black



2.8 Links



MediaBox:

Global Images Guideline

Social Media Manual

Sponsoring Manual

Brand Ambassador Guideline

WeConnect Manual

Public Relations Manual



3.0 GROUP RULES

This Brand Manual is based on the **G12 Group Intellectual Property Rules**. All brand assets and their use must comply with these rules to ensure proper protection, consistency, and preservation of the Niterra's and our aftermarket brands' value.

Global Group Rules



4.0 REVISION HISTORY

This Brand Manual is created by RegCom & AM MarCom EMEA.

Version	Publication date	Approver
1	April 2016	Jan Viohl, David Loy
2	June 2018	Valerie Kloft, Nicole Rössler
3	April 2021	Daniela Torres, Nicole Rössler
4	May 2023	Valerie Kloft, Nicole Rössler
5	December 2023	Valerie Kloft, Nicole Rössler
6	February 2024	Valerie Kloft, Nicole Rössler
7	January 2026	Daniel Barrera, Nicole Rössler

5.0 CONTACT

DANIEL BARRERA
+49-1732-814-183
d_barrera@ngkntk.de

NICOLE RÖSSLER
+49-2102-974-102
n_roessler@ngkntk.de