

Credit Report PDF API

Overview

The Credit Report PDF API allows users to fetch a customer's credit score and generate a downloadable credit report PDF using PAN, name, mobile number, and customer consent.

This API is useful for credit underwriting, loan origination, customer risk assessment, lending decisions, and financial verification workflows.

Endpoint

Production URL

POST `https://api.meon.co.in/api/v1/public/cibilreport/v1/cibilreport/`

Authentication

The API requires the following headers:

Header	Required	Description
X-API-Key	Yes	API key provided by Meon
X-Signature	Yes	HMAC signature generated using the request payload
Idempotency-Key	Yes	Unique request identifier to prevent duplicate processing
Content-Type	Yes	Must be <code>application/json</code>

Request Headers

```
X-API-Key: <API_KEY>
X-Signature: <SIGNATURE>
Idempotency-Key: <UNIQUE_KEY>
Content-Type: application/json
```

Request Body

Parameters

Field	Type	Required	Description
pan	String	Yes	Customer PAN Number
name	String	Yes	Full Name as per PAN records
mobile	String	Yes	Registered Mobile Number
consent	String	Yes	Customer consent flag (☐ Y / ☐ N)

Sample Request

```
{
  "pan": "ABCDE1234F",
  "name": "John Doe",
  "mobile": "9876543210",
  "consent": "Y"
}
```

cURL Example

```
curl -X POST 'https://api.meon.co.in/api/v1/public/cibilreport/v1/
cibilreport/'
-H 'X-API-Key: <API_KEY>'
-H 'X-Signature: <SIGNATURE>'
-H 'Idempotency-Key: <UNIQUE_KEY>'
-H 'Content-Type: application/json'
--data-raw '{
  "pan": "ABCDE1234F",
  "name": "John Doe",
  "mobile": "9876543210",
  "consent": "Y"
}'
```

Success Response

HTTP Status

200 OK

Sample Response

```
{
  "data": {
    "pan": "LMFPK3962G",
    "name": "KRISHNA",
    "mobile": "6309253273",
    "client_id": "credit_report_experian_pdf_tikebupiwoieqsscBajy",
    "credit_score": "759",
    "credit_report": {},
    "credit_report_link": "https://example.com/credit_report.pdf"
  },
  "message": "Success",
  "success": true,
  "status_code": 200,
  "message_code": "success"
}
```

Response Structure

Root Response

Field	Type	Description
success	Boolean	Indicates whether the request was successful
status_code	Integer	HTTP response status code
message	String	Response message
message_code	String	Internal response code
data	Object	Credit report details

Data Object

Customer Information

Field	Type	Description
pan	String	Verified PAN Number
name	String	Customer name
mobile	String	Mobile number used for verification

Field	Type	Description
client_id	String	Unique transaction/reference ID

Credit Information

Field	Type	Description
credit_score	String	Bureau credit score
credit_report	Object	Credit report data object (may be empty when PDF-only response is configured)
credit_report_link	String	Secure downloadable PDF link to the credit report

Credit Score Interpretation

Score Range	Rating	Description
750 – 900	Excellent	Very low credit risk
700 – 749	Good	Low credit risk
650 – 699	Fair	Moderate credit risk
550 – 649	Poor	High credit risk
Below 550	Very Poor	Very high credit risk

Credit Report PDF

The `credit_report_link` field contains a downloadable PDF URL of the customer's credit report.

Characteristics

Feature	Description
Format	PDF
Access	Secure pre-signed URL
Validity	Time-bound URL
Contents	Credit score, account summary, enquiries, repayment history, outstanding liabilities, and bureau details

Important Notes

- The download URL may expire after a predefined duration.
 - Download the PDF immediately after receiving the response.
 - The URL should not be stored or shared publicly.
 - Access should be restricted to authorized users.
-

Error Response Example

Invalid PAN

```
{
  "success": false,
  "status_code": 400,
  "message": "Invalid PAN Number",
  "message_code": "invalid_pan"
}
```

Consent Not Provided

```
{
  "success": false,
  "status_code": 400,
  "message": "Customer consent is required",
  "message_code": "consent_required"
}
```

Credit Report Not Available

```
{
  "success": false,
  "status_code": 404,
  "message": "Credit report not found",
  "message_code": "report_not_found"
}
```

Unauthorized Request

```
{
  "success": false,
  "status_code": 401,
  "message": "Unauthorized",
}
```

```
"message_code": "authentication_failed"
}
```

Response Codes

HTTP Code	Description
200	Success
400	Invalid Request / Consent Missing
401	Unauthorized
403	Forbidden
404	Credit Report Not Found
422	Validation Error
429	Rate Limit Exceeded
500	Internal Server Error

Use Cases

- Loan Origination
- Credit Underwriting
- Personal Loan Eligibility Assessment
- Customer Risk Profiling
- Digital Lending
- Financial KYC
- BNPL (Buy Now Pay Later) Evaluation
- Creditworthiness Assessment

Compliance Requirements

1. Explicit customer consent must be obtained before requesting a credit report.
 2. Credit bureau information is highly sensitive financial data.
 3. Data must be stored and processed according to applicable regulatory and privacy requirements.
 4. Credit reports should only be accessed by authorized personnel and systems.
 5. Audit logs should be maintained for all report requests.
-

Notes

1. PAN, Name, and Mobile Number should match bureau records for successful retrieval.
2. The `credit_score` is sourced from the credit bureau at the time of inquiry.
3. The `credit_report_link` is a temporary secure URL and may expire after a short duration.
4. Use a unique `Idempotency-Key` for every request.
5. The `client_id` can be used for reconciliation, audit, and transaction tracking.
6. Customer consent is mandatory before accessing any bureau data.
7. The API may return an empty `credit_report` object when the report is delivered exclusively through the PDF link.