



Document Fetch

Aadhaar, Pan and Driving License]



Document Fetch API

(Aadhaar, Pan and Driving License)

1. Overview

The **Meon API suite** enables secure, consent-based retrieval of verified government-issued identity documents directly from the DigiLocker platform.

It supports fetching **Aadhaar**, **PAN**, and **Driving License (DL)** details in a compliant and seamless manner.

This integration is ideal for use cases like:

- KYC verification and onboarding
- Loan or insurance application processing
- Compliance and regulatory documentation

The flow consists of **three APIs** — Token Generation, DigiLocker URL Generation, and Data Retrieval — designed to work in sequence.

2. Complete Flow Summary

Step 1: Generate Access Token

Authenticate your organization with Meon's DigiLocker service to receive a `client_token`. This token is used to initiate all subsequent API calls.

Step 2: Generate DigiLocker URL

Use the access token to generate a **redirect URL**.

This link is where your user is redirected to **log in to DigiLocker** and provide consent to fetch specific documents such as Aadhaar, PAN, or Driving License.

Step 3: Retrieve User Data

Once the user provides consent, DigiLocker returns a response with the documents. Use the final API to fetch the entire data object, including metadata and verified document details.

3. API Endpoints

API 1: Generate Access Token

Endpoint:

POST https://digilocker.meon.co.in/get_access_token

Purpose:

Generates a secure token for authenticating subsequent DigiLocker API requests.

Headers:

Content-Type: application/json

Request Body:

```
{  
  "company_name": "democapital",  
  "secret_token": "YOUR_SECRET_TOKEN"  
}
```

Response Example:

```
{  
  "status": true,  
  "message": "Access token generated successfully",  
  "client_token": "eyJhbGciOiJIUzI1NiIsInR..."  
}
```

Notes:

- The client_token is valid for a limited period (usually a few minutes).
 - Always store the token securely and refresh it when expired.
-

API 2: Generate DigiLocker URL

Endpoint:

POST https://digilocker.meon.co.in/digi_url

Purpose:

Creates a unique DigiLocker login URL for the user to authenticate and share consent for fetching documents.

Headers:

Content-Type: application/json

Request Body:

```
{
  "client_token": "YOUR_CLIENT_TOKEN",
  "redirect_url": "https://digilocker.meon.co.in/digilocker/thank-you-page",
  "company_name": "democapital",
  "documents": "aadhaar,pan",
  "other_documents": [
    {
      "doctype": "DRVLC",
      "orgid": "000048",
      "consent": "Y",
      "dlno": ""
    }
  ]
}
```

Parameter Explanation:

Parameter	Type	Description
client_token	string	Token generated from API 1
redirect_url	string	URL to redirect the user after DigiLocker consent
company_name	string	Name of the registered organization
documents	string	List of documents to fetch (comma-separated, e.g., "aadhaar,pan")
other_documents	array	Additional document request parameters like DL number and organization ID

Response Example:

```
{
  "status": true,
  "message": "DigiLocker URL generated successfully",
  "data": {
    "digi_url": "https://digilocker.meon.co.in/digilocker/redirect?session_id=..."
  }
}
```

Notes:

- Redirect the user to the digi_url returned in the response.
- The user will be prompted to log in to DigiLocker and grant access for the listed documents.

API 3: Retrieve Entire Data**Endpoint:**

POST https://digilocker.meon.co.in/v2/send_entire_data

Purpose:

Retrieves the verified user documents and metadata after the consent process.

Headers:

Content-Type: application/json

Request Body:

```
{  
  "client_token": "YOUR_CLIENT_TOKEN",  
  "state": "USER_SESSION_STATE",  
  "status": true  
}
```

Response Example:

```
{  
  "status": true,  
  "message": "Data retrieved successfully",  
  "data": {  
    "aadhaar": {  
      "name": "Ravi Kumar",  
      "dob": "1992-06-15",  
      "gender": "M",  
      "aadhaar_number": "XXXX-XXXX-1234"  
    },  
    "pan": {  
      "pan_number": "ABCDE1234F",  
      "name": "Ravi Kumar"  
    },  
    "driving_license": {  
      "dl_number": "DL0420200123456",  
      "name": "Ravi Kumar",  
      "dob": "1992-06-15",  
      "issuing_authority": "Delhi RTO"  
    }  
  }  
}
```

}

Notes:

- Each document type is returned as a verified data object.
 - The API ensures that only documents for which consent was given are fetched.
-

4. Error Handling

Error Code	Message	Description
400	Invalid Request	One or more fields are missing or invalid
401	Unauthorized	Invalid or expired token
403	Consent Not Granted	User denied document sharing
404	Document Not Found	Requested document type not available
500	Server Error	Internal server issue — retry later

5. Compliance & Security

- **RBI, SEBI, and IRDAI compliant** data handling.
 - All communication occurs over **HTTPS** with encrypted payloads.
 - Tokens and user data are valid only within the secure session context.
 - Meon's DigiLocker APIs follow the **consent-driven model** as mandated by **DigiLocker and MeitY (Government of India)**.
-

6. Example Flow Summary

Step	API	Purpose	Output
1	/get_access_token	Authenticate organization	client_token
2	/digi_url	Generate DigiLocker login & consent URL	digi_url
3	/v2/send_entire_data	Retrieve verified documents post consent	User document data (Aadhaar, PAN, DL)

7. Versioning & Support

- **API Version:** v1 (changeable based on updates)
- **Support Email:** support@meon.co.in