Data Structures 2020



Homework #1

• (i) Make class *MyIntVector* similar to class *vector<int>* in STL, and also (ii) write a test program to check that all the member functions/operators of your class *MyIntVector* work correctly.

Constraints

- Use a "pointer to an int" variable and dynamic memory allocation by the new operator.
 - int *data; // private member
- Do not use any static array!

- Default constructor
 - MyIntVector();
- Copy constructor for deep copy
 - MyIntVector(const MyIntVector& v);
- Destructor
 - ~MyIntVector();
- Assignment operator (=) for deep copy
 - Chaining assignment should be possible.

- Operator: +=
 - Appends RHS object to LHS one.

- Operator: []
 - Returns a reference to the element at the requested position in the vector container.
 - If the requested position is out of range, it should output some messages and terminate the program.

- (Binary) operator: +
 - Returns an object that is a vector-sum of the two operand objects.
- (Binary) operator: -
 - Returns an object that is a vector-difference of the two operand objects.
- (Binary) operator: *
 - Returns the scalar product (or dot product) value of the two operand objects.

Note that the above three operators are applicable only when the sizes of the two operands is the same.

- (Unary) operator: -
 - Returns an object of which each element is the unary negation of the corresponding element in the operand object.
- (Binary) operator: ==
 - Returns whether or not the two operand vectors are the same. (You should check if their sizes are the same. Do not need to check their capacities.)
- (Unary) operator: ()
 - Makes every element of this object be the value of the integer-valued (int-typed) operand.

- void pop_back();
 - Removes the last element in the vector, effectively reducing the vector size by one and invalidating all references to it.
- void push_back(int x);
 - Adds a new element at the end of the vector, after its current last element. The content of this new element is initialized to a copy of x.
- size_t capacity() const;
 - Returns the size of the allocated storage space for the elements of the vector container.

- size_t size() const;
 - Returns the number of elements in the vector container.
- void reserve(size_t n);
 - Requests that the capacity of the allocated storage space for the elements of the vector container be at least enough to hold n elements.

Note that size_t is defined in the library cstdlib.

- bool is_empty() const;
 - Returns whether the vector container is empty, i.e.,
 whether or not its size is 0.

- void clear();
 - All the elements of the vector are dropped: they are removed from the vector container, leaving the container with a size of 0 and a default capacity.

Due Date

Soft deadline: Oct. 12, 2020

Hard deadline: Oct. 15, 2020

But, deduct 20% per one day from your original score

Submission date	Deduction rate
Oct. 13	20 %
Oct. 14	40 %
Oct. 15	60 %
Oct. 16	100 %

Notice

- Do not use any container class in STL, such as "vector"!
- Do not use "printf()" and "scanf()" functions!
- You should never use global variables
- Each member function/operator should have its precondition and post-condition as comments

```
- E.g.,
return-type MyIntVector::memberFunction(...);
// precondition: ...
// postcondition: ...
```

Notice (cont'd)

- Your class will be tested in another test program.
- You should submit a compressed file (HW1_your-ID.zip) containing the following four files to the website (https://klas.kw.ac.kr/)
 - HW1_your-ID.hwp/doc/pdf // report document
 - HW1_your-ID.cpp/.cc // your main function (a test program)
 - MyIntVector.cpp/.cc // class implementation only
 - MyIntVector.h // class documentation & definition only

Notice (cont'd)

Source code

- It should be compiled in Visual Studio 2010 or higher, or
 g++
 - You should note your environment in your report.
- Your name and student ID should be noted at the top of your source code in the form of comment

Report

- Free format
- But, it must include several examples of your program and your own discussion
- It will be an important factor for getting a good score