


ACTIVITY 2 – UPLOADING A KNIME PROJECT TO GITHUB


Part 1: Prepare the Project Folder



The screenshot shows a Windows File Explorer window with the address bar displaying the path: Start backup > Desktop > 4th Year > Intelligent System > Salvador_KNIME_Project. The toolbar includes icons for file operations and a 'Sort' dropdown menu. The main area displays a table of files and folders.

Name	Date modified	Type	Size
README.md	09/18/2026 7:25 am	Markdown Source ...	1 KB
Salvador_KNIME_project.knwf	09/18/2026 7:19 am	KNIME Workflow F...	28,368 KB
student_performance_knime.csv	09/10/2026 1:22 pm	Comma Separated...	1 KB

Part 2: Create README.md Using Notepad



The screenshot shows a Notepad++ window with the file 'README.md' open. The content of the file is as follows:

```
1 # Asynchronous Activity 1: Student Early Warning Tool Using KNIME
2
3 This repository contains the required output for Asynchronous Activity 1. The
4 project uses
5 KNIME to predict student risk status from academic performance data.
6
7 ## Files
8 - `Salvador_KNIME_Project.knwf` - exported KNIME workflow
9 - `student_performance_knime.csv` - dataset used by the workflow
10
11 ## Algorithms
12 - Decision Tree
13 - Logistic Regression
14 - Random Forest
15
16 ## How to Run
17 1. Import the `.knwf` file into KNIME Analytics Platform.
18 2. Configure the CSV Reader and select the included dataset.
19 3. Execute all nodes.
20 4. Open the Scorer nodes to review the evaluation results.
21
22 ## Author
23 Christian Dave K. Salvador
24
25 ## Course and Section
26 CS0065 - AN42
```

Part 3: Create the GitHub Repository

The screenshot shows a web browser displaying a GitHub repository page. The repository is named "Salvador-ChristianDave-CS0065-AN42" and is public. The page shows the repository's main branch, "main", with 1 branch and 0 tags. The repository has 6 commits, with the most recent commit being "Delete Technical-Assessment-03" by cksalvador-del, made 800182d - now. The repository also has a README.md file, which is the selected file. The README content is "Salvador-ChristianDave-CS0065-AN42" and "Technical Assessment submissions for CS0065 - AN42". The repository has 0 stars, 0 watching, and 0 forks. The repository also has 0 releases and 0 packages. The repository has 1 contributor.

Part 4: Open the Correct Folder in Git Bash

```
MINGW64:/c/Users/Dave/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ pwd
/c/Users/Dave/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ ls
README.md  Salvador_KNIME_project.knwf  student_performance_knime.csv

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ |
```

Part 5: Configure Git Identity

```
MINGW64:/c:/Users/Dave/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ git config --global user.name "Christian Dave Salvador"

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ git config --global user.email "cksalvador@feualabang.edu.ph"

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ git config --global user.name
Christian Dave Salvador

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$ git config --global user.email
cksalvador@feualabang.edu.ph

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
$
```

Part 6: Initialize and Commit the Project

```
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
        Salvador_KNIME_project.knwf
        student_performance_knime.csv

nothing added to commit but untracked files present (use "git add" to track)

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git add .

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .' ?
hint: Disable this message with "git config set advice.addEmptyPathsSpec false"

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md
        new file:   Salvador_KNIME_project.knwf
        new file:   student_performance_knime.csv

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) bcada0a] Add KNIME workflow and project files
3 files changed, 56 insertions(+)
create mode 100644 README.md
create mode 100644 Salvador_KNIME_project.knwf
create mode 100644 student_performance_knime.csv

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$
```

Part 7: Connect the GitHub Repository

```
MINGW64:/c:/Users/Dave/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git remote add origin https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42.git

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git remote -v
origin https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42.git (fetch)
origin https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42.git (push)

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$
```

Part 8: Push the Project to GitHub



Authentication Succeeded

You may now close this tab and return to the application.

Part 9: If the GitHub Repository Already Contains Files

```
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git pull origin main --allow-unrelated-histories --no-rebase --no-edit
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 2.52 KiB | 287.00 KiB/s, done.
From https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42
* branch      main      -> FETCH_HEAD
   23c74ff..b94cd44  main    -> origin/main
Merge made by the 'ort' strategy.
 Technical-Assessment-01 | 1 -
 1 file changed, 1 deletion(-)
 delete mode 100644 Technical-Assessment-01

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
Enumerating objects: 14, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 16 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 27.45 MiB | 1.21 MiB/s, done.
Total 10 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42.git
   b94cd44..139ae35  main -> main
branch 'main' set up to track 'origin/main'.

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git checkout --ours README.md
Updated 0 paths from the index

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git add README.md

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git commit -m "Merge remote repository with KNIME project"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ |
```

Part 10: Organize the Files in a Project Folder on GitHub

```
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ mkdir -p Salvador_KNIME_project

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git mv Salvador_KNIME_project.knwf
usage: git mv [-v] [-f] [-n] [-k] <source> <destination>
       or: git mv [-v] [-f] [-n] [-k] <source>... <destination-directory>

    -v, --[no-]verbose      be verbose
    -n, --[no-]dry-run      dry run
    -f, --[no-]force        force move/rename even if target exists
    -k                      skip move/rename errors
    --[no-]sparse          allow updating entries outside of the sparse-checkout cone

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git mv Salvador_KNIME_project.knwf Salvador_KNIME_project/

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git mv student_performance_knime.csv Salvador_KNIME_project/


Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git mv README.md Salvador_KNIME_project/


Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git add .

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git commit -m "Organize KNIME files into project folder"
[main edc9045] Organize KNIME files into project folder
3 files changed, 0 insertions(+), 0 deletions(-)
rename README.md => Salvador_KNIME_project/README.md (100%)
rename Salvador_KNIME_project.knwf => Salvador_KNIME_project/Salvador_KNIME_project.knwf (100%)
rename student_performance_knime.csv => Salvador_KNIME_project/student_performance_knime.csv (100%)

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 287 bytes | 287.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/cksalvador-del/Salvador-ChristianDave-CS0065-AN42.git
139ae35..edc9045  main -> main

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$
```





Part 11: Update the Project Later

```
Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git add .

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git commit -m "Update KNIME workflow"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$ git push
Everything up-to-date

Dave@LAPTOP-US1GQH8L MINGW64 ~/Desktop/4th Year/Intelligent System/Salvador_KNIME_Project (main)
$
```