

# Self-Reference II

Will this program ever stop? One machine that can be any machine. And every interesting question about meaning.

← ICS 08 · Self-Reference I

# Does it stop?

```
// loop.c
uint64_t c;
uint64_t main() {
    c = 1;
    while (c != 0)
        c = c + 2;
    return c;
}
```


Run it: `./selfie -c loop.c -m 1`. It has not stopped yet. Will it?

You can reason:  $c$  is odd, adding 2 keeps it odd, and 0 is even — but the machine wraps at  $2^{64}$ , so does  $c$  ever become 0? Odd plus even is odd, always, and wrapping preserves parity. It never stops.

You proved that. Could the compiler have? For this program, with effort, yes. For every program? That is today's question.

## UNDECIDABILITY

Will this program ever **stop**?  
No program can always tell.



Suppose  $H(P, x)$  decides, for every program and input, whether  $P$  halts on  $x$ .


Build  $D(P)$ : ask  $H$  whether  $P$  halts on  $P$  — then do the opposite. A call, a conditional, a loop, a return. All in  $C^*$ .

Now run  $D(D)$ . It halts exactly if it doesn't. Contradiction. So  $H$  never existed.

Turing, 1936 — the same paper that defined the universal machine, and thus invented the computer. The limit and the machine arrived together.

## THE SAME MOVE, FORWARDS

# One machine that can be any machine.



A machine used to *be* its job — to sort instead of add you built a different machine. Turing's move: put the machine's description on the tape, as data. Then one machine U reads any description and does whatever that machine would do.

That is universality: one piece of hardware, every possible behaviour, because the behaviour arrives as notation. Your phone is not phone-shaped. It is U holding a description.

Hand a decider its own description: contradiction, no H. Hand a machine any description: every program at once, one U. One sentence, read twice.

## THE GENERAL CASE

# It is not just halting. It is every interesting question about meaning.

RICE · 1953

*Every non-trivial property of the behaviour of programs is undecidable. Only questions about their text are safe.*

## DECIDABLE · ABOUT SYNTAX


How long is the code? Does it parse? Does it use this library? Are the types consistent? Does it contain a loop?

## UNDECIDABLE · ABOUT SEMANTICS

Is it correct? Is it equivalent to that one? Does it ever divide by zero? Is it free of infinite loops? Is it safe?

So every practical tool — a type checker, a test suite, a linter, a model checker, a fuzzer, a proof assistant — is a deliberate approximation: sound but incomplete, or complete but unsound, or exact only within a bound. Choosing which to give up is the discipline.

# No text contains its own application.



Hart's core, and Hart's penumbra

A statute says *no vehicles in the park*. A car, plainly. And then the arguing starts: an ambulance, a bicycle, a memorial jeep. No redrafting removes the penumbra — only moves it. The words are finite; the situations are not.

So law stops trying to settle meaning in the text and builds an institution: courts, appeals, precedent. Not a workaround — the only available design. Rice's theorem, with no mathematics in it.

PATTERN

# One idea. Sixty years. Six theorems.

| YEAR | WHO     | THE LIST                 | THE DIAGONAL OBJECT             |
|------|---------|--------------------------|---------------------------------|
| 1891 | Cantor  | all real numbers         | a number on no row              |
| 1901 | Russell | all sets                 | the set of non-self-members     |
| 1931 | Gödel   | all provable sentences   | "I am unprovable"               |
| 1936 | Tarski  | all definable predicates | "I am false"                    |
| 1936 | Turing  | all decidable questions  | a program that defies its judge |
| 1953 | Rice    | all semantic properties  | all of the above, at once       |

Assume a complete list. Ask each item about *itself*. Answer the opposite.  
Learn the move once and you own the century.

# No final authority means **no ceiling**.

## WHAT IT FORBIDS

A machine, a method, or a person that settles all questions. No complete rulebook, no self-certifying system, no automatic correctness.

## WHAT IT OPENS

Mathematics is not a finished building but an open frontier; engineering is a craft rather than a lookup; and judgement — yours — never becomes redundant.

*Beware of bugs in the above code; I have only proved it correct, not tried it.*

DONALD E. KNUTH, 1977

# Recommended exercises.

- 1 Read the Meaning chapter from *The Machine, and What It Cannot Decide* to the end.
- 2 Write, in C\*, the wrapper D for a hypothetical H. Then explain in one paragraph why no change to mipster could make it print "this program never halts" for all such programs.
- 3 Sort into text and behaviour: uses the keyword while; ever executes the while loop; contains the character /; ever divides by zero; is longer than 100 lines; prints the same as another program. Which can starc decide?
- 4 Name one approximation for each of: is it free of infinite loops; is it safe; is it correct. Say what each gives up.
- 5 Find the penumbra in a rule you live under — a house rule, a traffic rule, a grading rule.

## NEXT WEEK

Systems: two ways to build an operating system, why they are the same, why virtualization is used anyway, and the loop at its centre — the kernel that needs what it provides.

# Listen, then read.

## LISTEN

Beethoven · Symphony No. 9 — Bernstein, Berlin, Christmas 1989. The finale replays each earlier movement and rejects it — “O Freunde, nicht diese Töne!” — a symphony that asks about itself before it answers. Then the universal machine: everybody sings. Bernstein conducted it in Berlin six weeks after the Wall fell, with Freiheit for Freude.

## READ

Die Verwandlung — Kafka, Prague, 1915: Gregor Samsa wakes up as something else, and everyone around him reads the text and misses the meaning. The week’s lesson, told twenty years before Turing proved it. And, more technical, On Computable Numbers, with an Application to the Entscheidungsproblem — Turing, 1936: the machine, the universal machine and the halting problem in thirty-six pages; The Annotated Turing by Petzold explains every paragraph.