

Creating A Pankyll Theme Skeleton

Christian Külker

2020-04-21

Contents

1	Creating the Simplicissimus Skeleton	1
2	Updating Git Sub-Modules	2
3	External Links	3
4	About This Document	3
4.1	Changes	3

This document shows how to create an example [git](#) repository for a [Pankyll](#) theme with the example of the [Pankyll Newspaper](#) theme.

1 Creating the Simplicissimus Skeleton

```
cd pankyll-theme-simplicissimus-example
git init

# pandoc
git submodule add -b master https://github.com/ckuelker/pankyl-
pandoc pandoc
Cloning into '/home/c/g/github.com-ckuelker/pankyl-theme-simplicissimus-
example/pandoc'...
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 14 (delta 1), reused 14 (delta 1), pack-reused 0
Unpacking objects: 100% (14/14), done.
```

```
git submodule init
```

```
# content
```

```
export URL=https://github.com/ckuelker/pankyl1-documentation
```

```
git submodule add -b master $URL content
```

```
Cloning into '/home/c/g/github.com-ckuelker/pankyl1-theme-simplicissimus-example/content'...
```

```
remote: Enumerating objects: 226, done.
```

```
remote: Counting objects: 100% (226/226), done.
```

```
remote: Compressing objects: 100% (152/152), done.
```

```
remote: Total 226 (delta 132), reused 159 (delta 65), pack-reused 0
```

```
Receiving objects: 100% (226/226), 52.46 KiB | 0 bytes/s, done.
```

```
Resolving deltas: 100% (132/132), done.
```

```
git submodule init
```

```
# theme
```

```
mkdir themes
```

```
export URL=https://github.com/ckuelker/pankyl1-theme-simplicissimus
```

```
git submodule add -b master $URL themes/pankyl1-theme-simplicissimus
```

```
Cloning into '/home/c/g/github.com-ckuelker/pankyl1-theme-simplicissimus-example/themes/pankyl1-theme-simplicissimus'...
```

```
remote: Enumerating objects: 28, done.
```

```
remote: Counting objects: 100% (28/28), done.
```

```
remote: Compressing objects: 100% (19/19), done.
```

```
remote: Total 28 (delta 3), reused 28 (delta 3), pack-reused 0
```

```
Unpacking objects: 100% (28/28), done.
```

```
git submodule init
```

```
mkdir static
```

Some files need to be created:

- `cfg.yaml`
- `log.yaml`

The `Makefile` is optional.

2 Updating Git Sub-Modules

```
git submodule update --init --recursive
git submodule update --remote
# replace THEME with correct value
cd themes/pankyl-theme-THEME
git submodule update --init --recursive
git submodule update --remote
```

3 External Links

Guides On Git Sub-Modules

- [Vogella Guide](#)
- [git-scm Book](#)

4 About This Document

4.1 Changes

Version	Date	Author	Notes
0.1.2	2020-04-21	Christian Külker	add git output
0.1.1	2020-04-09	Christian Külker	add links
0.1.0	2020-03-22	Christian Külker	initial release