



Vendor: Cisco

Exam Code: 640-722

Exam Name: Implementing Cisco Unified Wireless
Networking Essentials v2.0

Version: DEMO

QUESTION 1

What is the function of the Cisco AnyConnect DART tool?

- A. creates a compressed bundle of client logs and information
- B. visualizes a WLAN environment, showing the possible locations of problems
- C. gathers statistics from neighboring clients for comparison to the baseline
- D. helps to troubleshoot a WLAN connection by using easy-to-use wizards and statistic viewers

Answer: A

QUESTION 2

Drag and Drop Questions

Drag the commands on the left that are enabled during a SSH or Telnet session with a lightweight AP and drop them on the right.

config terminal	Target
debug	Target
show	Target
enable	
clear	
delete	
reload	
upgrade	

Answer:

Drag the commands on the left that are enabled during a SSH or Telnet session with a lightweight AP and drop them on the right.

config terminal	debug
debug	show
show	enable
enable	
clear	
delete	
reload	
upgrade	

QUESTION 3

Refer to the exhibit. What does the yellow shield with the exclamation mark indicate?



- A. The network uses open authentication and no encryption.
- B. The network uses an unsupported channel.
- C. The signal is too distorted to connect.
- D. The AP that is transmitting this SSID uses the wrong RF domain.
- E. This is the ad-hoc network.

Answer: A

QUESTION 4


What are the interface statuses of a lightweight AP working in rogue-detection mode?

- A. radios turned off, Ethernet interface up
- B. radios and Ethernet interfaces up
- C. radios turned on, Ethernet interface shut down
- D. radios turned on, Ethernet interface status controlled by Cisco WLC

Answer: A

QUESTION 5

Refer to the exhibit. At which point in the network topology must the trunk be configured to support multiple SSIDs for voice and data separation?



- A. A
- B. B
- C. C
- D. D

Answer: D

QUESTION 6

You run minimum PEAP-GTC authentication in your wireless environment. Which version of Cisco Compatible Extensions supports PEAP-GTC?

- A. Cisco Compatible Extensions v1
- B. Cisco Compatible Extensions v2
- C. Cisco Compatible Extensions v3
- D. Cisco Compatible Extensions v4
- E. Cisco Compatible Extensions v5

Answer: B

QUESTION 7

Drag and Drop

Drag the Cisco WCS report from the left and drop it on the category it reports on to the right.

Worst Interferers	Performance
Network Utilization	CleanAir
PCI DSS Summary	Network Summary
802.11n Summary	Compliance

Answer:

Drag the Cisco WCS report from the left and drop it on the category it reports on to the right.

Worst Interferers	Network Utilization
Network Utilization	Worst Interferers
PCI DSS Summary	802.11n Summary
802.11n Summary	PCI DSS Summary

QUESTION 8


Which two pieces of information are needed for the wireless client to connect to the wireless network? (Choose two.)

- A. SSID
- B. security settings
- C. channel number
- D. AP name

Answer: AB

QUESTION 9

Refer to the exhibit. Which three switch port types are valid for these connections? (Choose three.)



- A. access
- B. port-channel
- C. port-channel trunk
- D. trunk

- E. port-channel access
- F. routed port

Answer: ACD

QUESTION 10


Which of the following are three functions of Cisco RRM? (Choose three.)

- A. TPC
- B. intercontroller roaming
- C. dynamic channel assignment
- D. intracontroller roaming
- E. coverage hole detection

Answer: ACE

QUESTION 11

Lab Simulation



WLC 802.11bgn AP
802.11b/g/n Cisco APs > Configure

General

AP Name	AP442b.036d.4d0f
Admin Status	Enable
Operational Status	UP
Slot #	0

11n Parameters

11n Supported	Yes
ClientLink	<input type="checkbox"/>

CleanAir

CleanAir Capable	No
CleanAir Admin Status	Disable

Antenna Parameters

Antenna Type	Internal						
Antenna	<table> <tr> <td>A</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>B</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>C</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	A	<input checked="" type="checkbox"/>	B	<input checked="" type="checkbox"/>	C	<input checked="" type="checkbox"/>
A	<input checked="" type="checkbox"/>						
B	<input checked="" type="checkbox"/>						
C	<input checked="" type="checkbox"/>						

RF Channel Assignment

Current Channel	11
Channel Width	20 MHz
Assignment Method	Global
	Custom

Note: Only Channels 1,6 and 11 are nonoverlapping

Tx Power Level Assignment

Current Tx Power Level	5
Assignment Method	Global
	Custom 5

Performance Profile

View and edit Performance Profile for this AP

[Performance Profile](#)

Note: Changing any of the parameters causes the Radio to be temporarily disabled and thus may result in loss of connectivity for some clients.

WLC 802.11a/n AP
802.11a/n Cisco APs > Configure

General

AP Name	AP442b.036d.4d0f
Admin Status	Enable
Operational Status	UP
Slot #	1

11n Parameters

11n Supported	Yes
ClientLink	<input type="checkbox"/>

CleanAir

CleanAir Capable	No
CleanAir Admin Status	Disable

Antenna Parameters

Antenna Type	Internal						
Antenna	<table> <tr> <td>A</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>B</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>C</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	A	<input checked="" type="checkbox"/>	B	<input checked="" type="checkbox"/>	C	<input checked="" type="checkbox"/>
A	<input checked="" type="checkbox"/>						
B	<input checked="" type="checkbox"/>						
C	<input checked="" type="checkbox"/>						

RF Channel Assignment

Current Channel	149
Channel Width *	20 MHz
<i>* Channel width can be configured only when channel configuration mode</i>	
Assignment Method	Global
	Custom

Tx Power Level Assignment

Current Tx Power Level	4
Assignment Method	Global
	Custom 4

Performance Profile

View and edit Performance Profile for this AP

[Performance Profile](#)

Note: Changing any of the parameters causes the Radio to be temporarily disabled and thus may result in loss of connectivity for some clients.

The screenshot shows a web-based configuration interface for a network device. At the top, there is a navigation bar with tabs: MONITOR, WLANs, CONTROLLER, WIRELESS, SECURITY, MANAGEMENT (highlighted), COMMANDS, HELP, and FEEDBACK. Below the navigation bar, the page title is "Logging". The main content area is titled "Syslog Configuration". It includes a form for adding a Syslog Server with a text input for "Syslog Server IP Address" and an "Add" button. Below this, there is a section for the "Syslog Server" with a text input showing "10.10.10.25" and a "Remove" button. Further down, there are two dropdown menus: "Syslog Level" set to "Errors" and "Syslog Facility" set to "Local Use 0". Below these, there is a section titled "Msg Log Configuration" with two dropdown menus: "Buffered Log Level" set to "Alerts" and "Console Log Level" set to "Critical". At the bottom, there are two checkboxes: "File Info" (checked) and "Trace Info" (checked).

Which four levels of messages will be sent to the logging server? (Choose four.)

- A. alerts
- B. critical
- C. debugging
- D. emergencies
- E. errors
- F. informational
- G. notifications
- H. warnings

Answer: ABDE

Explanation:

There are a total of 8 logging severity levels. They are:

Level Number	Severity Level	Description
0	emergencies	System is unusable.
1	alert	Immediate action is needed.
2	critical	Critical conditions.
3	error	Error conditions.
4	warning	Warning conditions.
5	notification	Normal but significant conditions.
6	informational	Informational messages only.
7	debugging	Debugging messages only.

We can see from the output that the severity level was set to Critical, which means that all messages level 3 and less will be sent.

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



10% Discount Coupon Code: BDN2014