

**Exam Code:** HP0-X02

**Exam Name:** Designing & Implementing HP Enterprise  
Backup Solutions

**Vendor:** HP

**Version:** DEMO

## **Part: A**

1: For disaster recovery, many customers require that data be replicated to remote sites. What is an advantage in terms of backup operations?

- A. There is no need to transport tapes between sites.
- B. The production site only needs to perform a point-in-time copy.
- C. Data corruption from the primary site cannot be replicated to the secondary site.
- D. Backup jobs can be run at the secondary site on the replicated data to avoid overhead on the production server.

**Correct Answers: D**

2: In addition to drivers and the backup application, which software component is crucial for bringing a multiserver solution together in an EBS?

- A. open file software
- B. client agent software
- C. device sharing software
- D. database agent software

**Correct Answers: C**

3: Which advantages does a tape library offer over a standalone tape drive? (Select three.)

- A. increased capacity
- B. increased automation
- C. decreased LAN utilization
- D. increased device reliability
- E. increased remote device management capabilities

**Correct Answers: A B E**

4: How does the HP StorageWorks Enterprise Backup Solution provide increased stability, adaptability, performance, seamless and faster integration?

- A. by using existing LAN topologies with network-attached storage devices (NAS)
- B. through high-speed, single-server communication to tape devices using direct-attached SCSI
- C. by exclusively using HP hardware and software components which were extensively tested and supported
- D. through centralized backup of multiple servers, at local backup speeds, over a Fibre Channel storage network to tape libraries

**Correct Answers: D**

5: A server attached to SAN Switch 16 is unable to discover a tape library. What is a possible cause?

- A. The Fibre Channel SAN Switch has an incorrect IP configuration.
- B. One of the SCSI connections on the MDR does not have a terminator.
- C. The cfm library command was not typed at the AMC prompt of the MDR.
- D. The type of SCSI module in the MDR (HVD/LVD) does not match the tape library SCSI interface.

**Correct Answers: D**

6: Which tool can receive SNMP traps and events from a Command View server (or tape library) and can launch Command View from the context of a trap?

- A. HP Storage Essentials
- B. HP Library & Tape Tools
- C. HP Systems Insight Manager
- D. HP OpenView Storage Media Operations

**Correct Answers: C**

7: What is the appropriate tool to gather further information when a robotics failure occurs?

- A. Library Exerciser
- B. Element Status Test
- C. Library Troubleshooting Flowchart
- D. Library POST (Power on self test)

**Correct Answers: A**

8: When experiencing a problem with a storage product, why does HP recommend generating a support ticket with HP Library and Tape Tools (L&TT) rather than performing only a device analysis test?

- A. The resulting data is presented in a more useful format.
- B. The device analysis test does not report media problems.
- C. L&TT connects to the HP support site to search for a solution.
- D. HP Support is automatically informed about the problem symptoms.

**Correct Answers: A**

9: Using the EBS troubleshooting flowcharts, what should you do first when a tape drive or library is not seen from the management tool of the Fibre Channel-to-SCSI bridge?

- A. Check the SCSI cable connections.
- B. Verify the presence of the HBA in device manager.
- C. Restore the router to the factory-default configuration.
- D. Check if the Fibre Channel port speed is set correctly.

**Correct Answers: A**

10: You are designing a LAN backup solution for a customer who wants to back up AVI video files. What should be considered to achieve maximum backup performance?

- A. Disable push agents.
- B. Turn off tape drive compression.
- C. Turn on client agent compression.
- D. Set the tape drive to small block sizes.

**Correct Answers: B**