

Vendor: Cisco

Exam Code: 200-155

Exam Name: Introducing Cisco Data Center Technologies -

DCICT

Version: DEMO

QUESTION 1

Which term in Cisco Unified Computing System is subject to finite state machine validation?

- A. SNMP get
- B. server boot
- C. firmware downloads
- D. server discovery

Answer: D

QUESTION 2

What is the purpose of Fibre Channel over Ethernet?

- A. FCoE maps native Fibre Channel onto Layer 2 Ethernet, Converging IP and storage networks.
- B. FCoE encapsulates native Fiber Channel traffic inside GRE tunnels.
- C. Data Center Bridging uses FCoE to transport IP traffic over native Fiber Channel.
- D. FCoE encapsulates native Fiber Channel inside IP packets.

Answer: A

QUESTION 3

Which two options are advantages of a spine and leaf architecture? (Choose two)

- A. robust multipathing
- B. traffic that is optimized for east-west communication
- C. star topology
- D. traffic that is optimized for north-south communication
- E. exponential scalability

Answer: CE

QUESTION 4

Which two Cisco Nexus 1000V Series Switch features exceed the functionality of the VWware vNetwork Distributed Switch? (Choose two)

- A. access control lists
- B. QoS marking
- C. Network vMotion
- D. port state migration
- E. DV Port Groups

Answer: AB

QUESTION 5

Which two are benefits of Cisco Unified Fabric? (Choose two)

- A. SNMPv3 strong authentication
- B. reduced cabling
- C. zone port distribution

- D. consolidation of LAN and SAN over a common transport
- E. native AES-256 encryption of data in flight

Answer: BD

QUESTION 6

Refer to the exhibit. Which statement is correct regarding this vPC environment?

```
Nexus-5596UP-01# show running-config vpc
!Command: show running-config vpc
!Time: Mon Apr 13 15:00:53 2015

version 7.1(0)N1(1a)
feature vpc

vpc domain 30
  role priority 15000
  system-priority 30000
  peer-keepalive destination 10.22.22.21 source 10.22.22.20
  delay restore 40
  auto-recovery reload-delay 250
  ip arp synchronize
```

- A. The vPC peer keep alive uses a non-VRF path.
- B. ip arp synchronize is automatically configured when a vPC domain is created.
- C. The rote priority uses its default value.
- D. The system priority has been configured to a lower number than its default value.

Answer: B

QUESTION 8

A network engineer is configuring a pair of 6248 Fabric Interconnects, each with dual 10G uplinks to a parent switch. One design retirement is to ensure a specific server is able to use 10G of throughput to the LAN without contention from other servers within the 5108 chassis. Which technology will accomplish this?

- A. Port-Channels
- B. Unified Ports
- C. LAN Pin Groups
- D. System QoS Policy

Answer: C

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.lead2pass.com/all-products.html

























10% Discount Coupon Code: ASTR14