

Exam Code: 642-523

Exam Name: Securing Networks with PIX and ASA

Vendor: CISCO

Version: DEMO

Part: A

1: Which of these commands enables the DHCP server on the DMZ interface of the Cisco ASA with an address pool of 10.0.1.100-10.0.1.108 and a DNS server of 192.168.1.2?

- A. `dhcpd address 10.0.1.100-10.0.1.108 DMZ`
`dhcpd dns 192.168.1.2 dhcpd enable DMZ`
- B. `dhcpd range 10.0.1.100-10.0.1.108 DMZ`
`dhcpd dns server 192.168.1.2 dhcpd DMZ`
- C. `dhcpd address range 10.0.1.100-10.0.1.108`
`dhcpd dns 192.168.1.2 dhcpd enable`
- D. `dhcpd address range 10.0.1.100-10.0.1.108`
`dhcpd dns server 192.168.1.2 dhcpd enable DMZ`

Correct Answers: A

2: Refer to the exhibit. Based on this output, which of the following statements is true?

```
asa1(config)# show access-list
access-list cached ACL log flows: total 0, denied 0 (deny-flow-max 4096)
  alert-interval 300
access-list ACLOUT; 4 elements
access-list ACLOUT line 1 extended permit tcp 192.168.6.0 255.255.255.0 host
  192.168.1.11 eq www (hitcnt=4) 0x984ebd70
access-list ACLOUT line 2 extended permit tcp host 192.168.6.10 host 192.168.1.11 eq
  ftp (hitcnt=1) 0x53490ecd
access-list ACLOUT line 3 extended permit tcp any host 192.168.1.9 eq www (hitcnt=8)
  0x83af39ca
access-list ACLOUT line 4 extended deny ip any any (hitcnt=4) 0x2ca30385
access-list ICMPDMZ; 1 elements
access-list ICMPDMZ line 1 extended permit icmp host bastionhost any echo-reply
  (hitcnt=12) 0xab4532d
access-list ACLIN; 1 elements
access-list ACLIN line 1 extended permit tcp any host 192.168.6.10 eq www
  (hitcnt=19) 0x4dac763f
```

- A. The ACLOUT access list has been designed to allow the IP address with the network address of 192.168.6.0 to have unrestricted access to the web server at IP address 192.168.1.11.
- B. The ACLIN access list permits web access from host 192.168.6.10 to all hosts behind the Cisco ASA.
- C. The ICMPDMZ access list denies all ICMP traffic bound for the bastion host except echo replies
- D. The ACLOUT access list has been designed to deny the IP address 192.168.1.11 web access to the host with a network address of 192.168.6.0.

Correct Answers: A

3: Which mode of operation must you enter in order to recover the Cisco ASA password?

- A. unprivileged
- B. privileged
- C. configure
- D. monitor

Correct Answers: D

4: Which command both verifies that NAT is working properly and displays active NAT translations?

- A.show running-configuration nat
- B.show nat translation
- C.show xlate
- D.show ip nat all

Correct Answers: C

5: The Cisco VPN Client supports which three of these tunneling protocols and methods? (Choose three.)

- A.IPsec over TCP
- B.IPsec over UDP
- C.ESP
- D.AH
- E.SCEP
- F.LZS

Correct Answers: A B C

6: Refer to the exhibit. A network administrator wants to authenticate remote users who are accessing the WEB1 server from the Internet. When a remote user initiates a session to the WEB1 server, the ASA1 security appliance will verify the user's credentials with the TX_ACS AAA server via RADIUS. To accomplish this, the administrator must load and configure Cisco ACS software on the TX_ACS AAA server. During the process, the administrator must correctly configure the AAA client information in the Cisco ACS network configuration window.

What must the administrator place in field A (AAA Client Hostname) and field B (AAA Client IP address)?

- A.AX_ACS
- B?0.0.1.10
- B.AEB1
- B?72.16.1.2
- C.Aave
- B?92.168.2.10
- D.ASA1
- B?0.0.1.1

Correct Answers: D

7: When configuring a crypto ipsec transform-set command, how many unique transforms can a single transform set contain?

- A.one
- B.two
- C.three
- D.four

Correct Answers: B

8: Refer to the exhibit. An administrator is adding descriptions to class maps for each part of the modular policy framework. What text would the administrator add to the description command to describe the TO_SERVER class map?

- A.description "This class-map matches all HTTP traffic for the public web server."
- B.description "This class-map matches all HTTPS traffic for the public web server."
- C.description "This class-map matches all TCP traffic for the public web server."
- D.description "This class-map matches all IP traffic for the public web server."

Correct Answers: D

9: Refer to the exhibit. The network administrator for this small site has chosen to authenticate HTTP cut-through proxy traffic via a local database on the Cisco ASA. Which set of command strings should the administrator enter to accomplish this?

- A.asa1(config)# static (dmz,outside) 192.168.16.6 172.16.16.6
asa1(config)# access-list 150 permit tcp any host 172.16.16.6 eq www
asa1(config)# aaa authentication match 150 outside LOCAL
- B.asa1(config)# static (dmz,outside) 192.168.16.6 172.16.16.6
asa1(config)# access-list 150 permit tcp any host 192.168.16.6 eq www
asa1(config)# aaa authentication match 150 outside asa1
- C.asa1(config)# static (dmz,outside) 192.168.16.6 172.16.16.6
asa1(config)# access-list 150 permit tcp any host 172.16.16.6 eq www
asa1(config)# aaa authentication match 150 outside asa1
- D.asa1(config)# static (dmz,outside) 192.168.16.6 172.16.16.6
asa1(config)# access-list 150 permit tcp any host 192.168.16.6 eq www
asa1(config)# aaa authentication match 150 outside LOCAL

Correct Answers: D

10: Which three of these are potential groups of users for WebVPN? (Choose three.)

- A.employees accessing specific internal applications from desktops and laptops not managed by IT
- B.administrators who need to manage servers and networking equipment
- C.employees that only need occasional corporate access to a few applications
- D.employees that need access to a wide range of corporate applications
- E.users of a customer service kiosk placed in a retail store
- F.remote employees that need daily access to the internal corporate network

Correct Answers: A C E