

**Exam Code:** fn0-240

**Exam Name:** fuc4-7p foundry networks certified layer4-7  
professional

**Vendor:** Foundry Networks

**Version:** DEMO

## Part: A

1: SYN-Guard and SYN-Defense can be configured on:

- A.ServerIron XL
- B.ServerIron 100
- C.ServerIron 400
- D.ServerIron 800
- E.ServerIron 450
- F.ServerIron 850
- G.ServerIron GT-E

**Correct Answers: B C D E F G**

2: The best practice method to configure SSL Layer7 switching is

- A.URL switching
- B.Cookie switching
- C.Session ID switching
- D.Round robin

**Correct Answers: C**

3: sFlow is supported on the:

- A.ServerIron XL
- B.ServerIron 100
- C.ServerIron 400
- D.ServerIron 800
- E.ServerIron 450
- F.ServerIron 850
- G.ServerIron GT-E

**Correct Answers: E F G**

4: The maximum length of the URLcharacter is the same for the ServerIron XL and the ServerIron 400 product families?

- A.True
- B.False

**Correct Answers: A**

5: When using Layer 7 Switching, what command would you use to instruct the ServerIron to buffer all request packets until all the necessary information is received insuring that the whole HTTP header will be saved?

- A.port http
- B.port http buffer-for-end-http
- C.port http wait-for-end-header
- D.port http wait-for-end-http

**Correct Answers: D**

6: A UDP application is considered down if the server returns:

- A.No packet
- B.A garbage packet
- C.An UDP probe packet
- D.An ICMP unreachable packet

**Correct Answers: D**

7: An active health check is done:

- A.At each user request
- B.According to the configured time values
- C.When the Reassign-Threshold is exceeded
- D.When there is a status change from the server

**Correct Answers: B**

8: An HTTP health check can return:

- A.A keepalive
- B.Status code
- C.Content verification
- D.A value to increment the Reassign-Threshold

**Correct Answers: B C**

9: Which of the following Health Check types are performed at Layer 7?

- A.Arp Request
- B.TCP
- C.HTTP
- D.IMAP4
- E.UDP
- F.LDAP
- G.MMS
- H.RSTP

**Correct Answers: C D F G**

10: How many simultaneous levels of health checks can be configured on the ServerIron to health check the same real server

- A.Layer 3, Layer4
- B.Layer4, Layer7
- C.Layer3, Layer4, Layer7, content match
- D.Layer 4, Layer7, content match

**Correct Answers: B**

11: What will be the corresponding Virtual MAC Address belonging to a configured VIP 175.30.15.10 (AF:1E:0F:0A)

- A.VMACs have to be manually configured
- B.AF:1E:0F:0A:FF:FF

C.02:0C:DB:1E:0F:0A

D.02:0C:AF:1E:0F:0A

**Correct Answers: C**

12: What must be done before a Health-Check Policy will take effect?

A.The Health-Check Policy must be bound to the VIP

B.The Health-Check Policy intervals and reset must be define

C.The Health-Check Policy must be attached to an application port on a real server

D.The Health-Check Policy must be configured to use 3-way handshaking

**Correct Answers: C**

13: A Matching List can contain:

A.Log

B.URL

C.Down simple

D.Status codes

E.Up Compound

**Correct Answers: A C E**

14: When health checking is enabled, a server response time consists of the combination of its response to client requests and its response to Layer 4 or Layer 7 health checks from the ServerIron.

A.True

B.False

**Correct Answers: B**

15: When using a scripted health check, the default health check is disabled.

A.True

B.False

**Correct Answers: A**