

**Exam Code:** 0B0-102

**Exam Name:** BEA8.1 Certified Developer:Portal Solutions

**Vendor:** BEA Systems

**Version:** DEMO

## Part: A

1: What are three ways to enable error pages within Portal applications? (Choose three.)

- A. Associate a JSP page with an error page, through a JSP directive
- B. Associate HTTP error codes with error pages, in the deployment descriptor
- C. Associate Java exception classes with error pages, in the deployment descriptor
- D. Associate a JSP page with an error page, through a JavaDocs documentation comment

**Correct Answers: A B C**

2: You created a page flow in which the flow enters an action method, then is forwarded to a JSP. What are two ways to bind information into this flow, so that the JSP can access the data using XScript? (Choose two.)

- A. The action method adds information to the request object.
- B. The JSP method reads a value from a pageContext variable.
- C. The JSP contains a form for which the action is bound to an action Form Bean.
- D. The action method calls a private method in the page flow class; the method initializes a public member variable.
- E. The action method increments a private member variable for which two private accessor methods are provided.

**Correct Answers: A D**

3: A developer imports an existing database control (a .jcx file) by right clicking a folder in the Application window and selecting Import. The developer drags the database control from the Application window onto the Flow View canvas of a page flow. What happens?

- A. A new page is created on the canvas.
- B. A new action is created on the canvas.
- C. A new control displays in the Data Palette.
- D. A wizard prompts the developer for the SQL command to be used by the control.
- E. A wizard prompts the developer for the name of the datasource used by the control.

**Correct Answers: C**

4: Which statement is true about applying entitlements to a desktop portlet?

- A. Entitlements cannot be applied to a portlet.
- B. The administrator can set only the View check box.
- C. Only portlet titlebar options that are enabled by the developer can be set.
- D. The administrator can set only the View, Edit, Remove, Maximize and Minimize check boxes.

**Correct Answers: D**

5: Click the Exhibit button. How does WebLogic Portal find the SMTP host for outgoing mail?



- A. It is set as a request parameter in thankYou.jsp .
- B. It is set as a session parameter in thankYou.jsp .
- C. It is configured using the SMTP Manager in the WebLogic Console.
- D. It is configured using the Mail Service in the Portal Administration tools.

**Correct Answers: D**

6: On which component can you change the layout type?

- A. Book
- B. Page
- C. Portlet
- D. Desktop
- E. Application

**Correct Answers: B**

7: What are two purposes of creating a desktop? (Choose two.)

- A. to provide a deployable enterprise application
- B. to provide a specific access point for entitled users
- C. to provide a Web application development package
- D. to provide a visual development area for Workshop composition
- E. to provide an administrative mechanism for controlling resources

**Correct Answers: B E**

8: When using the WebLogic Administration Console, which of the following actions would result in a deployed and activated Portal application? (Choose two.)

- A. Uploading the .ear file through the WebLogic Administration Console
- B. Turning on auto-deployment and copying your .ear file to the administration server's stage folder
- C. Using the location directory navigator select your .ear file, followed by targeting and naming the application.
- D. Using the location directory navigator, select the portal application root folder, followed by targeting and naming the application.

**Correct Answers: C D**

9: When developing custom skins, which action prevents the loss of changes during product upgrades?

- A.Add new entries anywhere in the skin.properties file.
- B.Add new entries at the end of the skin.properties file.
- C.Create a skin\_custom.properties file in the same directory as the skin.properties file.
- D.Create a new skin\_custom.properties file, under a new directory, for your skin.properties file.

**Correct Answers: C**

10: A JSP contains this line: `<render:writeAttribute name="id" value="<%= button.getPresentationId() %>"/>` Which statement is true about render ?

- A.render is a prefix.
- B.render is the name of a TLD file.
- C.render is the name of a tag handler.
- D.render is an alias, set previously in a page import directive.
- E.render is a Java object, defined previously in a declaration or scriptlet.

**Correct Answers: A**

11: Click the Task button. Match each task with the Behavior Tracking component that performs it.

**Match each task with the Behavior Tracking component that performs the task.**

	Tasks
place here	Sends an event object to all interested parties
place here	Publicizes a list of event types it wants to receive
place here	Creates and dispatches an event object

**Behavior Tracking Component**

Event Listener	Event Service	Event Trigger
----------------	---------------	---------------

**Correct Answers:**

**Match each task with the Behavior Tracking component that performs the task.**

Tasks	
Event Service	Sends an event object to all interested parties
Event Listener	Publicizes a list of event types it wants to receive
Event Trigger	Creates and dispatches an event object

  

Behavior Tracking Component		
Event Listener	Event Service	Event Trigger

12: When using the <um:getProperty> tag in a JSP, to avoid retrieving the specified property value from the Anonymous User Profile, what must be done?

- A.Ensure that the visitor is authenticated.
- B.Ensure that the visitor is authorized to access the JSP.
- C.Use the <um:getProfile> tag before using the <um:getProperty> tag.
- D.Ensure that the visitor has a value set for that property, so that no default value is used.

**Correct Answers: C**

13: Consider the following JSP code section: <utility:uriContent id="data" uri="<%=uri%>"><%=data%> </utility:uriContent> A portlet is created from the JSP and added to a page placeholder. Assume that the URI is a valid address and it is accessible. Wiith respect to the resulting display of this page, which statement is true?

- A.The data variable is the wrong type.
- B.The data stream causes a JSP runtime error.
- C.The data is surfaced without any problem.
- D.Any embedded links in the data will have no side effects.

**Correct Answers: A**

14: When creating a Database control, how does the developer ensure that database connection pooling will be used?

- A.When creating the control, the developer is prompted to choose a connection pool.
- B.Connection pooling must be enabled for each control individually through the Portal Administration console.
- C.The developer must specify that a connection pool (rather than a dataSource) is used, when the control is created in Workshop.
- D.When creating the control, the developer must select a dataSource that is already associated with a connection pool.
- E.The developer must click on the Database control and select a connection pool from a pull-down menu in the Property Editor.

**Correct Answers: D**

15: Which three are valid entries for the "empty content search" part of a content selector when comparing with document type properties? (Choose three.)

A.Events

B.Behavior

C.A Literal value

D.An HTTP request property

E.A User Profile Property Set value

**Correct Answers: C D E**