

Exam Code: 642-352

Exam Name: Storage Networking Cisco Storage
Networking Support Specialist

Vendor: CISCO

Version: 3.00

Part: A

1: What features can be enabled to remotely monitor an MDS fabric? (Choose three)

- A.Syslog
- B.SNMP
- C.Port Analyzer Adapter
- D.Radius
- E.Call Home

Correct Answers: A B E

2: What software component is used for the Cisco Traffic Analyzer for Fibre Channel?

- A.Ethereal
- B.ntop
- C.CSM software
- D.CiscoWorks RME

Correct Answers: B

3: What command would a storage administrator use to determine the number of frames that exit the FC2/6 port?

- A.show fc 2/6
- B.fctrace
- C.debug fibrechannel port 2/6
- D.show interface counters brief

Correct Answers: D

4: Refer to the graphic. What is the effect of using the Privacy Password?



- A.The management platform will use SNMPv3 for communication.
- B.The privacy password is required if the user has Administrator capabilities on the MDS.
- C.The privacy password is always required.
- D.The privacy password is entered when you want to encrypt management traffic.

ERROR: rangecheck
OFFENDING COMMAND: xshow

STACK:

```
[54 22 54 43 39 22 44 29 24 43 39 40 42 22 44 39 34 34 63 44 29 44 22 24  
 34 22 29 39 44 44 24 29 39 44 22 24 29 23 42 44 44 22 63 39 44 24 22 24  
44 22 44 34 39 22 48 63 77 50 43 44 22 29 44 29 22 67 39 44 39 44 39 67  
39 44 24 22 24 29 40 27 29 25 0 ]
```

```
(  
E.The privacy password is required if you want to use SNMPv3 for management traffic  
)
```