

Vendor: Oracle

Exam Code: 1Z0-898

Exam Name: Java EE 6 Java Persistence API Developer

Certified Expert Exam

Version: DEMO

QUESTION 1

The developer has defined the following entity class office:

```
@Entity
public class Office {
    @Id
    private int id;
    private String name;
    @OneToMany
    private List<Room> rooms;
}
```

Which of the following attributes will be in corresponding generated static metamodel class for the rooms' field?

- A. Public static volatile CollectionAttribute<Room> rooms;
- B. Public static volatile ListAttribute<Room> rooms;
- C. Public static volatile ListAttribute<Office, Room> rooms;
- D. Public static volatile SingleAttribute<Room> rooms;

Answer: B

QUESTION 2

Given two entities with many-to-many bidirectional association between them:

```
11. @Entity public class Employee {
    Collection projects;
    // more code here

14. }

and

11. @Entity public class Project{
    Set<Employee> emps;
    // more code here

14. }
```

What set of annotations correctly defines the association?

- A. @manyToMany on the projects field,@manyToMany (mappedBy= "projects") on the emps field
- B. @manyToMany (mappedBy = emps) on the projects field,@manyToMany on the emps field
- C. @manyToMany ()targetEntity = project.class) on the projects field, @manyToMany (mappedBy = "projects") on the emps field
- D. @manyToMany (targetEntity = Project.class) on the projects field,

@manyToMany on the emps field

Answer: D

QUESTION 3

An application wants to utilize side effects of cascading entity manager operations to related entities. Which statement is correct?

- A. The persist operation is always cascaded to related entitles for one-to one and one-to-many relationships.
- B. To minimize the effect of the remove operation applied to an entity participating in a many-to many relationship the remove operation should hecascadeto entities on both sides of the relationship.
- C. The persist operation applied to a new entity x is cascaded to entities referenced by x if the relationship from x to these other entities is annotated with the cascade=PERSIST or cascade=ALL annotation element value.
- D. The remove operation applied to a removed entity x is cascaded to entities referenced by x of the relationship from x to these other entities is annotated with the cascade = REMOVE of cascade = ALL annotation element value.

Answer: C Explanation:

http://stackoverflow.com/questions/4748426/cannot-remove-entity-which-is-target-ofonetoone-relation (answer 1)

QUESTION 4

The Contact Information embeddable class contains address information as well as a reference to a phone entity. The ContactInformation class is defined as follows:

```
@Embeddable public class ContactInformation {
String street;
String city;
@OneToOne Phone phone;
}
```

A. @Entity public class Employee {

The developer wants to use this class in an Employee entity, but override the default name of the foreign key to the Phone entity. Which of the code segments shows how to do this correctly?

```
@Id int empld;
@AssociationOverride (name = empInfo.phone", joinColumn = @JoinColumn) (name = "INFO_FK"))
ContactInformation empInfo;
B. @AssociationOverride (name = "empInfo.phone", joinColumn = "INFO_FK") @Id int empId;
@ContactInformation empInfo;
}
C. @ AssociationOverride (name = "empInfo.phone", joinColumn = "INFO_FK") Entity public class Employee {
@Id int empId;
}
D. Entity public class Employee {
```

```
@Id int empId;
@ AssociationOverride (name = "empInfo.phone", joinColumn = "INFO_FK") ContactInformation empInfo;
}
```

Answer: A Explanation:

http://docs.oracle.com/javaee/6/api/javax/persistence/AssociationOverride.html

QUESTION 5

A stateless session bean's business method invokes EJBContext.setRollBackOnly and receives an IllegalStateException. Under which of these conditions could this be possible?

- A. The business method is marked with the MANDATORY transaction attribute.
- B. The business method is marked with the NONSUPPORTED transaction attribute.
- C. This Is NOT possible; a stateless session bean cannot invoke EJBContext.SetRollBackOnly.
- D. The bean has no metadata (in annotations 01 deployment descriptor) which specifies the transaction attribute for the method.

Answer: B

QUESTION 6

Given the following stateless session bean implementation classes:

```
10. @TransactionAttribute(TransactionAttributeType.MANDATORY)
11. public class MySuper {
12.    public void methodA() {}
13.    public void methodB() {}
14. }
10. @Stateless
11. public class MyBean extends MySuper implements MyInt {
12.    public void methodA() {}
13.
14.    @TransactionAttribute(TransactionAttributeType.REQUIRES_NEW)
15.    public void methodC() {}
16. }
10. @Remote()
11. public interface MyInt {
12.    public void methodA();
13.    public void methodA();
14.    public void methodB();
15. }
```

Assuming no other transaction-related metadata, what are the transaction attributes on methodB, and method C respectively?

- A. MANDATORY, MANDATORY, and MANDATORY
- B. REQUIRED, MANDATORY, and REQUIRES NEW
- C. MANDATORY, MANDATORY, <and REQUIRES__NEW</p>
- D. REQUIRED, REQUIRES NEW, and REQUIRES NEW

Answer: B

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014