

**Exam Code:** 2B0-015

**Exam Name:** ES Wireless

**Vendor:** Enterasys Networks

**Version:** DEMO

## **Part: A**

1: When configuring LAN-to-LAN Endpoint, which of the following do you need?

- A.Wired MAC Address of the remote Access Point
- B.Wireless MAC Address of the remote Access Point
- C.IP Address of the remote Access Point
- D.Different channels configured on both Access Points

**Correct Answers: B**

2: What are two solutions to a "Hidden Station" problem?

- A.Enable the RTS/CTS Protocol
- B.Increase the transmission power of the station
- C.Increase the Density setting
- D.Move the problem station

**Correct Answers: A D**

3: What media access method does the RoamAbout use?

- A.CSMA/CD
- B.Beacon exchange
- C.Binary Sequential Back off
- D.CSMA/CA

**Correct Answers: D**

4: Up to how many buildings may be connected in a Point-to-Multipoint configuration?

- A.3
- B.7
- C.8
- D.12

**Correct Answers: B**

5: In which of the following devices is the PC Radio Card NOT used?

- A.Laptops
- B.Carrier (adapter) modules
- C.Omni-directional antenna
- D.Wireless Ethernet Adapter

**Correct Answers: C**

6: How do you avoid radio frequency interference within an area when positioning multiple APs with 802.11b PC Cards installed?

- A.Configure different network names on the APs
- B.Enable Secure Access
- C.Configure overlapping cells at least five channels apart
- D.Maintain at least 100 meters distance between APs

**Correct Answers: C**

7: Which of the following is NOT a source of radio interference?

- A.Microwave ovens
- B.Overhead power lines
- C.Cable TV
- D.Theft detection devices

**Correct Answers: C**

8: What is the default password on the R2?

- A.public
- B.admin
- C.password
- D.private

**Correct Answers: C**

9: When should an Upline Dump be enabled for the AP 2000?

- A.When configuring the AP for an upgrade to its firmware
- B.When troubleshooting a poor SNR
- C.When copying configurations from one AP to another
- D.When requested by a RoamAbout service representative

**Correct Answers: D**

10: What does the RoamAbout employ, by default, to confirm successful frame delivery?

- A.The receiving station sends a MAC level acknowledgement
- B.Resolution by upper layer protocols (i.e., TCP) at the sending station
- C.The sending station sends a source frame to verify delivery
- D.There is no method of ensuring successful delivery

**Correct Answers: A**

11: Which of the following does NOT affect the size of a cell?

- A.Network utilization
- B.Radio frequency noise
- C.Transmit speeds
- D.Humidity

**Correct Answers: D**

12: Why is it important to read Release Notes when installing a wireless PC Card and its drivers?

- A.To enable you to decipher LED indications
- B.They include a PC Card license key
- C.To learn about restrictions and requirements for your OS
- D.To learn what channels are supported in your geographic region

**Correct Answers: C**

13: Which AP Manager utility is used during LAN-to-LAN installations to determine signal

strength?

- A.Authentication
- B.Link test
- C.Integrity Check
- D.Site Monitor

**Correct Answers: B**

14: What file extension is used for RoamAbout Boot ROM image files?

- A..txt
- B..asp
- C..WEP
- D..BIN

**Correct Answers: D**

15: With Secure Access enabled on an AP with an IEEE 802.11b PC Card installed, which of the following is true?

- A.The AP allows access to wireless clients that use "ANY" as the wireless network name
- B.The AP allows access to wireless clients that leave the wireless network name configuration blank
- C.The AP denies access to wireless clients that do not provide the proper access password
- D.The AP denies access to wireless clients that do not use the correct wireless network name

**Correct Answers: D**

16: What is the name of AP Manager integrated BootP/TFTP server application?

- A.RAT
- B.NetRider
- C.NetSight Atlas
- D.NCM\_PCOV

**Correct Answers: B**

17: What type of cable is required to connect a terminal to the console port of the AP?

- A.Cross-over
- B.Straight-through Cat 5
- C.Null Modem DB9 to DB9
- D.Multi-Mode Fiber

**Correct Answers: C**

18: Where would you look to find what MIBs are supported on the RoamAbout Access Points?

- A.Firmware release notes
- B.Guide to Wireless LANs
- C.The Help file in your NMS
- D.In the device .cfg file

**Correct Answers: A**

19: What RMON groups are supported on the RoamAbout APs?

A.Statistics, Host, Alarm, Packet Capture

B.Statistics, History, Alarm, Events

C.History, Alarm, Matrix, Filter

D.All nine groups are supported

**Correct Answers: B**

20: IEEE 802.11 stipulates the use of which security measure to make the wireless network at least as secure as a normal wired LAN?

A.Host key generation

B.WEP Encryption

C.802.1X Authentication

D.A lockable security box for the Access Point

**Correct Answers: B**