

Vendor: Microsoft

Exam Code: MB5-626

Exam Name: C5 4.0 Programming

Version: DEMO

1: Which of the following statements about the grid menu are incorrect? A.The Grid menu is maintained under MNU/RET in the Development menu B. You can create a new menu with the same functionality as the DAT menu C. You can delete columns/rows D. You can hide columns/rows **Correct Answers: A** 2: Which of the following statements about the following start-up parameters are incorrect ("C:\xalwin\Cxalw32.exe "Dc:\xalwin;C:\windows -MFGL -Fcon -U -T")? A.Directory (work directory) is indicated by - DC:\xalwin;C:\Windows B.The menu file is indicated with -MFGL C.Company (the Company) is selected with -Fcon D.The default keys are not used with -T **Correct Answers: D** 3: Which of the following statements about start up parameters are incorrect? A. You can specify the location of the menu files B. You can specify the user that is logged into the system C. You can specify the user that is logged in D. You can specify the data file you want to use **Correct Answers: B** 

4: In which file is the table structure in C5 saved?

A.C5Data.DAT

**B.C5Direct.SYS** 

C.C5Data.DMO

D.C5User.SYS

**Correct Answers: B** 

5: Which of the following kernel files run using the Windows user interface?

A.C5w32.exe

B.Cxalw32c.exe

C.C5w32c.exe

D.Cxal386.exe

**Correct Answers: A** 

6: What start-up parameters are used to start the program with a specific menu file?

A.-U

B.-F

C.- M

D.-?

**Correct Answers: C** 

7: Which start-up parameter is used to start the program in a specific company?

- A.-U
- B.-F
- C.- M
- D.-R

## **Correct Answers: B**

- 8: Which of the followings statements are correct when as a normal user you decide during execution of a report in the Ad hoc Report Generator to save the report in XAL/C5?
- A.The report is saved in the file C\_UTIL.BUS
- B.The report is saved in the file C\_UTIL.SYS
- C.The report is saved in the file C\_UTIL.USR
- D.The report is saved in the file C\_USER.SYS
- **Correct Answers: C**
- 9: Which of the following statements about data manipulation are incorrect?
- A.Export exports data in the specified format
- B.Update creates or inserts data depending on whether the data already exists
- C.Insert creates a new entry, which is specified using data for the fields required
- D.Delete deletes one or more entries depending on the delimitations
- **Correct Answers: B**
- 10: Which of the following statements are correct when you decide to save the job under execution in the data manipulation window?
- A.When taking action, Export is saved as a QT
- B. When taking action, Export is saved as an XAL jobT
- C.When taking action, Import is saved as a QT
- D.When taking action, Update is saved as a QT

## **Correct Answers: A**

- 11: What rights can be allocated to tables?
- A.Show, Correct, Create, Delete
- B.Show, Correct, Create, Delete and Execute
- C.Run (i.e. execute)
- D.Edit, Run

## Correct Answers: B

- 12: Which of the following statements about the data manipulation window are correct?
- A. You can delete data in a table
- B. You cannot update (i.e. change) data in a table
- C. You can add new fields to a table
- D. You can cancel the deletion of data in a table so that you can have your original data again

## **Correct Answers: A**

13: Which of the following statements regarding rights to application elements are correct?

A.Groups can be allocated rights to view, correct, create and delete elements

B.The groups can be allocated rights to edit and execute elements

C.Passwords for the editing and execution of elements cannot be created

D.Only the Supervisor can be allocated rights to elements

**Correct Answers: B** 

14: Which of the following statements about the C5 Administrators user group are correct?

A.The group C5 Administrators does not as default have full rights to the entire system

B.All users must be members of group C5 Administrators

C.As default the Supervisor is a member of the group C5Administrators

D.The group C5 Administrators cannot be allocated specific rights to application elements

**Correct Answers: C** 

15: What does the start-up parameter -S do?

A.It disconnects all users regardless of their rights so that databases can be maintained, etc. without risk of data crashes

B.It prevents new users from logging onto the system, but does not disconnect users that are already on the system

C.It prevents new users from logging onto the system and at the same time disconnects all users that are already on the system

D.It disconnects all users except for users with Supervisor rights

**Correct Answers: B**