

Vendor: Cisco

**Exam Code:** 600-212

**Exam Name:** Implementing Cisco Service Provider Mobility

LTE Networks

Version: DEMO

## **QUESTION 1**

Which three options are valid functions performed by Mobility Management Entity? (Choose three.)

- A. Header compression and user plane ciphering
- B. PDN GW and Serving GW selection
- C. Tracking area list management
- D. User plane packet forwarding and routing
- E. UE IP address allocation
- F. NAS signaling

Answer: BCF

## **QUESTION 2**

Which two radio technologies are used in LTE? (Choose two.)

- A. OFDMA
- B. MIMO
- C. TDMA
- D. EV-DO
- E. VOR
- F. DME

Answer: AB

#### **QUESTION 3**

Which parameter provides support of radio resource management by the MME across the S1 interface?

- A. RFSP index
- B. relative MME capacity
- C. GUTI
- D. OLD-GUTI

Answer: A

## **QUESTION 4**

Which two Transport protocols can be used for the S6a interface? (Choose two.)

- A. SCTP
- B. TCP
- C. UDP
- D. FCP
- E. RDP

Answer: AB

# QUESTION 5

Which two statements apply during the attach procedure on an MME? (Choose two.)

- A. The attach procedure provides an always-on IP connectivity to the subscriber.
- B. Multiple default bearers can be established during the attach procedure.
- C. A dedicated bearer can also be established during the attach procedure.
- D. The additional guti value in the attach request is derived from a PTMSI.
- E. The attach request is always integrity protected.

Answer: AC

#### **QUESTION 6**

Which statement describes what occurs during an inter-MME tracking area update procedure?

- A. The old MME does the integrity check of the context request by using the old GUTI in the context request message.
- B. The SGW change indication is conveyed to the old MME in the context ack message.
- C. The SGW change indication is conveyed to the old MME in the context request message.
- D. The old MME does the integrity check of the context request by using the PTMSI signature in the context request message.

Answer: B

#### **QUESTION 7**

Which two nodes exchange the create indirect data tunnel request during LTE to UMTS handover? (Choose two.)

- A. source MME to target SGW
- B. source MME to target SGSN
- C. target SGSN to target SGW
- D. source MME to source SGW

Answer: CD

#### **QUESTION 8**

Which two IEs are ignored by the LTE domain when the EPS QoS parameter is mapped to the R99 QoS parameter? (Choose two.)

- A. pre-emption capability
- B. ARP priority
- C. MBR of PDP context associated with the background traffic class
- D. MBR of PDP context associated with the interactive traffic class
- E. pre-emption vulnerability

Answer: AE

# **Thank You for Trying Our Product**

# **Braindump2go Certification Exam Features:**

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014