



**Vendor:** Symantec

**Exam Code:** ST0-148

**Exam Name:** Veritas Storage Foundation 6.0 for UNIX  
Technical Assessment

**Version:** DEMO

#### QUESTION 1

Which command can an administrator use to display the bsize and logsize used on an existing file system?

- A. mkfs
- B. fsadm
- C. mount
- D. fsmap

**Answer:** A

#### QUESTION 2

A system with a single, locally mounted file system loses power and is subsequently restarted. All hardware is functioning properly and the intent log is valid. The administrator then mounts the file system using the mount command. What is the expected behavior?

- A. Mount will replay the intent log.
- B. Mount prints an error stating that a fsck log replay will be required.
- C. Mount succeeds silently as normal.
- D. Mount prints an error message stating that a full fsck will be required.

**Answer:** A

#### QUESTION 3

Veritas File System (VxFS) is an extent based file system. Which two pieces of information form the basis of an extent? (Select two.)

- A. inode number
- B. offset
- C. length
- D. owner's UID
- E. block size

**Answer:** BC

#### QUESTION 4

Which command resizes the file system without changing the volume size?

- A. tuneufs
- B. vxresize
- C. fsadm
- D. vxfsadm

**Answer:** C

#### QUESTION 5

A Veritas Volume Manager (VxVM) disk named Disk\_4 has been removed from the datadg disk group. Which command is used to remove this disk from Veritas Volume Manager (VxVM) control?

- A. vxdisk -g datadg rmdisk Disk\_4
- B. vxdiskunsetup Disk\_4
- C. vxdg -g datadg rmdisk Disk\_4
- D. vxdisksetup -r Disk\_4

**Answer: B**

#### QUESTION 6

What is the default private region size for Veritas Volume Manager (VxVM) disks?

- A. 8MB
- B. 16MB
- C. 32MB
- D. 64MB

**Answer: C**

#### QUESTION 7

An administrator needs to move all data volumes and disks in diskgroup appdg into an existing diskgroup named webdg. The end result will yield one diskgroup on the system: webdg. Which command should the administrator use to move the data volumes?

- A. vxdg move appdg webdg
- B. vxdg split appdg webdg
- C. vxdg join appdg webdg
- D. vxdg add appdg webdg

**Answer: C**

#### QUESTION 8

Which two conditions are applicable to disks of a disk group that have been destroyed with the vxdg destroy command without re-deploying the disks? (Select two.)

- A. The destroy operation retains the on-disk disk group ID, which makes the disk group recoverable.
- B. The destroy operation clears the on-disk disk group ID, which makes recovery impossible.
- C. The destroy operation clears the on-disk disk group name and makes disks available for use in other disk groups.
- D. The destroy operation clears the on-disk disk group name and re-initializes all of the disks.
- E. The destroy operation deports the disk group and re-formats all of the disks.

**Answer: AC**

#### QUESTION 9

An administrator plans to move disks EMC\_11 and EMC\_12 from diskgroup appdg to diskgroup webdg. There are several volumes residing on both disks, so the administrator needs a list of volumes that will be affected for planning purposes. Which command should the administrator use to generate the list?

- A. vxvg listclone appdg webdg
- B. vxvg listmeta EMC\_11 EMC\_12
- C. vxvg list appdg webdg
- D. vxvg listmove appdg webdg EMC\_11 EMC\_12

**Answer: D**

#### QUESTION 10

The disk group appdg is imported onto host01 using the vxvg -t import appdg command. Volumes have been started and file systems mounted. The system is then gracefully rebooted. What happens to the appdg disk group after host01 has restarted?

- A. The appdg disk group is automatically imported; all volumes in the disk group are automatically started.
- B. The appdg disk group is automatically temporarily imported; all volumes in the disk group are automatically started.
- C. The appdg disk group remains deported; only host01 can import the disk group using the vxvg import appdg command.
- D. The appdg disk group remains deported; any host that can access the appdg disk group can import it.

**Answer: D**

#### QUESTION 11

Which region stores the information that manages virtual devices when a LUN is brought under Veritas Storage Foundation 6.0 for UNIX control?

- A. private region
- B. VTOC region
- C. virtual region
- D. public region

**Answer: A**

#### QUESTION 12

Which command line utility is used to view Veritas Volume Manager (VxVM) plexes?

- A. vxdisk
- B. vxvg
- C. vxplex
- D. vxprint

**Answer: D**

**QUESTION 13**

What enables combining disks or LUNs into logical collections to make administration easier?

- A. volume
- B. plex
- C. subdisk
- D. disk group

**Answer: D**

**QUESTION 14**

Which virtual storage configuration can be created with Veritas Storage Foundation 6.0 for UNIX?

- A. LVM
- B. RAID
- C. SVM
- D. LPAR

**Answer: B**

**QUESTION 15**

A user creates a 10MB file, which is then compressed using vxcompress to reduce the file size to 1MB. Another user copies this file to a different Veritas File System (VxFS) on the same host using cp. What is the resulting file size of the copy?

- A. 1MB
- B. 9MB
- C. 10MB
- D. 11MB

**Answer: C**

## Thank You for Trying Our Product

### Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives<sup>®</sup>

**10% Discount Coupon Code: BDN2014**