Exam Code: NS0-110

**Exam Name:** Network Appliance Storage Fundamental

Exam 6.5

Vendor: Network Appliance

Version: DEMO

## Part: A

1: Of the following four commands needed to run on a client to access volume ata?from the storage appliance ig? which needs to be run first? Of the following four commands needed to run on a client to access volume ?ata?from the storage appliance ?ig? which needs to be run first?

A.cd /mnt/data

B.mkdir /mnt/data

C.mount big:/vol/data/mnt/data

D.cat /mnt/data/datafile

**Correct Answers: B** 

2: Which one of the following entries in the /etc/exports file will give administrators on client dminhost?root access to volume ata? file will give administrators on client ?dminhost?root access to volume ?ata?

A./vol/data eadall=adminhost /vol/data ?eadall=adminhost

B./vol/data llaccess=adminhost /vol/data ?llaccess=adminhost

C./vol/data w=adminhost,rw=Host2 /vol/data ?w=adminhost,rw=Host2

D./vol/data w=Host2:adminhost,root=adminhost,anon=root

/vol/data ?w=Host2:adminhost,root=adminhost,anon=root

**Correct Answers: D** 

3: What is the command to reconfigure CIFS services?

A.cifs service restart

B.cifs reconfig

C.cifs enable

D.cifs setup

Correct Answers: D

4: If there are problems with user quotas being misapplied, the following two files should be checked:

A./etc/quotas and /etc/rc

B./etc/quotas and /etc/usermap.cfg

C./etc/rc and /etc/usermap.cfg

D./etc/quotas and /etc/quotarules

Correct Answers: B

5: Which line describes a 50M tree quota for a qtree named ydata?on volume ol1? Which line describes a 50M tree quota for a qtree named ?ydata?on volume ?ol1? Target

Type

Disk	Files	Thold	Sdisk	Sfiles		
A./vol/v	vol1/mydat	a tree		50M	-	-
B./vol/v	vol1	steve	@tree	50M	-	-
C.steve		tree	@/vol/vol1	50M	-	-
D./vol/v	vol1	atree/	steve	50M	_	_

**Correct Answers: A** 

6: Which one of the following commands is used to modify network interfaces on the storage
appliance?
A.ipconfig
B.ifconfig
C.interface
D.ipset
Correct Answers: B
7: Load balancing can be used on
A.multi-mode VIFs
B.single-mode VIFs
C.Both A and B
D.None of the above
Correct Answers: A
8: Which one of the following files will allow you to change the search order for hostname
resolution?
A./etc/hosts
B./etc/resolv.conf
C./etc/searchorder.conf
D./etc/nsswitch.conf
Correct Answers: D
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for? A.snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot B snapshot C.snap D.~ snapshot Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot B snapshot C.snap D.~ snapshot Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?  C.The snapshot directory can be hidden from client machines.
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?  C.The snapshot directory can be hidden from client machines.  D.Reading data from a snapshot temporarily stops all other access to that volume.  Correct Answers: D
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?  C.The snapshot directory can be hidden from client machines.  D.Reading data from a snapshot temporarily stops all other access to that volume.  Correct Answers: D
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?  C.The snapshot directory can be hidden from client machines.  D.Reading data from a snapshot temporarily stops all other access to that volume.  Correct Answers: D  11: To recover a file from a snapshot using a Windows client, what directory will a user look for?  A.snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot B snapshot C.snap D.~ snapshot Correct Answers: B  10: Which one of the following statements about snapshots is not true? A.The contents of snapshot directories that are visible from clients are read-only. B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0? C.The snapshot directory can be hidden from client machines. D.Reading data from a snapshot temporarily stops all other access to that volume.  Correct Answers: D  11: To recover a file from a snapshot using a Windows client, what directory will a user look for? A.snapshot B snapshot
9: To recover a file from a snapshot using a UNIX client, what directory will a user look for?  A.snapshot  B snapshot  C.snap  D.~ snapshot  Correct Answers: B  10: Which one of the following statements about snapshots is not true?  A.The contents of snapshot directories that are visible from clients are read-only.  B.More recent automatic snapshots are identified with lower numbers, for example, ourly.0? More recent automatic snapshots are identified with lower numbers, for example, ?ourly.0?  C.The snapshot directory can be hidden from client machines.  D.Reading data from a snapshot temporarily stops all other access to that volume.  Correct Answers: D  11: To recover a file from a snapshot using a Windows client, what directory will a user look for?  A.snapshot

## **Correct Answers: D**

12: What is NDMP?

A.A standard protocol for controlling data transfers between primary and secondary storage devices

B.A proprietary protocol used for controlling data transfers between the storage appliance head and disk drives

C.A networking trace analysis tool

D.A network management tool for storage appliances

**Correct Answers: A** 

13: Which command triggers the autosupport daemon to send an autosupport notification immediately?

A.autosupport.it

B.autohelp.it

C.autosupport.doit

D.autohelp.doit

**Correct Answers: C** 

14: Which of the following cannot be performed with the restore command?

A. View a list of files on tape

B.Restore individual files and directories

C.Restart a failed restore process

D.Enter a number to specify how many filemarks should be skipped

**Correct Answers: D** 

15: There is an option in the restore command that allows you to list all of the file names on a tape, without restoring the files.

A.T

B.F

Correct Answers: A