Exam Code: e20-630

Exam Name: symmetrix business continuity install.and troubleshooting

Vendor: EMC

Version: DEMO

Part: A

1: Which Inline command issued on the RA will Validate the tracks on device 2B?

A.D0,CE,2B,ED0

B.D0,CE,2B,ED1

C.D0,CE,2B,EC1

D.D0,CE,2B,EC0

Correct Answers: D

2: Which type of SRDF configuration has one R1 and two R2s volumes?

A.Static SRDF

B.Dynamic SRDF

C.Switched SRDF

D.Concurrent SRDF

Correct Answers: D

3: Which command is used to pair a TimeFinder STD with a BCV?

A.symbcv -g {groupname} associate dev 043

B.symbcv -g {groupname} pair DEV005 BCV ld BCV005

C.symmir -g {groupname} attach DEV005 BCV ld BCV005

D.symmir -g {groupname} -full establish DEV005 BCV ld BCV005

Correct Answers: D

4: Click the Task button.

Match the R1 device to its RDF flag for the condition shown.

Correct Answers:

5: How many devices per SSID does the mainframe 2105 controller have when using SymmWin 5568?

A.64 devices

B.128 devices

C.256 devices

D.512 devices

Correct Answers: C

6: Which two [2] applications are supported with Replication Manager agents?

A.UDB

B.Sybase

C.Lotus Notes

D.MS Exchange

Correct Answers: A D

7: What are two [2] reasons for using the -i x flag in a symmir establish or a symmir split command in a script?

A.run the commands every x seconds

B.minimize script failures because of gatekeeper locks

C.minimize script failures because of symapi database locks

D.allow the script to sleep x seconds before continuing to the next step

Correct Answers: B C

8: What are two [2] configuration considerations when creating Replication Manager InfoSets?

A.Do not create two [2] InfoSets for the same data

B.An InfoSet must be entirely contained on one type of array

C.An InfoSet cannot span multiple homogeneous array types

D.An InfoSet can span different array technologies requiring planning storage accordingly

Correct Answers: A B

9: Click the Exhibit button.

Which TimeFinder operation has been performed?

```
UTILITY A7 -- Show system devices Attrib/WP/Invalid : TIME: OCT/05/01 07:06:0
------------------------------------------------------------
  NOT RDY WR DIS TYPE DEV           RDF  WRT  FMT |   INVALID TRACKS COUNTS
DV# M1234 M1234 M1234 ATTR          GRP  PEND PEND |   M1    M2     M3    M4
------------------------------------------------------------|-----------------------------
  54  ...-  ...-  mmB- ofs.......... -    0    0 | 63120  63120      0 63120
  55  X---  .---  m--- ofsB NR BCV... -    0    0 |     0  63120  63120     0
```

A.Split

B.Restore

C.Full Establish

D.Incremental Establish

Correct Answers: B

10: Which inline command is used to verify a BCV instant split is in progress?

A.A7,SUMM

B.8D,,,GDAT

C.A7,TFDR,1

D.A7,TFDR,,SSIP

Correct Answers: D