

Head and Neck Clinical and Radiographic Anatomy

Arya Amini MD

Topics


- Nasopharynx
- OC
- Paranasal
- Salivary
- Skin

Anatomy


Nasopharynx: anatomy




Base of Skull Anatomy




Base of Skull Anatomy




Base of Skull Anatomy



Anatomy (The Scope) – starting from the nose






referred ear pain pathways

What are the branches of the facial nerve?

THE FACIAL NERVE AND ITS BRANCHES



Facial Nerve Branches and Parotid Gland Sectioned




Temporal, Zygomatic, Buccal, Marginal Mandibular,
Cervical

CN Syndromes

Syndrome	Involvement	CNs
Jacob's	Cavernous sinus (Petrosphenoidal)	II, III, IV, V ₁₋₂ , VI
Villaret's	Parapharyngeal LNs (retroparotidian)	IX-XII
Vernet's	Jugular foramen	IX – XI (not XII)


- **Trotter's triad:** Tumor in sinus of Morgagni near Eustachian tube and insertion of pharyngeus muscles to BoS – Not a nerve
 - Unilateral hearing loss
 - ↓Soft palate mobility
 - Mandibular pain



H&N Anatomy


Subsites and Borders

- Nasal cavity: Vestibule to posterior aspect of nasal septum
- Paranasal sinuses
- Oral cavity: Lips to retromolar trigone/anterior 2/3 of tongue
- Nasopharynx: from posterior end of nasal septum to roof of soft palate.
- Oropharynx: Superior border = plane of superior surface of soft palate; inferior = superior surface of hyoid bone
- Hypopharynx: Pharynx from superior surface of hyoid to cricoid.
- Larynx: Supraglottic - epiglottis to false cords; Glottic - cords to 5mm below; Subglottic - 5mm below cords to level of cricoid




H&N Anatomy: Cranial Nerves

- I - Smell (S only)
- II - Sight (S only)
- III - (M only) constriction of pupil, holding eyelid OPEN, superior rectus, medial rectus, inferior oblique (if CN III palsy, eye looks down and out).
- IV - (M only) **superior oblique** (palsy = vertice diplopia with eye deviated upward)
- V - (M and S) muscles of mastication and sensation of face.
- VI - (M only) **lateral rectus** - causes medial deviation of eye and horizontal diplopia.
- VII - (M and S) motor of face, taste of ant 2/3 of tongue also to non-parotid salivary glands.



H&N Anatomy: Cranial Nerves

- VIII - (S only) hearing and equilibrium
- IX - (M and S) palate raise, swallowing, sensation of palate, taste post 1/3
- X - (M and S) motor of pharynx/larynx, parasympathetic innervation of viscera.
- XI - (M only) sternocleidomastoid and trapezius
- XII - (M only) tongue (loss of function lead to tongue deviation to the side of the lesion).



H&N Anatomy 7: BOS and CNs Test

Superior orbital fissure

- III, IV, V1 (ophthalmic), VI

Optic foramen

- II and optic artery

Foramen rotundum

- V2

Foramen ovale

- V3

Foramen spinosum

- Middle meningeal artery passes into skull

Foramen lacerum

Internal acoustic meatus


- VII, VIII

Jugular foramen

- IX, X, XI, sigmoid sinus


Hypoglossal canal

- XII




H&N Anatomy 8: CT Skull Base Test

- Maxillary sinus
- Pterygopalatine fossa
- Pterygoid plates
- Mandible - coronoid process
- Mandibular condyle
- Styloid Process
- Nasopharynx
- Retropharyngeal nodal region



H&N Anatomy 9: CT Skull Base Test

- Zygomatic bone (of maxilla)
- Pterygopalatine fossa
- Pterygoid process
- Pterygoid plates
- Styloid process
- Nasal Septum
- Nasal concha
- Mastoid air cells



H&N Anatomy 10: CT Skull Base Test

Inferior orbital fissure

Foramen ovale

- V3

Foramen spinosum


- Middle meningeal
artery

Pterygopalatine fossa

Clivus


Hypoglossal canal

- XII




H&N Anatomy 11: CT Skull Base Test


- Inferior orbital fissure
- Pterygopalatine fossa
- Pterygoid canal (aka vidian canal - contains pterygoid A and N)
- Foramen ovale
- Foramen spinosum
- Foramen lacerum
- Carotid canal
- Jugular foramen
- Foramen Magnum



H&N Anatomy 12: Cavernous Sinus Contents

- Internal carotid artery
- CN III, IV, V1, V2, VI






Zygomatic bone (frontal process)




Greater wing of the sphenoid bone




Internal acoustic meatus




Maxillary sinus




Sphenoidal sinus





Carotid canal









Facial/Cochlear Nerve















Tongue

Palatopharyngeal arch

Palatine Tonsil

Sup. Constrictor



Hyoid

Axis C2

Atlas C1

Vertebral artery

anatomy⁴



Sublingual Gland

Platysma

BOT

Submandibular
gland




Post Pillar of Tonsil



Superior/Middle constrictor



Epiglottis

RP Node




JD Node









Carotid space





CONTRAST120CC@3CC/S,90S DELAY
Acc#: 5375522
Study: Apr 17, 2006 07:29:18
SE:2 IM:246 of 251
SL:-7

A

Ethmoid Sinus

Sphenoid Sinus

Cavernous Sinus

- III
- IV
- V1-Optthalmic
- V2-Maxillary
- VI-Abducens

Trigeminal ganglion
(Meckel's Cave)

R

TS: RT: SPR:
DFOV: 250.0
140 kVp - 220 mA
Th:1.25 mm
Tilt: 0.000000
Algorithm: STANDARD

x
1782
LightSpeed Plus/ACT9_OC0

WWWL: 475177

CONTRAST120CC@3CC/S,90S DELAY

A

Acc#: 5375522

Study: Apr 17, 2006 07:29:10

SE:2 IM:233 of 251

SL:-20

R

TS: RT: SPR:

DFOV: 250.0

140 kVp - 220 mA

Th:1.25 mm

Tilt: 0.000000

Algorithm: STANDARD

x

1782

LightSpeed Plus/ACT9_OC0

WWWL: 475/177

Foramen Rotundum
V2



CONTRAST120CC@3CC/S,90S DELAY
Acc#: 5375522
Study: Apr 17, 2006 07:29:01
SE:2 IM:228 of 251
SL:-25

A


R

Foramen Ovale V3

TS: RT: SPR:
DFOV: 250.0
140 kVp - 220 mA
Th: 1.25 mm
Tilt: 0.000000
Algorithm: STANDARD


x
1782
LightSpeed Plus/ACT9_OC0

WWWL: 475177



Medial Pterygoid plate

Lateral Pterygoid Plate



Medial Pterygoid

Lateral Pterygoid


Fossa of Rosenmueller

Retropharyngeal Nodes

Clivus

Jugular Fossa


Coronoid Process of the mandible



Retropharyngeal Nodes

- Base of skull-sup
- Cranial edge of the body of hyoid bone-inf
- Fascia under the pharyngeal mucosa-ant
- Prevertebral m. (longus colli, longus -post capitis)
- Medial edge of the internal carotid Artery-lat
- Midline-med

Longus capitis muscle



Soft Palate/Uvula

Retropharyngeal Nodes


Level IIA

- Caudal edge of lateral process of C1-sup
- Caudal edge of the body of hyoid bone-inf
- Post. edge of submandibular gland; ant. edge of int. carotid artery; post. edge of post. belly of digastric m.-ant
- Post. Border of int. jugular vein-post
- Medial edge of sternocleidomastoid-lat
- Medial edge of int. carotid artery, paraspinal (levator scapulae) m.-medial

IIA

IIB

Styloid Process



Masseter

Parotid

Level IIB

- Caudal edge of lateral process of C1-sup
- Caudal edge of the body of hyoid bone-inf
- Post. Border of int. jugular vein-ant
- Post. border of the sternocleidomastoid m.-post
- Medial edge of sternocleidomastoid-lat
- Medial edge of int. carotid artery, paraspinal (levator scapulae) m.-med


IIA

IIB

Facial a. vs. internal carotid a?

Internal carotid a. vs. internal jugular vein?.

External carotid a. vs. retromandibular vein?



Oral Tongue


Tonsil

Submandibular gland

Level IB

- Mylohyoid m., cranial edge of submandibular gland-sup
- Plane through central part of hyoid bone - inf
- Symphysis menti, platysma m.-ant
- Posterior edge of submandibular gland - post
- Basilar edge / innerside of mandible, platysma m., skin - lat
- Lateral edge of ant. belly of digastric m. - med


Posterior Belly Digastric m.



Level IA

- Geniohyoid m., plane tangent to basilar edge of mandible - sup
- Plane tangent to body of hyoid bone - inf
- Symphysis menti, platysma m. - ant
- Body of hyoid bone - post
- Medial edge of ant. belly of digastric m. - lat

Anterior belly Digastric m.



Hyoid Bone


Epiglottis

Common Carotid a.

Internal Jugular v.

Level V

- Cranial edge of body of hyoid bone - sup
- CT slice encompassing the transverse cervical vessels^b - inf
- Post. edge of the sternocleidomastoid m. - ant
- Ant. border of the trapezius m. - post
- Platysma m., skin - lat
- Paraspinal (levator scapulae, splenius capitis) m. - med



Aryepiglottic fold


Level III

- Caudal edge of the body of hyoid bone - sup
- Caudal edge of cricoid cartilage - inf
- Postero-lateral edge of the sternohyoid m.; ant. edge of sternocleidomastoid m. - ant
- Post. edge of the sternocleidomastoid m.- post
- Medial edge of sternocleidomastoid - lat
- Int. edge of carotid artery, paraspinal (scalenus) m

External Jugular v.

Superior horn Thyroid Cartilage

Piriform Sinus



True Vocal Cord

Arytenoid Cartilage

Common Carotid a.


Internal Jugular v.



Level VI

- Caudal edge of body of thyroid cartilage-sup
- Sternal manubrium- inf
- Skin; platysma m. - ant
- Separation between trachea and esophagus^d - post
- Medial edges of thyroid gland, skin and ant.-medial edge of sternocleidomastoid m. - lat

Cricoid Cartilage




Cricoid cartilage

Level IV

- Caudal edge of cricoid cartilage - sup
- 2 cm cranial to sternoclavicular joint - inf
- Anteromedial edge of sternocleido-mastoid m - ant
- Post. edge of the sternocleidomastoid m. - post
- Medial edge of sternocleidomastoid - lat
- Medial edge of internal carotid artery, paraspinal (scalenius) m. - med

Thyroid Gland





Level VI


Thyroid

Esophagus

Parapharyngeal Space




Masticator Space




- Green – masticator space
- LP= lateral pterygoid
- M=masseter
- MP= medial pterygoid muscle
- TP=temporalis muscle


Green – old AJCC definition – not anatomic

Now – includes all and ramus of the mandible, third division of CN V as it passes through FO, into the suprahyoid neck





- a. Small stage T tumor 12 mm originating at the fossa of Rosenmuller
- b. Big stage T4 tumor. Nasopharyngx carcinoma infiltrating the parapharyngeal space, prevertebral and pterygoid muscles growing into the nasal cavity



(a)



(b)






Figure A – mass with involvement of the pterygoid process and the clivus (arrows) : T3 (bony structures)

Figure B and C – Different patient with petroclival junction involvement and abnormal enhancement of clivus (short arrow) with intracranial extension (long arrows) T4






Draw/name the important theoretical plane for the maxillary sinus




Ohngren's line



- Suprastructure
- Infrastructure

Oral Cavity

- Lips
- Oral tongue (ant 2/3)
- Floor of Mouth
- Retromolar trigone
- Circumvallate papillae
- Buccal mucosa
- Hard palate
- Gingiva/alveolar ridge




Oropharynx


Case

- 57 man, never smoker, who recently noted a left neck mass

Oropharynx Anatomy




Oropharynx (anatomy)



Palatine tonsil (if present)

Oropharynx (anatomy)



Oropharynx (anatomy)



Larynx Cancer Anatomy

What are the subsites of the supraglottis?


Suprahyoid and infrahyoid epiglottis, arytenoids, AE folds, False cords

What structure(s) define the glottis?


True vocal cords

Definition of the subglottis?

5 mm below glottis to bottom of cricoid



LARYNX



Subglottis

- Sup: 5mm below TVC
- Inf: Inferior cricoid

Glottis

- 1 cm thick slice
- Centered at TVCs

F. Netter M.D.
© 1994

Larynx Cancer Anatomy

What are the subsites of the supraglottis?


Suprahyoid and infrahyoid epiglottis, arytenoids, AE folds, False cords

What structure(s) define the glottis?


True vocal cords

Definition of the subglottis?

5 mm below glottis to bottom of cricoid



LARYNX



Subglottis


- Sup: 5mm below TVC
- Inf: Inferior cricoid


Glottis

- 1 cm thick slice
- Centered at TVCs

F. Netter M.D.
© 1994

Anatomy (The Scope) – down a little further









- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.




More anatomy ☹️




More anatomy ☹️ ☹️




For the love of Pete, even more anatomy



Your killing me Larry, even more anatomy




Pre-epiglottic space versus Paraglottic space




Pre-epiglottic Space

- **Midline fat space** anterior to the epiglottis.
- Forms inverted pyramid.
- Epiglottis has numerous fenestrations that allow anterior spread of laryngeal tumors (esp infrahyoid epiglottis tumors).
- Dehiscences in the thyrohyoid membrane created by superior laryngeal neurovascular bundle allow anterior extension of tumor from pre-epiglottic space into neck.

Pre-epiglottic Space




Pre-epiglottic Space




Paraglottic Space

- **Paired lateral narrow fat space** between TVC and thyroid ala.
- Forms lateral parts of horseshoe together with pre-epiglottic space.
- Involvement allows tumor fascial free access to all 3 laryngeal regions and to neck soft tissues


Paraglottic Space



Paraglottic Space



**Paraglottic
Space
Invasion**



Early stage management

Field Borders?

Superior:

thyroid notch

Inferior:


bottom cricoid

Anterior:

flash skin (1cm)

Posterior:

anterior aspect of vertebrae



Hypopharynx

