



Social Unlocker

SUPPORT

OUTSOURCING

0.1 Social Unlocker



Thank you for purchasing this Social Unlocker. If you have any questions that are beyond the scope of this help file, please feel free to start new ticket on this page. Thanks so much!

Scope of free support

We can help you with:

1. Responding to questions or problems regarding the item and its features
2. Fixing any discovered item's bugs
3. Providing updates to ensure compatibility with new software versions

Social Unlocker allows you to create uniquely designed social networks buttons to your website. It comes with predefined skins, but you can setup your custom styles as well.

Please read this documentation to discover all available options.

0.1 Plugin installation

Social Unlocker requires the following scripts to be attached in HTML page:

Javascript:

```
1 <script src="js/jquery-1.11.3.min.js"></script>
2 <script src="js/socialUnlocker.js"></script>
```

Plugin settings can be included with the following script:

```
1 <script>
2
3     $('secretContainer').socialUnlocker({
4
5         texts:{
6             maskHeader: "Like Us",
7
8         },
9     });
```

```

10         maskText: "We show you hidden content"
11     },
12 },
13
14     buttons      : ["facebook_like", "twitter_tweet",  "google_plus1"],
15     closeButton: true,
16
17     fullPage: true,
18
19     facebook:{
20
21         appId: "659569734174330",
22         likeButton:{
23             url: "https://www.facebook.com/createITpl"
24         }
25     },
26
27     twitter:{
28         tweetButton: {
29             url: "http://www.createit.pl/en/",
30             message: "Nicola Tesla inventor",
31             hashtags: "tesla, inventor, ac"
32         }
33     },
34
35     googlePlus:{
36         plusOneButton:{
37             url: "http://www.createit.pl/en/"
38         }
39     }
40 });
41
42 </script>

```

To induce the script you need to use `secretContainer` CSS class in HTML markup, for example:

```

1 <div class="secretContainer">
2
3
4     <h4>Secret Header</h4>
5
6
7     <div class="video">
8         <iframe width="560" height="315" src="https://www.youtube.com/embed/_luhn7TLf
9     </div>
10
11 </div>

```

0.1 Available parameters

Define custom options with the following script:

```
1 <script>
2
3
4     $('secretContainer').socialUnlocker({
5
6         [options]
7
8     });
9
</script>
```

Below you will find all available parameters.

Variable	Default	Type	Description
timer	0	integer	Set time to auto unlock content. "0" don't add this options.
closeButton	false	boolean	Enable/Disable button to close mask.
buttons	[]	array, string	An array of buttons to create. The order indicates the order of created buttons. Available value: "facebook_like", "facebook_share", "twitter_tweet", "twitter_follow", "google_plus1", "google_share"
theme	" "	string	Plugin style. Available value: " " – (empty string), "blueSky", "material", "hipster", "lollipop", "slick", "image"
customClass	""	string	Add custom class name to main container.
fullPage	false	boolean	Enable/Disable full page type popup.
beforeInit	false	function	Function invoke before plugin init.
beforeCreateMask	false	function	Function invoke before create mask.
afterCreateMask	false	function	Function invoke after create mask.
afterRemoveMask	false	function	Function invoke after remove mask.
afterAddContent	false	function	Function invoke after add content.
afterFBLikeClick	false	function	Function invoke after click facebook like button.
afterFBShareClick	false	function	Function invoke after click facebook share button.
afterTwitterTweetClick	false	function	Function invoke after click twitter tweet button.
afterTwitterFollowClick	false	function	Function invoke after click twitter follow button.
afterGooglePlusOneClick	false	function	Function invoke after click google +1 button.

afterGooglePlusShareClick	false	function	Function invoke after click google share button.
---------------------------	-------	----------	--

texts:

Variable	Default	Type	Description
maskHeader	"Simple test heading"	string	Mask header text.
maskText	"Simple paragraph text"	string	Mask paragraph text.
timerWaitText	"or wait"	string	Text before timer if timer exist.
timerSecText	"sec"	string	"Second" text after timer if timer exist.
closeCharacter	"x"	string	"Close button" value.

Facebook:

Variable	Default	Type	Description
appId	"0"	string	Facebook application ID important for facebook share button, but optional for like button. You can create your own app here
lang	"en_US"	string	Language of the button labels. More info here

likeButton

Variable	Default	Type	Description
url	""	string	Link to like.
colorscheme	"light"	string	Button scheme color. Available value: "light", "dark".
width	"auto"	string	Width button container.
action	"like"	string	Verb to display. Available value: "like", "recommend".
ref	""	string	Label for tracking referrals.
layout	"button_count"	string	Button layout. Available value: "standard", "box_count", "button_count", "button".

shareButton:

Variable	Default	Type	Description
url	""	string	Link to share.

width	"auto"	string	Width button container.
layout	"button_count"	string	Button layout. Available value: "box_count", "button_count", "button", "icon_link", "icon", "link".
name	""	string	Name of the product or content you want to share.
picture	""	string	Path to an image you would like to share with this content.
caption	""	string	Caption.
description	""	string	Description of your product or content.

twitter:

Variable	Default	Type	Description
lang	"en"	string	Language of the button labels. More info here .

tweetButton:

Variable	Default	Type	Description
url	""	string	Tweet url.
message	""	string	Default message in tweet.
hashtags	""	string	Hash tags separated by comma. Example: "hash1, hash2, hash3".
related	""	string	Related accounts.
count	"horizontal"	string	Count position. Available value: "none", "horizontal", "vertical".
size	"default"	string	Button size. Available value: "default", "large".

followButton:

Variable	Default	Type	Description
username	""	string	Twitter username.
showScreenName	"false"	string	Enable/disable username inside button.
size	"default"	string	Button size. Available value: "default", "large".

googlePlus:

--	--	--	--

Variable	Default	Type	Description
lang	"en-US"	string	Language of the button labels. More info here

plusOneButton:

Variable	Default	Type	Description
url	""	string	Link to like
size	"medium"	string	Button size. Available value: "small", "medium", "standard", "tall".
annotation	"bubble"	string	Annotation to display. Available value: "none", "bubble", "inline".
width	"auto"	string	Button container width. Not available with "bubble" annotation
align	"left"	string	Button horizontal align. Available value: "left", "right".
expandTo	""	string	Hover and confirmation bubbles display position; separated by comma list of: top, right, bottom, left.

shareButton:


Variable	Default	Type	Description
url	""	string	Link to share
annotation	"bubble"	string	Annotation to display. Available value: "none", "bubble", "inline", "vertical-bubble".
width	"auto"	string	Button container width.
height	"20"	string	Button height.
align	"left"	string	Button horizontal align. Available value: "left", "right".
expandTo	""	string	Hover and confirmation bubbles display position; separated by comma list of: top, right, bottom, left.

0.1 Available skins




BlueSky

```
1 $('secretContainer').socialUnlocker({  
2     theme: "blueSkye"  
3 });
```




Image

```
1 $('secretContainer').socialUnlocker({  
2     theme: "image"  
3 });
```




Hipster

```
1 $('secretContainer').socialUnlocker({  
2     theme: "hipster"  
3 });
```


Lollipop

```
1 $('secretContainer').socialUnlocker({  
2     theme: "lollipop"  
3 });
```



Material

```
1 $('secretContainer').socialUnlocker({  
2     theme: "material"  
3 });
```




Slick

```
1 $( '.secretContainer' ).socialUnlocker({  
2     theme: "slick"  
3 });
```


0.1 How to get the Facebook APP ID

Please follow the steps below you get your Facebook App ID:

1. Go to: <https://developers.facebook.com/>
2. Click *My Apps* tab



3. Click *Create a New App* button



4. Fill in the form and click *Create App ID* button

A screenshot of the 'Create a New App ID' form on the Facebook Developers website. The form has a title 'Create a New App ID' and a subtitle 'Get started integrating Facebook into your app or website'. It contains three input fields: 'Wyświetl nazwę' (The name of your app or website), 'Namespace' (A unique identifier for your app (optional)), and 'Kategoria' (Wybierz kategorię). At the bottom, there is a checkbox for 'By proceeding, you agree to the Facebook Platform Policies' and two buttons: 'Anuluj' and 'Create App ID'.

5. Go to *Settings* tab, add your page domain and contact email

[Settings](#)
[Status & Review](#)
[App Details](#)
[Roles](#)
[Open Graph](#)

1592684547638782

..... [Show](#)

Display Name

Namespace


App Domains

Contact Email


+ Add Platform

6. Click **+ Add Platform** and select **Website**


Select Platform




Facebook Canvas




Website




iOS




Android




Windows App



Page Tab



Xbox



Play Station

[Cancel](#)

7. Then add your Site URL and click **Save Changes**

Website [Quick Start](#) [×](#)

Site URL

Mobile Site URL


+ Add Platform

Delete App


Discard

Save Changes


8. Go to **Status & Review** tab



9. Change button on the right to **YES**



10. Back to *Dashboard* tab and copy your App ID



0.1 Examples of usage

LIKE BUTTONS

HTMLmarkup:

```

1 <div class="secretContainer">
2
3
4   <h4>Secret Header</h4>
5
6   <div class="video">
7     <iframe width="560" height="315" src="https://www.youtube.com/embed/_luhn7TLf
8
9   </div>

```

</div>

Javascript:

```
1 <script src="js/jquery-1.11.3.min.js"></script>
2 <script src="js/socialUnlocker.js"></script>
```

```
1 <script>
2
3
4     $(''.secretContainer').socialUnlocker({
5
6         texts:{
7             maskHeader: "Like Us",
8             maskText: "We show you hidden content"
9         },
10
11         buttons      : ["facebook_like", "twitter_tweet", "google_plus1"],
12         timer: 10000000,
13
14         facebook:{
15             appId: "659569734174330",
16             likeButton:{
17                 url: "https://www.facebook.com/createITpl"
18             }
19         },
20
21         twitter:{
22             tweetButton: {
23                 url: "http://www.createit.pl/en/",
24                 message: "Nicola Tesla inventor",
25                 hashtags: "tesla, inventor, ac"
26             }
27         },
28
29         googlePlus:{
30             plusOneButton:{
31                 url: "http://www.createit.pl/en/"
32             }
33         }
34     });
35
36 </script>
```

SHARE BUTTONS

HTML markup:

```
1 <div class="secretContainer">
2
3
4     <h4>Secret Header</h4>
5
6
7     <div class="video">
8         <iframe width="560" height="315" src="https://www.youtube.com/embed/_luhn7TL
9     </div>
10
11 </div>
```

Javascript:

```
1 <script src="js/jquery-1.11.3.min.js"></script>
2 <script src="js/socialUnlocker.js"></script>
```

```
1 <script>
2
3
4     $(''.secretContainer').socialUnlocker({
5
6
7         texts:{
8             maskHeader: "Share",
9             maskText: "We show you hidden content"
10        },
11
12
13        buttons      : ["facebook_share", "twitter_follow", "google_share"],
14        closeButton: true,
15
16
17        facebook:{
18            appId: "659569734174330",
19            shareButton:{
20                url:"https://www.facebook.com/createITpl/posts/898868683469333",
21                name      : "CreateIT",
22                picture    : "http://www.createit.pl/wp-content/uploads/sites/2/2
23                caption    : "CreateIT",
24                description : "We are createIT. We create IT. And we are really goo
25            }
26        },
27
28        twitter:{
29            followButton:{
```

```

36         username: "createitpl"
37     }
    },

    googlePlus:{
        shareButton: {
            url: "http://www.createit.pl/en/"
        }
    }
});

</script>

```

FULL PAGE

HTML markup:

```

1  <body class="secretContainer">
2      <section>
3
4
5          <h4>Header</h4>
6
7
8          <div class="video">
9              <iframe width="560" height="315" src="https://www.youtube.com/embed
10             </div>
11
12      </section>
13  </body>

```

Javascript:

```

1  <script src="js/jquery-1.11.3.min.js"></script>
2  <script src="js/socialUnlocker.js"></script>

```

```

1  <script>
2
3
4      $(''.secretContainer').socialUnlocker({
5
6
7          texts:{
8              maskHeader: "Like Us",
9              maskText: "We show you hidden content"
10         },
11
12
13         buttons      : ["facebook_like", "twitter_tweet", "google_plus1"],
14         closeButton: true,
15
16
17         fullPage: true,
18

```

```
19
20
21     facebook:{
22         appId: "659569734174330",
23         likeButton:{
24             url: "https://www.facebook.com/createITpl"
25         }
26     },
27
28
29
30     twitter:{
31         tweetButton: {
32             url: "http://www.createit.pl/en/",
33             message: "Nicola Tesla inventor",
34             hashtags: "tesla, inventor, ac"
35         }
36     },
37
38
39
40     googlePlus:{
41         plusOneButton:{
42             url: "http://www.createit.pl/en/"
43         }
44     }
45 });
46
47 </script>
```

WE ARE ELITE

CREATEIT[@]

Check our blog

WHO WE ARE

Hi, we are createIT. We create IT.
Web applications and websites to
be precise.

And we are **REALLY** good at it.

Get to know us at www.createIT.pl
Thanks for buying!