Analysis output: all-atom contacts and geometry for ATP6V1B1_43-498_FFX1H.pdb

Summary statistics

All-Atom Contacts	Clashscore, all atoms:	0.14		99th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	17	4.39%	Goal: <0.3%
	Favored rotamers	335	86.56%	Goal: >98%
	Ramachandran outliers	7	1.54%	Goal: <0.05%
	Ramachandran favored	390	85.90%	Goal: >98%
	MolProbity score^	1.69		90th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	7	1.66%	Goal: 0
	Bad bonds:	0 / 3632	0.00%	Goal: 0%
	Bad angles:	27 / 4922	0.55%	Goal: <0.1%
Peptide Omegas	Cis Prolines:	1 / 25	4.00%	Expected: ≤1 per chain, or ≤5%
	Twisted Peptides:	3 / 455	0.66%	Goal: 0

In the two column results, the left column gives the raw count, right column gives the percentage.

* 100th percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

^ MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

Multi-criterion visualizations

View (475 Kb)

Single-criterion visualizations

- **Clash list** (217 bytes): View
- **Ramachandran plot kinemage** (432 Kb): View in KiNG | Download
- **Ramachandran plot PDF** (1.7 Mb): View
- **Cβ deviation scatter plot** (38 Kb): View in KiNG | Download

Continue >