Analysis output: all-atom contacts and geometry for SLC26A5_505-718H.pdb

Summary statistics

All-Atom Contacts	Clashscore, all atoms:	38.99		8th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	3	1.67%	Goal: <1%
	Ramachandran outliers	6	2.83%	Goal: <0.05%
	Ramachandran favored	199	93.87%	Goal: >98%
	MolProbity score^	2.65		39th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	5	2.50%	Goal: 0
	Bad backbone bonds:	8 / 1710	0.47%	Goal: 0%
	Bad backbone angles:	37 / 2322	1.59%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

* 100th percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

^ MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

> By adding H to this model and allowing Asn/Gln/His flips, we could *automatically* improve your clashscore by 0.9 points.

Multi-criterion visualizations

View (214 Kb)

Single-criterion visualizations

- **Clash list** (3.3 Kb): View
- **Ramachandran plot kinemage** (417 Kb): View in KiNG | Download
- **Ramachandran plot PDF** (1.7 Mb): View
- **Cβ deviation scatter plot** (22 Kb): View in KiNG | Download

Continue >

About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1-537