

Analysis output: all-atom contacts and geometry for COCH_165-281H.pdb

Summary statistics

Contacts	Clashscore, all atoms:	145 () [5 th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein	Poor rotamers	1	1.05%	Goal: <1%
	Ramachandran outliers	2	1.74%	Goal: <0.05%
	Ramachandran favored	109	94.78%	Goal: >98%
	MolProbity score [^]	2.51		47 th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	0	0.00%	Goal: 0
	Bad backbone bonds:	5 / 926	0.54%	Goal: 0%
	Bad backbone angles:	10 / 1247	0.80%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

Multi-criterion visualizations



1 of 2 6/13/14, 9:15 AM

^{* 100&}lt;sup>th</sup> percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

[^] MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

Single-criterion visualizations

- Clash list (2.2 Kb): View
- Ramachandran plot kinemage (411 Kb): View in KiNG | Download
- Ramachandran plot PDF (1.7 Mb): View
- Cβ deviation scatter plot (16 Kb): View in KiNG | Download

Continue >

About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1-537

2 of 2