

Analysis output: all-atom contact and geometry for DFNB31_WT_813-904.pdb_4_1H.pd

Summary statistics

	Clashscore, all atoms:	0		100 th percentile* (N=1784, all resolutions
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	0	0.00%	Goal: <1%
	Ramachandran outliers	1	1.11%	Goal: <0.05%
	Ramachandran favored	87	96.67%	Goal: >98%
	MolProbity score [^]	0.71		100 th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	0	0.00%	Goal: 0
	Bad backbone bonds:	0 / 715	0.00%	Goal: 0%
	Bad backbone angles:	5 / 963	0.52%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

Multi-criterion visualizations



View (89 Kb)

Single-criterion visualizations

- Clash list (175 bytes): View
- Ramachandran plot kinemage (410 Kb): View in KiNG | Download

1 of 2 6/24/14, 12:50 PM

^{* 100&}lt;sup>th</sup> percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

[^] MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to on the same scale as X-ray resolution.

- Ramachandran plot PDF (1.7 Mb): View
- Cβ deviation scatter plot (16 Kb): View in KiNG | Download



About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1

2 of 2