

## Analysis output: all-atom contacts and geometry for OTOF\_1494.1574.pdb\_30\_1H.pdb

## **Summary statistics**

All-Atom Contacts	Clashscore, all atoms:	1.57		99 <sup>th</sup> percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	0	0.00%	Goal: <1%
	Ramachandran outliers	3	3.80%	Goal: <0.05%
	Ramachandran favored	59	74.68%	Goal: >98%
	MolProbity score <sup>^</sup>	1.70		89 <sup>th</sup> percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	3	3.95%	Goal: 0
	Bad backbone bonds:	0 / 654	0.00%	Goal: 0%
	Bad backbone angles:	12 / 889	1.35%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

## **Multi-criterion visualizations**



View (80 Kb)

1 of 2 6/18/14, 1:27 PM

<sup>\* 100&</sup>lt;sup>th</sup> percentile is the best among structures of comparable resolution; 0<sup>th</sup> percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

<sup>^</sup> MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

## Single-criterion visualizations

- Clash list (259 bytes): View
- Ramachandran plot kinemage (409 Kb): View in KiNG | Download
- Ramachandran plot PDF (1.7 Mb): View
- Cβ deviation scatter plot (16 Kb): View in KiNG | Download



About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1-537

2 of 2