

Analysis output: all-atom contacts and geometry for ACTG1_6-375_FFX1H.pdb

Summary statistics

	Clashscore, all atoms:	2.44		99 th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	0	0.00%	Goal: <1%
	Ramachandran outliers	5	1.36%	Goal: <0.05%
	Ramachandran favored	342	92.93%	Goal: >98%
	MolProbity score [^]	1.48		96 th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	14	4.09%	Goal: 0
	Bad backbone bonds:	1 / 2949	0.03%	Goal: 0%
	Bad backbone angles:	28 / 3994	0.70%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

Multi-criterion visualizations



View (352 Kb)

Single-criterion visualizations

- Clash list (637 bytes): View
- Ramachandran plot kinemage (426 Kb): View in KiNG | Download
- Ramachandran plot PDF (1.7 Mb): View

^{* 100&}lt;sup>th</sup> percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

[^] MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

• **C**β **deviation scatter plot** (31 Kb): View in KiNG | Download

Continue >

About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1-537