Analysis output: all-atom contacts and geometry for SLITRK_31-267H.pdb

Summary statistics

All-Atom Contacts	Clashscore, all atoms:	28.17		17th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	8	3.72%	Goal: <0.3%
	Favored rotamers	195	90.70%	Goal: >98%
	Ramachandran outliers	4	1.70%	Goal: <0.05%
	Ramachandran favored	208	88.51%	Goal: >98%
	MolProbity score^	2.96		25th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	1	0.45%	Goal: 0
	Bad bonds:	13 / 1902	0.68%	Goal: 0%
	Bad angles:	12 / 2582	0.46%	Goal: <0.1%
Peptide Omegas	Cis Prolines:	1 / 12	8.33%	Expected: ≤1 per chain, or ≤5%

In the two column results, the left column gives the raw count, right column gives the percentage.

* 100th percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

^ MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

Multi-criterion visualizations

View (264 Kb)

Single-criterion visualizations

- **Clash list** (4.6 Kb): View
- **Ramachandran plot kinemage** (419 Kb): View in KiNG | Download
- **Ramachandran plot PDF** (1.7 Mb): View
- **Cβ deviation scatter plot** (23 Kb): View in KiNG | Download

Continue >