



Analysis output: all-atom contacts and geometry for USH2A_3729-4051_FFX1H.pdb

Summary statistics

All-Atom Contacts	Clashscore, all atoms:	4.81		94 th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	7	2.48%	Goal: <0.3%
	Favored rotamers	259	91.84%	Goal: >98%
	Ramachandran outliers	13	4.05%	Goal: <0.05%
	Ramachandran favored	275	85.67%	Goal: >98%
	MolProbity score [^]	2.20		65 th percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	2	0.66%	Goal: 0
	Bad bonds:	0 / 2618	0.00%	Goal: 0%
	Bad angles:	38 / 3586	1.06%	Goal: <0.1%
Peptide Omegas	Cis Prolines:	1 / 30	3.33%	Expected: ≤1 per chain, or ≤5%
	Cis nonProlines:	3 / 292	1.03%	Goal: <0.05%
	Twisted Peptides:	5 / 322	1.55%	Goal: 0

In the two column results, the left column gives the raw count, right column gives the percentage.

* 100th percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

[^] MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

Multi-criterion visualizations



Multi-criterion
chart

[View \(348 Kb\)](#)

Single-criterion visualizations

- **Clash list** (1.1 Kb): [View](#)
- **Ramachandran plot kinemage** (425 Kb): [View in KiNG](#) | [Download](#)
- **Ramachandran plot PDF** (1.7 Mb): [View](#)
- **C β deviation scatter plot** (30 Kb): [View in KiNG](#) | [Download](#)

[Continue >](#)