



Analysis output: all-atom contacts and geometry for USH2A_922-1052.pdb_11_1H.pdb

Summary statistics

All-Atom Contacts	Clashscore, all atoms:	1.61		99 th percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	0	0.00%	Goal: <1%
	Ramachandran outliers	4	3.10%	Goal: <0.05%
	Ramachandran favored	104	80.62%	Goal: >98%
	MolProbity score [^]	1.64		91 st percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	5	4.24%	Goal: 0
	Bad backbone bonds:	0 / 981	0.00%	Goal: 0%
	Bad backbone angles:	9 / 1329	0.68%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

* 100th percentile is the best among structures of comparable resolution; 0th percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

[^] MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.

Multi-criterion visualizations



[View](#) (126 Kb)

Single-criterion visualizations

- **Clash list** (301 bytes): [View](#)
- **Ramachandran plot kinemage** (412 Kb): [View in KiNG](#) | [Download](#)
- **Ramachandran plot PDF** (1.7 Mb): [View](#)
- **C β deviation scatter plot** (19 Kb): [View in KiNG](#) | [Download](#)

Continue >

About [MolProbity](#) | Website for [the Richardson Lab](#) | Using ecloud x-H | Internal reference 4.1-537