

SpiNNaker-based implementation of visual systems

Garibaldi Pineda García

Supervisor: Stephen B. Furber

Contents

1	Introduction	4
1.1	Neural codes and vision	5
1.2	Common cameras as spike train sources	5
2	Neural models and spike codes	6
2.1	Introduction	7
2.2	Neurons and responses	7
2.3	Coding schemes	7
2.4	Conclusions	7
3	Retinal models and their implementation	8
3.1	Introduction	9
3.2	Retinal structure	9
3.3	Retinal models	9
3.4	Spike coding	9
3.5	Conclusions	9
4	Neuromorphic hardware/SpiNNaker	10
4.1	Introduction	11
4.2	Classic computing	11
4.3	Neuromorphic trends	11
4.4	Event-based model	11
4.5	SpiNNaker	11
4.6	Conclusions	11
5	Rank-ordered encoded image benchmarking	12
5.1	Introduction	13
5.2	Dataset creation	13
5.3	Classification algorithms	13
5.4	SpiNNaker implementation	13
5.5	Results	13

Garibaldi Pineda García

5.6	Conclusions	13
6	Conclusions and plans	14
6.1	Conclusion	15
6.2	Further work	15
6.3	Plans for second and third year	15

A handwritten signature in black ink, consisting of stylized, overlapping loops and a long horizontal stroke at the bottom.