Headers Preview Response Initiator Timing

▼General

Request URL	https://mtec.mycybersecurityclass.com/
Request Method	GET
Status Code	200 OK
Remote Address	34.9.11.152:443
Referrer Policy	strict-origin-when-cross-origin

▼Response Headers ☐ Raw

Connection	Keep-Alive
Content-Encoding	gzip
Content-Length	646
Content-Type	text/html; charset=UTF-8
Date	Mon, 02 Mar 2026 17:28:15 GMT
Keep-Alive	timeout=5, max=100
Server	Apache/2.4.66 (Debian)
Vary	Accept-Encoding

▼Request Headers ☐ Raw

Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Accept-Encoding	gzip, deflate, br, zstd
Accept-Language	en-US,en;q=0.9
Connection	keep-alive

Headers Preview Response Initiator Timing

Content-Encoding	gzip
Content-Length	646
Content-Type	text/html; charset=UTF-8
Date	Mon, 02 Mar 2026 17:28:15 GMT
Keep-Alive	timeout=5, max=100
Server	Apache/2.4.66 (Debian)
Vary	Accept-Encoding

▼Request Headers ☐ Raw

Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Accept-Encoding	gzip, deflate, br, zstd
Accept-Language	en-US,en;q=0.9
Connection	keep-alive
Host	mtec.mycybersecurityclass.com
Sec-Ch-Ua	"Not(A:Brand";v="8", "Chromium";v="144", "Google Chrome";v="144"
Sec-Ch-Ua-Mobile	?0
Sec-Ch-Ua-Platform	"macOS"
Sec-Fetch-Dest	document
Sec-Fetch-Mode	navigate
Sec-Fetch-Site	none
Sec-Fetch-User	?1
Upgrade-Insecure-Requests	1
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/144.0.0.0 Safari/537.36

```
root@clarabest:/home/devweb# curl -Ivvv https://mtec.mycybersecurityclass.com/
*   Trying 34.9.11.152:443...
* Connected to mtec.mycybersecurityclass.com (34.9.11.152) port 443 (#0)
* ALPN: offers h2,http/1.1
* TLSv1.3 (OUT), TLS handshake, Client hello (1):
*  CAfile: /etc/ssl/certs/ca-certificates.crt
*  CApath: /etc/ssl/certs
* TLSv1.3 (IN), TLS handshake, Server hello (2):
* TLSv1.3 (IN), TLS handshake, Encrypted Extensions (8):
* TLSv1.3 (IN), TLS handshake, Certificate (11):
* TLSv1.3 (IN), TLS handshake, CERT verify (15):
* TLSv1.3 (IN), TLS handshake, Finished (20):
* TLSv1.3 (OUT), TLS change cipher, Change cipher spec (1):
* TLSv1.3 (OUT), TLS handshake, Finished (20):
* SSL connection using TLSv1.3 / TLS_AES_256_GCM_SHA384
* ALPN: server accepted http/1.1
* Server certificate:
*  subject: CN=mtec.mycybersecurityclass.com
*  start date: Mar  2 15:02:25 2026 GMT
*  expire date: May 31 15:02:24 2026 GMT
*  subjectAltName: host "mtec.mycybersecurityclass.com" matched cert's "mtec.mycybersecurityclass.com"
*  issuer: C=US; O=Let's Encrypt; CN=E8
*  SSL certificate verify ok.
* using HTTP/1.1
> HEAD / HTTP/1.1
> Host: mtec.mycybersecurityclass.com
> User-Agent: curl/7.88.1
> Accept: */*
>
* TLSv1.3 (IN), TLS handshake, Newsession Ticket (4):
* TLSv1.3 (IN), TLS handshake, Newsession Ticket (4):
* old SSL session ID is stale, removing
< HTTP/1.1 200 OK
HTTP/1.1 200 OK
< Date: Mon, 02 Mar 2026 17:25:48 GMT
Date: Mon, 02 Mar 2026 17:25:48 GMT
< Server: Apache/2.4.66 (Debian)
Server: Apache/2.4.66 (Debian)
< Content-Type: text/html; charset=UTF-8
Content-Type: text/html; charset=UTF-8

<
* Connection #0 to host mtec.mycybersecurityclass.com left intact
root@clarabest:/home/devweb#
```

```
root@clarabest:/home/devweb# curl -Ivvv http://34.72.97.160
*   Trying 34.72.97.160:80...
* Connected to 34.72.97.160 (34.72.97.160) port 80 (#0)
> HEAD / HTTP/1.1
> Host: 34.72.97.160
> User-Agent: curl/7.88.1
> Accept: */*
>
< HTTP/1.1 200 OK
HTTP/1.1 200 OK
< Date: Mon, 02 Mar 2026 17:23:40 GMT
Date: Mon, 02 Mar 2026 17:23:40 GMT
< Server: Apache/2.4.66 (Debian)
Server: Apache/2.4.66 (Debian)
< Last-Modified: Thu, 26 Feb 2026 16:30:09 GMT
Last-Modified: Thu, 26 Feb 2026 16:30:09 GMT
< ETag: "29cd-64bbca25846e0"
ETag: "29cd-64bbca25846e0"
< Accept-Ranges: bytes
Accept-Ranges: bytes
< Content-Length: 10701
Content-Length: 10701
< Vary: Accept-Encoding
Vary: Accept-Encoding
< Content-Type: text/html
Content-Type: text/html

<
* Connection #0 to host 34.72.97.160 left intact
root@clarabest:/home/devweb#
```

- At least 3 headers that matter for security (and why)

Sec-fetch-user: makes sure the request was made by user

Sec-fetch-site: makes sure the request was made by our site

Sec-fetch-mode: allows blocking cross site requests

Write up **three** security policies you could implement.

For each finding include:

- **Evidence:** screenshot or copied output (curl/Burp/DevTools)
- **Risk:** 2–4 sentences describing why it matters
- **Fix:** 1–3 actionable steps to remediate

1. Block malicious IP/countries
Evidence: in class we got request from places like Ireland
Risk: People from places that shouldn't be accessing the website are. The only people that should have access are people from our area.
Fix: Use Google Armor, create a policy, add rule to deny the ips you don't want.

2. Only use https
Evidence:

Risk: http is not as secure as https. Using http leaves the website open to attacks.
Fix:

3. Block malicious IP/countries
Evidence
Risk
Fix

- Blocking Malicious IPs & Geolocation: A WAF can be configured to block traffic from specific geographical locations or known malicious IP addresses (blacklisting).
- DDoS Mitigation: WAFs can detect and mitigate application-layer DDoS attacks that target website performance by overwhelming it with requests.