


Avaliação 03 – Clara Livia Moura de Oliveira

Evidenciação:

a) Print da topologia;



b) Print dos pings;

```
PC0
Physical Config Desktop Programming
Command Prompt
C:\>ping 192.168.50.2

Pinging 192.168.50.2 with 32 bytes of data:

Reply from 192.168.50.2: bytes=32 time=10ms TTL=128
Reply from 192.168.50.2: bytes=32 time=5ms TTL=128
Reply from 192.168.50.2: bytes=32 time=5ms TTL=128
Reply from 192.168.50.2: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.50.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 4ms, Maximum = 10ms, Average = 6ms

C:\>ping 192.168.50.4

Pinging 192.168.50.4 with 32 bytes of data:

Reply from 192.168.50.4: bytes=32 time<1ms TTL=128
Reply from 192.168.50.4: bytes=32 time<1ms TTL=128
Reply from 192.168.50.4: bytes=32 time<1ms TTL=128
Reply from 192.168.50.4: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.50.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.60.2

Pinging 192.168.60.2 with 32 bytes of data:

Reply from 192.168.60.2: bytes=32 time=1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time=15ms TTL=126
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 15ms, Average = 4ms
```


c) Print da configuração da Interface de Rede dos PC0 e PC1 mostrando que o DHCP;

PC0

Physical Config Desktop Programming

IP Configuration

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IPv4 Address 192.168.50.2

Subnet Mask 255.255.255.0

Default Gateway 192.168.50.1

DNS Server 192.168.60.5

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::230:F2FF:FE00:666

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MDS

Username

Password

Top

PC1

Physical Config Desktop Programming

IP Configuration

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IPv4 Address 192.168.50.3

Subnet Mask 255.255.255.0

Default Gateway 192.168.50.1

DNS Server 192.168.60.5

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::20C:CFFF:FE0D:A301

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security


Authentication MDS

Username


Password


Top

d) Print do Acesso ao servidor Web;



e) Print do Acesso ao servidor FTP;





f) Print de um ping usando o nome de um servidor.

