Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for auction.blade.php

Checker Input

Show ☑ source □ outline □ image report Options...

Check by file upload ⌄ Explorar... Nenhum fiche…selecionado.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning **This document appears to be written in English. Consider adding `lang="en"` (or variant) to the `html` start tag.**

   From line 1, column 1; to line 1, column 23

   `@extends('layouts.app')↩↩@pus`

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. Error **The character encoding was not declared. Proceeding using `windows-1252`.**

3. Error **Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.**

   From line 1, column 1; to line 1, column 23

   `@extends('layouts.app')↩↩@pus`

4. Error **Element `head` is missing a required instance of child element `title`.**

   From line 1, column 1; to line 1, column 23

   `@extends('layouts.app')↩↩@pus`

   Content model for element head:

   If the document is an `iframe` `srcdoc` document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

5. Error **Bad value `{{ asset('css/auction.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.**

   From line 4, column 5; to line 4, column 65

   ```
   les')↩    <link rel="stylesheet" href="{{ asset('css/auction.css')
   }}"> ↩
   ```

6. Error **Bad value `{{ asset('css/admin.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.**

   From line 5, column 5; to line 5, column 63

   ```
   }}"> ↩    <link rel="stylesheet" href="{{ asset('css/admin.css')
   }}">↩    <
   ```

7. Error **Bad value `{{ asset('css/reportAuction.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.**

   From line 6, column 5; to line 6, column 71

   ```
    }}">↩    <link rel="stylesheet" href="{{ asset('css/
   reportAuction.css') }}">↩@endp
   ```

8. Warning **The `type` attribute is unnecessary for JavaScript resources.**

   From line 10, column 1; to line 10, column 31

   ```
   scripts')↩<script type="text/javascript"></scri
   ```

9. Error **Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.**

   At line 11, column 43

   ```
   pt" src={{ url('js/reportaucti
   ```

10. Error **A slash was not immediately followed by `>`.**

    At line 11, column 47

    ```
    src={{ url('js/reportauction.j
    ```

11. Error **Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.**

    At line 11, column 63

```
eportauction.js') }} defer></s
```

12. **Warning** **Attribute `url('js` is not serializable as XML 1.0.**

[From line 11, column 1; to line 11, column 74]

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

13. **Warning** **Attribute `reportauction.js')` is not serializable as XML 1.0.**

[From line 11, column 1; to line 11, column 74]

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

14. **Warning** **Attribute `}}` is not serializable as XML 1.0.**

[From line 11, column 1; to line 11, column 74]

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

15. **Error** **Bad value `{{` for attribute `src` on element [`script`]: Illegal character in path segment: `{` is not allowed.**

[From line 11, column 1; to line 11, column 74]

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

16. **Error** **Attribute `url('js` not allowed on element [`script`] at this point.**

[From line 11, column 1; to line 11, column 74]

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

Attributes for element [`script`]:

- [Global attributes]
- [`src`] — Address of the resource
- [`type`] — Type of script
- [`nomodule`] — Prevents execution in user agents that support [module scripts]
- [`async`] — Execute script when available, without blocking while fetching
- [`defer`] — Defer script execution
- [`crossorigin`] — How the element handles crossorigin requests
- [`integrity`] — Integrity metadata used in *Subresource Integrity* checks [SRI]
- [`referrerpolicy`] — [Referrer policy] for [fetches] initiated by the element
- [`blocking`] — Whether the element is [potentially render-blocking]
- [`fetchpriority`] — Sets the [priority] for [fetches] initiated by the element

17. Error **Attribute `reportauction.js')` not allowed on element `script` at this point.**

From line 11, column 1; to line 11, column 74

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

Attributes for element `script`:

- Global attributes
- `src` — Address of the resource
- `type` — Type of script
- `nomodule` — Prevents execution in user agents that support module scripts
- `async` — Execute script when available, without blocking while fetching
- `defer` — Defer script execution
- `crossorigin` — How the element handles crossorigin requests
- `integrity` — Integrity metadata used in *Subresource Integrity* checks [SRI]
- `referrerpolicy` — Referrer policy for fetches initiated by the element
- `blocking` — Whether the element is potentially render-blocking
- `fetchpriority` — Sets the priority for fetches initiated by the element

18. Error **Attribute `}}` not allowed on element `script` at this point.**

From line 11, column 1; to line 11, column 74

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

Attributes for element `script`:

- Global attributes
- `src` — Address of the resource
- `type` — Type of script
- `nomodule` — Prevents execution in user agents that support module scripts
- `async` — Execute script when available, without blocking while fetching
- `defer` — Defer script execution
- `crossorigin` — How the element handles crossorigin requests
- `integrity` — Integrity metadata used in *Subresource Integrity* checks [SRI]
- `referrerpolicy` — Referrer policy for fetches initiated by the element
- `blocking` — Whether the element is potentially render-blocking
- `fetchpriority` — Sets the priority for fetches initiated by the element

19. Warning **The `type` attribute is unnecessary for JavaScript resources.**

From line 11, column 1; to line 11, column 74

```
</script>↩<script type="text/javascript" src={{ url('js/
reportauction.js') }} defer></scri
```

20. Error **Bad value** `{{ asset('storage/' . $auction->imagepath) }}` **for attribute** `src` **on element** `img`**: Illegal character in path segment:** `{` **is not allowed.**

    From line 52, column 17; to line 52, column 101

    ```
            <img id="image" src="{{ asset('storage/' . $auction->imagepath) }}" alt="Item Image">↩
    ```

21. Error **Duplicate ID** `image`**.**

    From line 54, column 17; to line 54, column 86

    ```
            <img id="image" src="{{ url($auction->imagepath) }}" alt="Item Image">↩
    ```

22. Warning **The first occurrence of ID** `image` **was here.**

    From line 52, column 17; to line 52, column 101

    ```
            <img id="image" src="{{ asset('storage/' . $auction->imagepath) }}" alt="Item Image">↩
    ```

23. Error **Bad value** `{{ url($auction->imagepath) }}` **for attribute** `src` **on element** `img`**: Illegal character in path segment:** `{` **is not allowed.**

    From line 54, column 17; to line 54, column 86

    ```
            <img id="image" src="{{ url($auction->imagepath) }}" alt="Item Image">↩
    ```

24. Error **Bad value** `{{ route('seller.profile', ['id' => $seller->id]) }}` **for attribute** `href` **on element** `a`**: Illegal character in path segment:** `{` **is not allowed.**

    From line 71, column 21; to line 71, column 83

    ```
            <a href="{{ route('seller.profile', ['id' => $seller->id]) }}">↩
    ```

25. Error **Bad value** `{{ asset('storage/' . $seller->imagepath) }}` **for attribute** `src` **on element** `img`**: Illegal character in path segment:** `{` **is not allowed.**

    From line 73, column 29; to line 73, column 121

    ```
            <img id="seller-image" src="{{ asset('storage/' . $seller->imagepath) }}" alt="Seller Image">↩
    ```

26. Error **Duplicate ID** `seller-image`**.**

    From line 75, column 29; to line 75, column 106

    ```
            <img id="seller-image" src="{{ url('images/image.png') }}"
    ```

```
alt="Seller Image">↩
```

27. Warning **The first occurrence of ID `seller-image` was here.**

From line 73, column 29; to line 73, column 121

```
        <img id="seller-image" src="{{ asset('storage/' . $seller->imagepath) }}" alt="Seller Image">↩
```

28. Error **Bad value `{{ url('images/image.png') }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.**

From line 75, column 29; to line 75, column 106

```
        <img id="seller-image" src="{{ url('images/image.png') }}"
alt="Seller Image">↩
```

29. Error **Stray end tag `div`.**

From line 118, column 9; to line 118, column 14

```
 ↩        </div>↩    @
```

30. Error **Bad value `{{ route('DeleteAuction', $auction->id) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.**

From line 127, column 13; to line 127, column 84

```
        <form action="{{ route('DeleteAuction', $auction->id) }}"
method="POST">↩
```

31. Error **Bad value `{{ route('updateAuctionStatus', $auction->id) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.**

From line 142, column 13; to line 142, column 90

```
        <form action="{{ route('updateAuctionStatus', $auction->id)
}}" method="POST">↩
```

32. Error **Bad value `{{ route('placeBid') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.**

From line 156, column 13; to line 156, column 65

```
        <form action="{{ route('placeBid') }}" method="POST">↩
```

33. Error **Stray end tag `div`.**

From line 171, column 1; to line 171, column 6

```
   </div>↩</div>↩↩<div
```

34. Error **Bad value** `{{ route('reports.store') }}` **for attribute** `action` **on element** `form`**: Illegal character in path segment:** `{` **is not allowed.**

From line 177, column 17; to line 177, column 74

```
        <form action="{{ route('reports.store') }}" method="POST">↩
```

Document checking completed.

Source

```
 1. @extends('layouts.app')↩
 2. ↩
 3. @push('styles')↩
 4.     <link rel="stylesheet" href="{{ asset('css/auction.css') }}"> ↩
 5.     <link rel="stylesheet" href="{{ asset('css/admin.css') }}">↩
 6.     <link rel="stylesheet" href="{{ asset('css/reportAuction.css') }}">↩
 7. @endpush↩
 8. ↩
 9. @stack('scripts')↩
10. <script type="text/javascript"></script>↩
11. <script type="text/javascript" src={{ url('js/reportauction.js') }} defer></script>↩
12. ↩
13. <script>function openDeleteModal() {↩
14.         document.getElementById('deleteModal').style.display = 'flex';↩
15.     }</script>↩
16. ↩
17. <script>function closeDeleteModal() {↩
18.         document.getElementById('deleteModal').style.display = 'none';↩
19.     }</script>↩
20. ↩
21. <script>function openCancelModal(){↩
22.         document.getElementById('cancelModal').style.display = 'flex';↩
23.     }</script>↩
24. ↩
25. <script>function closeCancelModal() {↩
26.         document.getElementById('cancelModal').style.display = 'none';↩
27.     }</script>↩
28. ↩
29. <script>function openBidModal() {↩
30. document.getElementById('bidModal').style.display = 'flex';↩
31. }</script>↩
32. ↩
33. <script>function closeBidModal() {↩
34. document.getElementById('bidModal').style.display = 'none';↩
35. }</script>↩
36. ↩
37. ↩
38. ↩
39. ↩
40. @section('content')↩
41. <section class="auctionPage">↩
42.         <div class="item-image" style="position: relative;"> ↩
43.             <div class="heart-container">↩
44.                 <i ↩
45.                     id="heart-icon" ↩
46.                     class="fa fa-heart heart-icon {{ auth()->check() && DB::table('wishlists')->where('user_id', auth()->id())->where('auction_id', $auction->id)->exists() ? 'active' : '' }}" ↩
47.                     onclick="toggleHeart({{ $auction->id }})"↩
48.                 ></i>↩
49.             </div>↩
50. ↩
51.             @if (Storage::disk('public')->exists($auction->imagepath))↩
```

```
                <img id="image" src="{{ asset('storage/' . $auction->imagepath) }}" alt="Item Image">↵
            @else↵
                <img id="image" src="{{ url($auction->imagepath) }}" alt="Item Image">↵
            @endif↵
        </div>↵
        ↵
        <div class="item-info">↵
            <div class="item-name">↵
                <h2>{{ $auction->itemname ?? 'Unknown Item' }}</h2>↵
            </div>↵
            <div class="item-price">↵
                <h3>{{ $auction->currentprice ?? '0.0' }}â‚¬</h3>↵
            </div>↵
            <div class="item-description">↵
                <p>{{ $auction->description ?? 'No description available.' }}</p>↵
            </div>↵
            ↵
            <div class="seller-info">↵
                <div class="seller">↵
                    <a href="{{ route('seller.profile', ['id' => $seller->id]) }}">↵
                        @if (Storage::disk('public')->exists($seller->imagepath))↵
                            <img id="seller-image" src="{{ asset('storage/' . $seller->imagepath) }}" alt="Seller Image">↵
                        @else↵
                            <img id="seller-image" src="{{ url('images/image.png') }}" alt="Seller Image">↵
                        @endif↵
                    </a>↵
                </div>↵
                <div class="info">↵
                    <p>Item auctioned by:</p>↵
                    <div class="username">↵
                        <p>{{ $seller->username ?? 'Unknown Seller' }} ({{ $seller->number_of_auctions ?? '0' }} items sold)</p>↵
                    </div>↵
                    <p>{{ $seller->avgrating ?? '0' }} of rating</p>↵
                </div>↵
            </div>    ↵
            <div class="bid-section">↵
                @if (auth()->check() && auth()->user()->isadmin)↵
                    <button class="large-button" onclick="openDeleteModal()">Delete Auction</button>↵
                @elseif ($auction->status == "active")↵
                    @if (auth()->check()&& auth()->user()->id!= $seller->id)↵
                        <button class="large-button" onclick="openBidModal()">Bid Now</button>↵
                        <button id="report-button" class="large-button" data-auction-id="{{ $auction->id }}" data-auction-name="{{ $auction->itemName }}">Report Auction</button>↵
                    @elseif (auth()->check()&& auth()->user()->id== $seller->id)↵
                        @if($bidsCount == 0)↵
                        <button class="large-button" onclick="openCancelModal()">Cancel Auction</button>↵
                        @else↵
                        <button class="large-button">Not available to bid</button>↵
                        @endif↵
                    @else↵
                        <button class="large-button" onclick="redirectToRegister()">Bid Now</button>↵
                    @endif↵
                @else↵
                    <button class="large-button">Not available</button>↵
                @endif↵
                </div>↵
                <div class="bid-info">↵
                    <div class= "bid-left-side">↵
```

```
                        <p>{{ $bidsCount ?? '0' }} bids, {{ $auction->watchers_count ?? '0' }} watchers</p>↵
                        <p>Ends in {{ $auction->deadline ?? 'Unknown Deadline' }}</p>↵
                    </div>↵
                    <div class= "bid-right-side">↵
                        <p></p>↵
                        <p> Created in {{ $auction->creationdate ?? 'Unknown Date' }}</p>↵
                    </div>↵
                </div>    ↵
            </div>                  ↵
        </div>↵
    @stack('scripts')↵
</section>↵
↵
<div id="deleteModal" class="modal">↵
    <div class="modal-content">↵
        <h2>Confirm Deletion</h2>↵
        <p>Are you sure you want to delete this auction? This action is irreversible.</p>↵
        <div class="modal-content-buttons">↵
            <form action="{{ route('DeleteAuction', $auction->id) }}" method="POST">↵
                @csrf↵
                @method('DELETE') ↵
                <button class="delete-button" type="submit">Delete Auction</button>↵
            </form>↵
            <button class="delete-button" onclick="closeDeleteModal()">Cancel</button>↵
        </div>↵
    </div>↵
</div>↵
↵
<div id="cancelModal" class="modal">↵
    <div class="modal-content">↵
        <h2>Confirm Cancelation</h2>↵
        <p>Are you sure you want to cancel your auction? This action is irreversible.</p>↵
        <div class="modal-content-buttons">↵
            <form action="{{ route('updateAuctionStatus', $auction->id) }}" method="POST">↵
                @csrf↵
                @method('PATCH') ↵
                <input type="hidden" name="status" value="cancelled">↵
                <button class="delete-button" type="submit">Cancel Auction</button>↵
            </form>↵
            <button class="delete-button" onclick="closeCancelModal()">Cancel</button>↵
        </div>↵
    </div>↵
</div>↵
↵
<div id="bidModal" class="modal">↵
    <div class="modal-content">↵
        <h2>Place Your Bid</h2>↵
            <form action="{{ route('placeBid') }}" method="POST">↵
                @csrf↵
                <input type="hidden" name="auction_id" value="{{ $auction->id }}">↵
                <div>↵
                    <label for="bid_value">Your Bid (â‚¬):</label>↵
                    <input type="number" step="0.01" id="bid_value" name="bid_value" required>↵
                    <label class="min-incr">Minimum increment: {{$auction->increment}}â‚¬</label>↵
                </div>↵
                <div class="modal-content-buttons">↵
                    <button class="modal-button" type="submit">Submit Bid</button>↵
                    <button class="modal-button" onclick="closeBidModal()">Cancel</button>↵
                </div>↵
            </form>↩
        </div>↩
    </div>↩
</div>↩
↩
<div id="reportform" class="reportform">↩
    <div class="reportform-content">↩
        <span id="closePopup" class="close">&times;</span>↩
            <h2>Report Auction</h2>↩
                <form action="{{ route('reports.store') }}" method="POST">↩
                    @csrf↩
                    <input type="hidden" name="reported_id" value="{{ $auction->id }}">↩
                    <input type="hidden" name="reported_name" value="{{ $auction->itemname }}">↩
                    <input type="hidden" name="type" value="auction">↩
                    <label>↩
                        <input type="checkbox" name="reasons[]" value="Item not as described">↩
                    </label>Item not as described<br>↩
↩
                    <label>↩
                         <input type="checkbox" name="reasons[]" value="Inapropriated Content">↩
                    </label>Inapropriated Content<br>↩
↩
                     <label>↩
                        <input type="checkbox" name="reasons[]" value="Fake product">↩
                    </label>Fake product<br>↩
↩
                    <label>↩
                        <input type="checkbox" name="reasons[]" value="Other">↩
                    </label>Other<br>↩
↩
                    <label for="description"></label>Additional Information: <br>↩
                    <textarea id="description" name="description"></textarea>↩
                    <div class = "report-button-content">↩
                    <button class="modal-button" type="submit">Submit</button>↩
                    </div>↩
                </form>↩
            </div>↩
        </div>↩
↩
<script>↩
    function redirectToRegister() {↩
        window.location.href = "{{ route('login') }}";↩
    }↩
</script>↩
↩
<script>↩
    async function toggleHeart(auctionId) {↩
        const heartIcon = document.getElementById('heart-icon');↩
        console.log(`my auctionId is ${auctionId}`);↩
↩
        try {↩
            const response = await fetch(`/wishlist/toggle/${auctionId}`, {↩
                method: 'POST',↩
                headers: {↩
                    'Content-Type': 'application/json',↩
                    'X-CSRF-TOKEN': document.querySelector('meta[name="csrf-token"]').getAttribute('content'),↩
                },↩
            });↩
↩
            const result = await response.json();↩
↩
            if (response.ok) {↩
            ↩
                if (heartIcon.classList.contains('active')) {↩
                    heartIcon.classList.remove('active'); ↩
                } else {↩
                    heartIcon.classList.add('active'); ↩
                }↩
            } else {↩
                console.error(result.message || 'An error occurred while updating the wishlist.');↩
            }↩
        } catch (error) {↩
            console.error('An error occurred:', error);↩
        }↩
    }↩
↩
    document.getElementById('heart-icon').onclick = () => toggleHeart({{$auction->id}});↩
</script>↩
↩
↩
↩
@if(session('error'))↩
    <script>↩
        alert('{{ session('error') }}');↩
        openBidModal(); ↩
    </script>↩
@endif↩
↩
@endsection
```

Used the HTML parser.

Total execution time 13 milliseconds.

About this checker • Report an issue • Version: 24.11.29