



Bricks

A LEGO® BRICK MODEL OF


Mini T. rex

A tiny red-and-orange T. rex with a toothy grin and clip-on arms, in 42 pieces.

42 pieces · 26 steps · 5 sections

Unofficial fan-made building instructions

Not physically build-tested. Every part is a real LEGO element and the model was checked on a computer (connections, collisions, every step, balance), but nobody has built it with real bricks yet.



Before you start

An unofficial fan-made manual

This booklet is not a LEGO product. It was generated from the model file by a computer program and checked part by part.

Not physically build-tested

The model and these steps were checked on a computer only: every part/colour is a real LEGO element, all 70 connections between parts were matched in 3D, no two parts overlap, every part can be pushed into place in its step, and the model's balance was estimated. Not tested: how firmly parts hold, part tolerances and how it copes with handling. Take your time and support the model while you work.

The finished model

About 3.2×5.6 cm and 6.8 cm tall, about 22 g (estimated).

A T. rex small enough for a desk. Build each leg on its own: press its foot on from underneath and slide its hip onto the leg's pin. Stand the two legs side by side and lock them with the tail plate, then stack the belly, the shoulders with their clip-on arms, and the long red head with its teeth and eyes.

You will need

- The 42 pieces in 6 colours listed at the back, with their LEGO element IDs and BrickLink numbers.
- A brick separator for pieces that sit too deep for a finger.

Tips

- Sort the pieces by colour before you start.
- Build the sections in order: each sub-assembly is finished before it is used.
- New pieces in a step have a yellow outline; earlier pieces are drawn paler.

The 6 colours

 Orange: 15
 Red: 13
 White: 6

 Dark Tan: 4
 Tan: 2
 Black: 2

How to read the steps

Parts and step number

7




2x

The parts for the step and how many of each, then the step number. The parts of a step are drawn at one scale, so a longer one looks longer; a tile or a long plate also has its size in studs under it.

New parts

The parts added in a step have a yellow outline and are drawn in full colour; the parts from earlier steps are drawn paler.

Sub-assemblies



1x

A yellow-framed picture means: put in the sub-assembly you built in its own section. "Build 4x" means you need four of them.

Sections

Each section starts with its name at the top of the page. Sections are built in the order they appear.

Seen from below


When a step adds parts underneath, the picture shows the model from below. A small label says so (and "seen from behind" likewise). A piece the picture cannot show gets a small picture beside it, ringed in yellow, from the side it can be seen from: where it clicks in.

Insert direction


Some parts slide in sideways (axles through bearings, gears onto axles). The picture shows where they end up; push them in along their axle.

Build overview


The model is built in 5 sections. Each is finished before it is used.




1. Left pinned leg
steps 1–3, 6–7




2. Left foot
steps 4–5



3. Mini T. rex
steps 8, 16–26




4. Right pinned leg
steps 9–11, 14–15




5. Right foot
steps 12–13

LEFT PINNED LEG

1




Pin-bearing leg on its side, with dark-tan face over the two front studs



2



White hollow round socket on the lower stud, with the claw curving downward




Left pinned leg

3




Attach the orange ankle behind the lower leg socket

seen from below




LEFT FOOT

4




Dark-tan foot sole




Left foot

5




Orange ankle pad at the rear and smooth orange toe at the front




LEFT PINNED LEG

6




Press the completed foot onto the ankle from underneath




Left pinned leg

seen from below

7




Slide the orange Technic hip onto the inward-facing integral leg pin




MINI T. REX

8




Set the left completed leg upright on the table




Mini T. rex

RIGHT PINNED LEG


9




Pin-bearing leg on its side, with dark-tan face over the two front studs



10




White hollow round socket on the lower stud, with the claw curving downward



11




Attach the orange ankle behind the lower leg socket




RIGHT FOOT

12




Dark-tan foot sole




Right foot

13




Orange ankle pad at the rear and smooth orange toe at the front



RIGHT PINNED LEG


14



Press the completed foot onto the ankle from underneath

Right pinned leg

seen from below




15




seen from behind

Slide the orange Technic hip onto the inward-facing integral leg pin




MINI T. REX

16




Mini T. rex


Set the right completed leg upright on the table



17





Lock the two hip halves together with an orange plate extending into the tail




18




The inverted orange belly widens toward the chest; red tail slopes taper backward



19




A red shoulder handle with free outer ends, and a red rear plate




20




Clip the arms onto the outer shoulder-bar ends, hands curving forward




21




Orange neck above the front row of the body




22




The flat red lower jaw extends forward from the neck




23




Only one white round plate per tooth; two orange plates form the rear mouth support



24




A thin red upper jaw spans the mouth




Mini T. rex

25




A one-plate-high skull row: red snout, black eyes, orange rear





26


Mini T. rex



Support the curved forehead; finish with a low red crown



From behind: the outlined pieces.



First the outlined piece: the others go on over it.

Parts inventory

42 pieces in 23 part/colour lines. Bold: the LEGO element ID (what LEGO Pick a Brick sells); below: the colour and the BrickLink part number.

 2x 614126  Black BrickLink 6141	 2x 4528604  Dark Tan BrickLink 3023	 2x 6132768  Dark Tan BrickLink 3623	 1x 4613981  Orange BrickLink 3004	 2x 4616279  Orange BrickLink 3665	 2x 6431334  Orange BrickLink 87087	 2x 4524929  Orange BrickLink 3024	 3x 4177932  Orange BrickLink 3023
 1x 4158355  Orange BrickLink 3020	 2x 6136553  Orange BrickLink 3700	 2x 4558595  Orange BrickLink 3070b	 2x 6370686  Red BrickLink 30377	 1x 6105976  Red BrickLink 15068	 2x 4121934  Red BrickLink 3040b	 2x 302321  Red BrickLink 3023	 2x 4613974  Red BrickLink 3022
 2x 302021  Red BrickLink 3020	 1x 4140585  Red BrickLink 2540	 1x 306821  Red BrickLink 3068b	 2x 4205105  Tan BrickLink 2458	 2x 6270106  White BrickLink 53451	 2x 6168642  White BrickLink 85861	 2x 614101  White BrickLink 6141	

About this model

A T. rex small enough for a desk. Build each leg on its own: press its foot on from underneath and slide its hip onto the leg's pin. Stand the two legs side by side and lock them with the tail plate, then stack the belly, the shoulders with their clip-on arms, and the long red head with its teeth and eyes.

Checked on a computer

PASS	real elements	23 part/colour combinations: 0 not real, 0 rare
PASS	connections	70 connections (60 stud, 4 bar, 4 pin, 2 clip); 1 separate piece(s)
PASS	collisions	0 overlapping pair(s) among 42 parts
PASS	buildability	40 insertions tried across 5 submodel(s); 0 problem(s)
PASS	stability	about 22 g; centre of mass inside the base (54% margin); tips at 11.1 deg
PASS	mechanism	no moving parts defined
PASS	electrics	no electrics in this model
PASS	technique	0 note(s)

Not yet built with real bricks

These checks catch most mistakes a designer can make, but not all: clutch power, part tolerances, how stiff a long axle is and how the model survives handling can only be judged with real bricks. If you build it, we would love to hear how it went.

Files

3D model (LDraw, opens in BrickLink Studio, LeoCAD and LDCad), parts lists for BrickLink and LEGO Pick a Brick, and an interactive 3D viewer:

bricks.superfun.games/m/dinosaur

Trademarks

LEGO® is a trademark of the LEGO Group, which does not sponsor, authorize or endorse this booklet. Other names belong to their owners. Part geometry from the LDraw library (CC BY 4.0); connection data from the LDCad shadow library; element data from Rebrickable.