Bricks

A LEGO® BRICK MODEL OF

Baby Metroid Lamp

The larval Metroid from Super Metroid, about 18 cm across and 32 cm tall on its clear hover stand, made into a tap lamp: press it down and the fangs bite and the nuclei light up; press again to turn them off.

2903 pieces · 219 steps · 11 sections

Unofficial fan-made building instructions

Not physically build-tested. Every part is a real LEGO element and the model was checked on a computer (connections, collisions, every step, balance, mechanism), but nobody has built it with real bricks yet.

Not produced, sponsored or endorsed by the LEGO Group. LEGO® is a trademark of the LEGO Group. Baby Metroid Lamp and related names belong to their owners. Made with brickkit · 2026-10-14

Before you start

An unofficial fan-made manual

This booklet is not a LEGO product. It was generated from the model file by a computer program and checked part by part.

Not physically build-tested

The model and these steps were checked on a computer only: every part/colour is a real LEGO element, all 4797 connections between parts were matched in 3D, no two parts overlap, every part can be pushed into place in its step, and the model's balance was estimated; the mechanism was swept through its whole range. Not tested: how firmly parts hold, part tolerances and how it copes with handling. Take your time and support the model while you work.

The finished model

About 17.6 × 17.6 cm and 31.8 cm tall, about 1.7 kg (estimated).

A lamp shaped like the Baby Metroid: a hollow Trans-Light Blue dome over a Coral and Dark Red skirt, with three bumpy Trans-Red nuclei floating inside it. The Metroid floats on a clear tube: press it down and the tube clicks the battery box's green on/off button, while the four fangs, linked to a hub held still by the stand's centre axle, snap shut. Rubber belts in the stand lift it back and the fangs open again. Two Power Functions LEDs light the nuclei. The Metroid lifts off its stand.

You will need

- The 2903 pieces in 9 colours listed at the back, with their LEGO element IDs and BrickLink numbers.
- 2x LEGO Power Functions LED lights (8870). Each has two lamps on one lead: one lamp per nucleus, with one lamp to spare.
- 6 AAA batteries for the Power Functions AAA battery box (set 88000, listed in the parts as 64228), which sits inside the stand.
- A brick separator for pieces that sit too deep for a finger.

Tips

- Sort the pieces by colour before you start.
- Build the sections in order: each sub-assembly is finished before it is used.
- New pieces in a step have a yellow outline; earlier pieces are drawn paler.
- Lay the two light leads before the inner membrane (step shown): each plug goes down through the opening in the base, the lamps stay on top.
- Tune the tap with the belts in the stand: add a belt if the Metroid sinks, take one out if the tap feels stiff. It should rest up against the top and move about 4 mm when tapped.
- The battery box turns itself off after 2 hours. To leave the lights on, hold the Metroid down for 3 seconds when you switch on: the box's light blinks and it stays on.
- Power Functions was discontinued in 2018. The LEDs and the battery box are easy to find used on BrickLink.

The 9 colours

- Trans-Light Blue: 1311
- Black: 653
- Trans-Red: 474
- Dark Red: 281
- Coral: 114
- Trans-Clear: 32
- Light Bluish Gray: 15
- White: 12
- Dark Bluish Gray: 8

How to read the steps

Parts and step number

The parts for the step and how many of each, then the step number. The parts of a step are drawn at one scale, so a longer one looks longer; a tile or a long plate also has its size in studs under it.

New parts

The parts added in a step have a yellow outline and are drawn in full colour; the parts from earlier steps are drawn paler.

Sub-assemblies

A yellow-framed picture means: put in the sub-assembly you built in its own section. "Build 4x" means you need four of them.

Sections

Each section starts with its name at the top of the page. Sections are built in the order they appear.

Seen from below

When a step adds parts underneath, the picture shows the model from below. A small label says so (and "seen from behind" likewise). A piece the picture cannot show gets a small picture beside it, ringed in yellow, from the side it can be seen from: where it clicks in.

Insert direction

Some parts slide in sideways (axles through bearings, gears onto axles). The picture shows where they end up; push them in along their axle.

Build overview

The model is built in 11 sections. Each is finished before it is used.



1. Baby Metroid Lamp
steps 1–5, 8–11, 15–18, 20–23, 27–32, 35–191, 219



2. Fang bearing ×4
steps 6–7

3. Fang ×4
steps 12–14

4. Link ×4
step 19



5. Hub
steps 24–26



6. Lamp plate ×3
steps 33–34



7. Hover stand and tap base
steps 192–201, 208–211, 215–218



8. Bridge
steps 202, 207



9. Belt pin ×2
steps 203–204



10. Belt pin ×2
steps 205–206

11. Tube bottom
steps 212–214

1



Base disc: bottom layer, left half



2



Base disc: bottom layer, right half





From below: the outlined pieces click in here.

3



Base disc: top layer, left half



4



Base disc: top layer, right half



5



4x
1 × 4

1x
4 × 4

Guide plate in the middle (the stand's axle slides through its hole) and smooth tiles where the hub's arms will rest



FANG BEARING · BUILD 4X

6



1x



7



2x

seen from below



BABY METROID LAMP

8



1x

Fang bearing 1

seen from below



9



Fang bearing 2

seen from below



10



Fang bearing 3

seen from below



11



seen from below

Fang bearing 4



FANG · BUILD 4X

12

13



Bone-white fang



First the outlined piece: the others go on over it.

14



Lever and spacer

15



seen from below

Fang 1: slide its axle through the bearing, fang swung open



16



seen from below

Fang 2: slide its axle through the bearing, fang swung open



17



seen from below

Fang 3: slide its axle through the bearing, fang swung open



18



seen from below

Fang 4: slide its axle through the bearing, fang swung open



LINK · BUILD 4X

19



1x

BABY METROID LAMP

20



1x

1x

Link 1: drop it through the disc and pin it to the lever





From below: the outlined piece clicks in here.



From behind and below: the outlined piece.

21



seen from below

Link 2: drop it through the disc and pin it to the lever



22



Link 3: drop it through the disc and pin it to the lever





From below: the outlined piece clicks in here.



From behind and below: the outlined piece.

23



Link 4: drop it through the disc and pin it to the lever





From below: the outlined piece clicks in here.



From behind and below: the outlined pieces.

HUB

24





25

1x
6 × 6

6x6 plate on top



26

Hub

seen from below

4x

Four arms



BABY METROID LAMP

27



Hub on the four links, held by an axle through each





From behind: the outlined piece.



First the outlined pieces: the others go on over them.

28



Skirt ring 1



29



Skirt ring 2





From behind: the outlined pieces.

30

Skirt ring 3



31



Three posts for the inner body. Then lay the two light leads: push each plug down through the opening in the base, next to the back-left post





From behind: the outlined pieces.

32



Inner membrane: two crossed layers, around the light leads





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

LAMP PLATE · BUILD 3X

33

1x
4 × 4



34

1x

Push the light up into the centre hole from below

Lamp plate
seen from below



35



Front nucleus 1: lamp plate, lead down through the opening



36



Front nucleus 1: layer 1



37



Front nucleus 1: layer 2



38



Front nucleus 1: layer 3



39



Smooth under layer 4





From behind: the outlined pieces.

First the outlined piece: the others go on over it.

40



Front nucleus 1: layer 4





From behind: the outlined pieces.

41



Smooth under layer 5





From behind: the outlined pieces.

42

Front nucleus 1: layer 5



43



Front nucleus 1: layer 6



44



Front nucleus 1: layer 7



45



10x

Front nucleus 1: layer 8



46

8x

Smooth under layer 9



47



Front nucleus 1: layer 9



48

Smooth under layer 10



49



6x

Front nucleus 1: layer 10



50

4x

Smooth under layer 11



51

Front nucleus 1: layer 11



52



Front nucleus 1: close the top





From behind: the outlined pieces.



First the outlined piece: the others go on over it.

53

Front nucleus 1: round tiles



54



Front nucleus 2: lamp plate, lead down through the opening



55



Front nucleus 2: layer 1



56



Front nucleus 2: layer 2



57



Front nucleus 2: layer 3



58



Smooth under layer 4





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

59



Front nucleus 2: layer 4





From behind: the outlined pieces.

60



Smooth under layer 5





From behind: the outlined pieces.

61



8x

Front nucleus 2: layer 5



62



8x

Front nucleus 2: layer 6



63



Front nucleus 2: layer 7



64



Front nucleus 2: layer 8



65

Smooth under layer 9



66



Front nucleus 2: layer 9



67

8x

Smooth under layer 10



68



6x

Front nucleus 2: layer 10



69

Smooth under layer 11



70



Front nucleus 2: layer 11



71



Front nucleus 2: close the top





From behind: the outlined pieces.



First the outlined piece: the others go on over it.

72

Front nucleus 2: round tiles



73



Back nucleus: a hollow chimney for the light lead





From behind: the outlined pieces.

74



Back nucleus: lamp plate, lead down through the opening



75



4x

Back nucleus: layer 1





From behind: the outlined pieces.

76



5x

2x

Back nucleus: layer 2





From behind: the outlined pieces.

77



Back nucleus: layer 3





From behind: the outlined pieces.

78



Smooth under layer 4





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

79



Back nucleus: layer 4





From behind: the outlined pieces.

80



Smooth under layer 5



81



8x

Back nucleus: layer 5



82



8x

Back nucleus: layer 6



83



Back nucleus: layer 7



84



Back nucleus: layer 8



85

Smooth under layer 9



86



Back nucleus: layer 9



87

Smooth under layer 10



88



Back nucleus: layer 10



89

Smooth under layer 11



90

Back nucleus: layer 11



91



Back nucleus: close the top





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

92

Back nucleus: round tiles



93



Layer 1 (1/4)



94



Layer 1 (2/4)





From behind: the outlined pieces.

95



Layer 1 (3/4)



96



Layer 1 (4/4)





From behind: the outlined pieces.

97



Layer 2 (1/4)



98



Layer 2 (2/4)





From behind: the outlined pieces.

99



Layer 2 (3/4)





From behind: the outlined pieces.

100



Layer 2 (4/4)





From behind: the outlined pieces.

101



Smooth under layer 3





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

102



Layer 3 (1/4)





First the outlined pieces: the others go on over them.

103



Layer 3 (2/4)





From behind: the outlined pieces.

104



Layer 3 (3/4)





From behind: the outlined pieces.

105



Layer 3 (4/4)





From behind: the outlined pieces.

106



Smooth under layer 4





From behind: the outlined pieces.

107



Layer 4 (1/4)



108



Layer 4 (2/4)



109



Layer 4 (3/4)





From behind: the outlined pieces.

110



Layer 4 (4/4)





From behind: the outlined pieces.

111



Smooth under layer 5





From behind: the outlined pieces.

112



Layer 5 (1/4)



113



Layer 5 (2/4)





From behind: the outlined pieces.

114



Layer 5 (3/4)





From behind: the outlined pieces.

115



Layer 5 (4/4)





From behind: the outlined pieces.

116

Layer 5 slopes





From behind: the outlined pieces.

117



Layer 6 (1/4)





From behind: the outlined pieces.

118



Layer 6 (2/4)





From behind: the outlined pieces.

119



Layer 6 (3/4)





From behind: the outlined pieces.

120



Layer 6 (4/4)





From behind: the outlined pieces.

121

8x

Layer 6 slopes





From behind: the outlined pieces.

122



8x 8x

Smooth under layer 7





From behind: the outlined pieces.

123



Layer 7 (1/4)



124



Layer 7 (2/4)





From behind: the outlined pieces.

125



Layer 7 (3/4)





From behind: the outlined pieces.

126



Layer 7 (4/4)





From behind: the outlined pieces.

127

Layer 7 slopes





From behind: the outlined pieces.

128



Smooth under layer 8





From behind: the outlined pieces.



From behind and below: the outlined pieces.

129



Layer 8 (1/4)





From behind: the outlined pieces.

130



Layer 8 (2/4)





From behind: the outlined pieces.

131



Layer 8 (3/4)





From behind: the outlined pieces.

132



Layer 8 (4/4)





From behind: the outlined pieces.

133

12x

Layer 8 slopes





From behind: the outlined pieces.

134

40x

Smooth under layer 9



135



9x

Layer 9 (1/4)



136



8x 1x

Layer 9 (2/4)





From behind: the outlined pieces.

137



Layer 9 (3/4)



138



Layer 9 (4/4)



139

8x

Smooth under layer 10



140

9x

1x

Layer 10 (1/4)



141



Layer 10 (2/4)



142



Layer 10 (3/4)



143

Layer 10 (4/4)



144

Smooth under layer 11



145



Layer 11 (1/4)



146



Layer 11 (2/4)



147



Layer 11 (3/4)



148



Layer 11 (4/4)



149

24x

Smooth under layer 12



150

8x

1x

Layer 12 (1/4)



151



Layer 12 (2/4)



152



Layer 12 (3/4)



153



8x

Layer 12 (4/4)



154

24x

Smooth under layer 13



155



Layer 13 (1/4)



156



Layer 13 (2/4)



157



Layer 13 (3/4)



158



Layer 13 (4/4)



159

20x

Smooth under layer 14



160

7x

3x

Layer 14 (1/4)



161



Layer 14 (2/4)



162



Layer 14 (3/4)



163

Layer 14 (4/4)



164

Smooth under layer 15



165



7x

Layer 15 (1/4)



166

6x 1x

Layer 15 (2/4)

167



Layer 15 (3/4)



168



Layer 15 (4/4)



169

16x

Smooth under layer 16



170

8x

1x

Layer 16 (1/4)



171



Layer 16 (2/4)

172



Layer 16 (3/4)



173

Layer 16 (4/4)



174



Smooth under layer 17



175



Layer 17 (1/4)



176



Layer 17 (2/4)





From behind: the outlined pieces.

177



Layer 17 (3/4)



178



Layer 17 (4/4)





From behind: the outlined pieces.

179

32x

Smooth under layer 18



180



6x

1x

Layer 18 (1/4)



181



Layer 18 (2/4)



182



Layer 18 (3/4)





From behind: the outlined pieces.

183



Layer 18 (4/4)



184



Smooth under layer 19



185



4x

Layer 19 (1/4)



186



3x

Layer 19 (2/4)



187



3x

Layer 19 (3/4)



188



2x

Layer 19 (4/4)

189



Close the top





From behind: the outlined pieces.



First the outlined pieces: the others go on over them.

190



Tiles





From behind: the outlined pieces.

191



Dish



First the outlined pieces: the others go on over them.

192



Base plate: bottom layer, left half



193



Base plate: bottom layer, right half





From below: the outlined pieces click in here.

194

Hover stand and tap base



Base plate: top layer, left half



195



Base plate: top layer, right half





From behind: the outlined pieces.

196



Battery box, green button and plug facing up



197



seen from below

Lower wall ring 1





From above: the outlined pieces.



From behind: the outlined pieces.



From behind: the outlined pieces.

198



Lower wall ring 2





From behind: the outlined pieces.

Hover stand and tap base

199



Lower wall ring 3





From behind: the outlined pieces.

200



Lower wall ring 4



From behind: the outlined pieces.

201



A ring of plates on the walls, to lift the bridge clear of the box



From behind: the outlined pieces.

BRIDGE
202



Two crossed layers of plates, with holes for the push rods, the presser and the plug





From below: the outlined pieces click in here.

BELT PIN · BUILD 2X

203

1x



204

1x

Pin, half sticking out



BELT PIN · BUILD 2X

205

1x



206

1x

Pin, half sticking out

Belt pin

seen from behind



BRIDGE
207



seen from below

Belt pins under the bridge, two each side



HOVER STAND AND TAP BASE
208

Set the bridge on the walls, belt pins hanging down



Hover stand and tap base

209

2x

Anchor for the centre axle



210

1x

Centre axle: the Metroid's fang hub rides on its top



211



seen from below

Upper wall ring





From above: the outlined pieces.

From behind: the outlined pieces.



From behind: the outlined pieces.

TUBE BOTTOM

212

1x
4 × 4



213



2x
2 × 4

seen from below

Flange under the ring



214



7x **2x** **2x** **4x**

Tube bottom

Push rods, each ending in a Technic brick for the belts, and the presser



From below: the outlined pieces click in here.



From behind: the outlined pieces.

HOVER STAND AND TAP BASE

215

1x

Lower the tube's bottom in: push rods and presser go down through the bridge. Hook two belts round each rod's pin and over the two pins beside it



216

Hover stand and tap base

seen from below



8x

30x

43x
1 × 6

16x
1 × 4

Top plate round the tube (it holds the tube's flange down)





From above: the outlined pieces.

From behind: the outlined pieces.



From behind: the outlined pieces.

First the outlined pieces: the others go on over them.

217



seen from below

Tiles





From above: the outlined pieces.

218



Hover stand and tap base

Clear tube: stack the rings





From below: the outlined pieces click in here.

From behind: the outlined pieces.



From behind and below: the outlined pieces.

First the outlined pieces: the others go on over them.

BABY METROID LAMP

219



seen from behind

Put the Metroid on its stand



It works!



Tap to bite

Press the Metroid down about 4 mm: the fangs' links meet a hub held still by the stand's axle, so all four fangs snap shut, and the tube underneath clicks the battery box's button. Let go and the belts lift it back up.



A tap lamp

The box's green button is push-on, push-off: one tap and a Power Functions LED under each nucleus lights it from inside; tap again and they go dark. Unplug the leads at the hatch before lifting the Metroid off.

Parts inventory

2903 pieces in 61 part/colour lines. Bold: the LEGO element ID (what LEGO Pick a Brick sells); below: the colour and the BrickLink part number.

24x
300526
Black
BrickLink 3005

158x
300426
Black
BrickLink 3004

10x
4103587
Black
BrickLink 3003

7x
306226
Black
BrickLink 3062

2x
614326
Black
BrickLink 3941

2x
6265462
Black
BrickLink 8870

90x
302426
Black
BrickLink 3024

62x
302326
Black
BrickLink 3023

42x
371026
Black
BrickLink 3710

143x
366626
Black
BrickLink 3666

10x
302226
Black
BrickLink 3022

1x
395826
Black
BrickLink 3958

4x
614126
Black
BrickLink 4073

1x
403226
Black
BrickLink 4032

1x
6317564
Black
BrickLink 50451

8x
4109810
Black
BrickLink 32062

4x
370526
Black
BrickLink 3705

4x
6331723
Black
BrickLink 6632

4x
4142135
Black
BrickLink 32316

8x
370026
Black
BrickLink 3700

4x
370126
Black
BrickLink 3701

16x
307026
Black
BrickLink 3070

10x
306926
Black
BrickLink 3069

37x
243126
Black
BrickLink 2431

16x
6422915
Coral
BrickLink 3005

60x
6258572
Coral
BrickLink 3004



38x
6258094
Coral
BrickLink 3023

2x
4211065
Dark Bluish Gray
BrickLink 3020

6x
4211111
Dark Bluish Gray
BrickLink 3700

4x
4539102
Dark Red
BrickLink 3004



4x
6097586
Dark Red
BrickLink 3010

82x
4539114
Dark Red
BrickLink 3024

44x
4539097
Dark Red
BrickLink 3023



34x
4539061
Dark Red
BrickLink 3710

105x
4539062
Dark Red
BrickLink 3666

4x
4631233
Dark Red
BrickLink 60474

4x
4539060
Dark Red
BrickLink 2431

1x
6197414
Light Bluish Gray
BrickLink 87513c01
rare / discontinued

4x
4211815
Light Bluish Gray
BrickLink 4519

4x
6271165
Light Bluish Gray
BrickLink 4265c

Parts inventory (continued)

2903 pieces in 61 part/colour lines. Bold: the LEGO element ID (what LEGO Pick a Brick sells); below: the colour and the BrickLink part number.

6x
4211807
Light Bluish Gray
BrickLink 3673

4x
4544145
Red
BrickLink 85544

32x
6507890
Trans-Clear
BrickLink 11833

72x
6514210
Trans-Light Blue
BrickLink 3005

252x
6514268
Trans-Light Blue
BrickLink 3065

88x
6245277
Trans-Light Blue
BrickLink 54200

60x
6507937
Trans-Light Blue
BrickLink 3040



1x
6509243
Trans-Light Blue
BrickLink 4285b

162x
6513964
Trans-Light Blue
BrickLink 3024



391x
6514007
Trans-Light Blue
BrickLink 3023

262x
6514261
Trans-Light Blue
BrickLink 3070



23x
6514224
Trans-Light Blue
BrickLink 3069

51x
6514263
Trans-Red
BrickLink 3065

6x
6514235
Trans-Red
BrickLink 3062

36x
6245252
Trans-Red
BrickLink 54200

12x
6513963
Trans-Red
BrickLink 3024



213x
6514003
Trans-Red
BrickLink 3023

66x
6514051
Trans-Red
BrickLink 4073

90x
6514189
Trans-Red
BrickLink 98138

4x
6278132
White
BrickLink 32348

8x
4173941
White
BrickLink x346

About this model

A lamp shaped like the Baby Metroid: a hollow Trans-Light Blue dome over a Coral and Dark Red skirt, with three bumpy Trans-Red nuclei floating inside it. The Metroid floats on a clear tube: press it down and the tube clicks the battery box's green on/off button, while the four fangs, linked to a hub held still by the stand's centre axle, snap shut. Rubber belts in the stand lift it back and the fangs open again. Two Power Functions LEDs light the nuclei. The Metroid lifts off its stand.

Checked on a computer

WARN	**real elements**	60 part/colour combinations: 0 not real, 1 rare
PASS	**connections**	4797 connections (4665 stud, 80 pin, 52 axle); 1 separate piece(s)
PASS	**collisions**	0 overlapping pair(s) among 2900 parts
PASS	**buildability**	2615 insertions tried across 11 submodel(s); 0 problem(s)
PASS	**stability**	about 1690 g; centre of mass inside the base (104% margin); tips at 19.8 deg
PASS	**mechanism**	24 poses swept for 10 moving group(s); 0 gear pair(s); 0 problem(s)
PASS	**electrics**	3 light(s), 3 cable run(s); longest lead needs 28 of 40 cm; 0 problem(s)
PASS	**technique**	0 note(s)

Not yet built with real bricks

These checks catch most mistakes a designer can make, but not all: clutch power, part tolerances, how stiff a long axle is and how the model survives handling can only be judged with real bricks. If you build it, we would love to hear how it went.

Files

3D model (LDraw, opens in BrickLink Studio, LeoCAD and LDCad), parts lists for BrickLink and LEGO Pick a Brick, and an interactive 3D viewer: **bricks.superfun.games/m/baby_metroid**

Trademarks

LEGO® is a trademark of the LEGO Group, which does not sponsor, authorize or endorse this booklet. Other names belong to their owners. Part geometry from the LDraw library (CC BY 4.0); connection data from the LDCad shadow library; element data from Rebrickable.