
Bricks

A LEGO® BRICK MODEL OF

Mini T. rex

A tiny red-and-orange T. rex with a toothy grin and clip-on arms, in 42 pieces.

42 pieces · 26 steps · 5 sections



Not produced, sponsored or endorsed by the LEGO Group. LEGO® is a trademark of the LEGO Group. Mini T. rex and related names belong to their owners. Made with brickkit · 2026-11-05

Before you start

An unofficial fan-made manual

This booklet is not a LEGO product. It was generated from the model file by a computer program and checked part by part.

Not physically build-tested

The model and these steps were checked on a computer only: every part/colour is a real LEGO element, all 70 connections between parts were matched in 3D, no two parts overlap, every part can be pushed into place in its step, and the model's balance was estimated. Not tested: how firmly parts hold, part tolerances and how it copes with handling. Take your time and support the model while you work.

The finished model

About 3.2 × 5.6 cm and 6.8 cm tall, about 22 g (estimated).

A T. rex small enough for a desk. Build each leg on its own: press its foot on from underneath and slide its hip onto the leg's pin. Stand the two legs side by side and lock them with the tail plate, then stack the belly, the shoulders with their clip-on arms, and the long red head with its teeth and eyes.

You will need

- The 42 pieces in 6 colours listed at the back, with their LEGO element IDs and BrickLink numbers.
- A brick separator for pieces that sit too deep for a finger.

Tips

- Sort the pieces by colour before you start.
- Build the sections in order: each sub-assembly is finished before it is used.
- New pieces in a step have a yellow outline; earlier pieces are drawn paler.

The 6 colours

- Orange: 15
- Red: 13
- White: 6
- Dark Tan: 4
- Tan: 2
- Black: 2

How to read the steps

Parts and step number

7




2x

The parts for the step and how many of each, then the step number. The parts of a step are drawn at one scale, so a longer one looks longer; a tile or a long plate also has its size in studs under it.

New parts

The parts added in a step have a yellow outline and are drawn in full colour; the parts from earlier steps are drawn paler.

Sub-assemblies



1x

A yellow-framed picture means: put in the sub-assembly you built in its own section. "Build 4x" means you need four of them.

Sections

Each section starts with its name at the top of the page. Sections are built in the order they appear.

Seen from below


When a step adds parts underneath, the picture shows the model from below. A small label says so (and "seen from behind" likewise). A piece the picture cannot show gets a small picture beside it, ringed in yellow, from the side it can be seen from: where it clicks in.

Insert direction


Some parts slide in sideways (axles through bearings, gears onto axles). The picture shows where they end up; push them in along their axle.

Build overview


The model is built in 5 sections. Each is finished before it is used.




1. Left pinned leg
steps 1–3, 6–7




2. Left foot
steps 4–5



3. Mini T. rex
steps 8, 16–26




4. Right pinned leg
steps 9–11, 14–15




5. Right foot
steps 12–13

LEFT PINNED LEG


1




Pin-bearing leg on its side, with dark-tan face over the two front studs



2



White hollow round socket on the lower stud, with the claw curving downward




3



1x


seen from below

Attach the orange ankle behind the lower leg socket




LEFT FOOT

4




1x
1 × 3


Dark-tan foot sole



5




Orange ankle pad at the rear and smooth orange toe at the front




LEFT PINNED LEG

6



Press the completed foot onto the ankle from underneath



Left pinned leg


seen from below

7




1x

Slide the orange Technic hip onto the inward-facing integral leg pin




MINI T. REX

8




1x


Set the left completed leg upright on the table




9




Pin-bearing leg on its side, with dark-tan face over the two front studs



10



White hollow round socket on the lower stud, with the claw curving downward




Right pinned leg

11




1x

Attach the orange ankle behind the lower leg socket




RIGHT FOOT

12




1x
1 × 3


Dark-tan foot sole



13




Orange ankle pad at the rear and smooth orange toe at the front




RIGHT PINNED LEG

14



Press the completed foot onto the ankle from underneath



Right pinned leg

seen from below


15



1x


seen from behind

Slide the orange Technic hip onto the inward-facing integral leg pin




MINI T. REX

16




1x

Set the right completed leg upright on the table




17



1x
2 × 4

Lock the two hip halves together with an orange plate extending into the tail





18



2x **2x**


The inverted orange belly widens toward the chest; red tail slopes taper backward






From behind: the outlined pieces.

19




A red shoulder handle with free outer ends, and a red rear plate



20



Clip the arms onto the outer shoulder-bar ends, hands curving forward




21




1x

Orange neck above the front row of the body




22




1x
2 × 4

The flat red lower jaw extends forward from the neck




23




2x 2x

Only one white round plate per tooth; two orange plates form the rear mouth support




24




1x
2 × 4


A thin red upper jaw spans the mouth




25




A one-plate-high skull row: red snout, black eyes, orange rear




26




Support the curved forehead; finish with a low red crown





From behind: the outlined pieces.




First the outlined piece: the others go on over it.

Parts inventory


42 pieces in 23 part/colour lines. Bold: the LEGO element ID (what LEGO Pick a Brick sells); below: the colour and the BrickLink part number.



2x
614126
Black
BrickLink 4073



2x
4528604
Dark Tan
BrickLink 3023



2x
6132768
Dark Tan
BrickLink 3623



1x
4613981
Orange
BrickLink 3004



2x
4616279
Orange
BrickLink 3665




2x
6431334
Orange
BrickLink 87087



2x
4524929
Orange
BrickLink 3024



3x
4177932
Orange
BrickLink 3023



1x
4158355
Orange
BrickLink 3020



2x
6136553
Orange
BrickLink 3700



2x
4558595
Orange
BrickLink 3070



2x
6370686
Red
BrickLink 30377



1x
6105976
Red
BrickLink 15068




2x
4121934
Red
BrickLink 3040



2x
302321
Red
BrickLink 3023




2x
4613974
Red
BrickLink 3022



2x
302021
Red
BrickLink 3020



1x
4140585
Red
BrickLink 2540



1x
306821
Red
BrickLink 3068



2x
4205105
Tan
BrickLink 2458



2x
6270106
White
BrickLink 53451



2x
6168642
White
BrickLink 85861



2x
614101
White
BrickLink 4073

About this model

A T. rex small enough for a desk. Build each leg on its own: press its foot on from underneath and slide its hip onto the leg's pin. Stand the two legs side by side and lock them with the tail plate, then stack the belly, the shoulders with their clip-on arms, and the long red head with its teeth and eyes.

Checked on a computer

PASS	**real elements**	23 part/colour combinations: 0 not real, 0 rare
PASS	**connections**	70 connections (60 stud, 4 bar, 4 pin, 2 clip); 1 separate piece(s)
PASS	**collisions**	0 overlapping pair(s) among 42 parts
PASS	**buildability**	40 insertions tried across 5 submodel(s); 0 problem(s)
PASS	**stability**	about 22 g; centre of mass inside the base (54% margin); tips at 11.1 deg
PASS	**mechanism**	no moving parts defined
PASS	**electrics**	no electrics in this model
PASS	**technique**	0 note(s)

Not yet built with real bricks

These checks catch most mistakes a designer can make, but not all: clutch power, part tolerances, how stiff a long axle is and how the model survives handling can only be judged with real bricks. If you build it, we would love to hear how it went.

Files

3D model (LDraw, opens in BrickLink Studio, LeoCAD and LDCad), parts lists for BrickLink and LEGO Pick a Brick, and an interactive 3D viewer: **bricks.vhsgarage.com/m/dinosaur**

Trademarks

LEGO® is a trademark of the LEGO Group, which does not sponsor, authorize or endorse this booklet. Other names belong to their owners. Part geometry from the LDraw library (CC BY 4.0); connection data from the LDCad shadow library; element data from Rebrickable.