Bricks

A LEGO® BRICK MODEL OF

Xenomorph

A posable alien with a domed head, tubes on its back, a spined tail and a cat for a passenger, in 51 pieces. Designed by yodakya; the cat is ours.

Designed by yodakya

51 pieces · 35 steps · 10 sections



Not produced, sponsored or endorsed by the LEGO Group. LEGO® is a trademark of the LEGO Group. Xenomorph and related names belong to their owners. Made with brickkit · 2026-11-05

Before you start

An unofficial fan-made manual

This booklet is not a LEGO product. It was generated from the model file by a computer program and checked part by part.

The model was designed by yodakya (https://rebrickable.com/mocs/MOC-34927/). These steps were worked out from it here; they are not the designer's own instructions.

Not physically build-tested

The model and these steps were checked on a computer only: every part/colour is a real LEGO element, all 53 connections between parts were matched in 3D, no two parts overlap, every part can be pushed into place in its step, and the model's balance was estimated. Not tested: how firmly parts hold, part tolerances and how it copes with handling. Take your time and support the model while you work.

The finished model

About 2.3 × 11.5 cm and 8.2 cm tall, about 16 g (estimated).

It goes together in small sections that clip onto each other. Start with the hips, a T-shaped bar: build the two legs flat on the table and slide one onto each end. Clip on the torso, the arms and the head, push the back with its four tubes into the stud behind the torso, then click the tail together link by link and hang it on the hinge. Last comes the cat: its saddle, a small plate with a handle, clips into the end of a back tube.

You will need

- The 51 pieces in 3 colours listed at the back, with their LEGO element IDs and BrickLink numbers.
- A brick separator for pieces that sit too deep for a finger.

Tips

- Sort the pieces by colour before you start.
- Build the sections in order: each sub-assembly is finished before it is used.
- New pieces in a step have a yellow outline; earlier pieces are drawn paler.
- It stands on three points: its two feet and the barb at the end of its tail. If the barb does not reach the table, tip the body back a little at the hips.
- The tail's hinges click every 22.5 degrees. Count the clicks in each step; a hinge left between two clicks does not hold.
- The cat's saddle hangs on two clips. If it droops, turn it level again by hand.
- The orange cat with the angry face was made for one set. Any LEGO standing cat fits the saddle the same way.

The 3 colours

- Black: 49
- Flat Silver: 1
- Orange: 1

How to read the steps

Parts and step number



The parts for the step and how many of each, then the step number. The parts of a step are drawn at one scale, so a longer one looks longer; a tile or a long plate also has its size in studs under it.

New parts

The parts added in a step have a yellow outline and are drawn in full colour; the parts from earlier steps are drawn paler.

Sub-assemblies



A yellow-framed picture means: put in the sub-assembly you built in its own section. "Build 4x" means you need four of them.

Sections

Each section starts with its name at the top of the page. Sections are built in the order they appear.

Seen from below


When a step adds parts underneath, the picture shows the model from below. A small label says so (and "seen from behind" likewise). A piece the picture cannot show gets a small picture beside it, ringed in yellow, from the side it can be seen from: where it clicks in.

Insert direction

Some parts slide in sideways (axles through bearings, gears onto axles). The picture shows where they end up; push them in along their axle.

Build overview


The model is built in 10 sections. Each is finished before it is used.




1. Hips
steps 1–2




2. Xenomorph
steps 3, 8, 13–14, 16–17 … 25, 34–35




3. Right leg
steps 4–7




4. Left leg
steps 9–12




5. Arm ×2
step 15




6. Head
steps 18–20



7. Back
steps 22–24



8. Tail
steps 26–29, 31, 33




9. Crest
step 30




10. Sting
step 32

HIPS

1



The hips: a T-bar, stem up. Clip the tile with a clip onto the top end of the stem from the front, its underside facing forward




2



Press a plate with a level clip onto the underside of the tile, clip up: the waist




XENOMORPH
3




Stand the hips' T-bar up, stem leaning a little forward



RIGHT LEG
4



The thigh: a 1 x 3 plate. On its middle stud a 1 x 1 plate; on one end stud a plate with a ring, ring out to the side: the ankle






From below: the outlined pieces click in here.

5



1x

On the other end stud a plate with an upright clip, clip out to the other side: the hip




6



1x

The foot: a 1 x 2 plate, standing on edge. Push one of its end holes onto the rim of the ring that faces the hip, so that it points away from the thigh




7




1x

The heel: a cheese slope on the ring's other rim, its thin edge towards the toe




XENOMORPH

8




1x

Slide the right leg's clip onto the end of the hip bar. The leg stands on its toe and on the slope of its heel




LEFT LEG


9




The thigh: a 1 x 3 plate. On its middle stud a 1 x 1 plate; on one end stud a plate with a ring, ring out to the side: the ankle



10



On the other end stud a plate with an upright clip, clip out to the other side: the hip




11



1x

The foot: a 1 x 2 plate, standing on edge. Push one of its end holes onto the rim of the ring that faces the hip, so that it points away from the thigh




12




1x

The heel: a cheese slope on the ring's other rim, its thin edge towards the toe




13



1x

seen from behind

Slide the left leg onto the other end, to match




14



1x

The torso: a battle droid's, upside down, its stud to the back. Press the thin middle of its shoulder bar down into the waist clip




ARM · BUILD 2X

15



1x 1x

An arm: push a claw's bar into the hole in the end of a robot arm, as far as the picture shows, the claw's two prongs one above the other. Make two




XENOMORPH

16



2x

Slide an arm onto each end of the shoulder bar, reaching forward



17




1x 1x

The neck: clip a plate with a level clip onto the bar at the top of the torso, from the front, studs up. Press the silver round plate onto it: the teeth




HEAD

18



2x
1 × 3


The head: two 1 x 3 plates in a line, the front one on top of the back one's first stud




19




A cheese slope on the front stud, sloping down to the front: the snout. A 1 x 1 plate behind it




20




A 1 x 1 tile on the plate, and the long curved slope behind it, high end forward: the dome



XENOMORPH
21




Press the head down onto the teeth, by the hole under its front end



BACK
22



The back: a plate with an upright clip. Press the hinge plate onto its stud, the hinge finger at the far end from the clip



23



1x

Press the stem of a T-bar into the clip, the end of the stem pointing away from the hinge plate





24



4x

Clip four droid arms onto the cross bar, two each side of the stem, all trailing to the back: the inner two hanging low, the outer two a little below level





From below: the outlined pieces click in here.

XENOMORPH
25



1x

Push the stem of the back's T-bar into the stud on the torso's back, tubes trailing, hinge plate hanging down



TAIL
26



1x



1x

The tail's first link: a hinge cylinder with a hole, its two-finger end forward and up. Push a claw's bar down through the hole: a spine



27



1x 1x

Click the second link onto the first, turned up two clicks, and give it a spine




28



1x 1x

Click on the third link, turned up two clicks again, and give it a spine



29



1x

Click on the fourth link, turned down two clicks



CREST

30




1x



4x


The crest: a T-bar, stem down. Clip four claws onto its cross bar, two each side of the stem, bars straight up






From below: the outlined pieces click in here.

TAIL
31



Push the crest's stem into the hole in the fourth link, until the claws' jaws just clear the link




STING
32




The sting: lay the barb on its side and push the short hinge cylinder onto its bar, as far as it goes. The barb curves across the cylinder's two fingers



TAIL
33




Click the sting onto the end of the fourth link, turned down two clicks




XENOMORPH
34




Click the tail onto the hinge, one click up from the line of the back. The barb comes down onto the table: the third foot



35



The saddle: press the handle of the 1 x 2 plate into the clip at the end of the outer right tube, from behind, studs up and level. Stand the cat on its two studs, looking forward over the shoulder



Parts inventory

51 pieces in 22 part/colour lines. Bold: the LEGO element ID (what LEGO Pick a Brick sells); below: the colour and the BrickLink part number.



1x
6270091
Black
BrickLink 87747



4x
6330086
Black
BrickLink 30377



2x
6276867
Black
BrickLink 98313



9x
6278152
Black
BrickLink 48729b



1x
4251161
Black
BrickLink 50950



3x
4504382
Black
BrickLink 54200



1x
4143372
Black
BrickLink 30553



4x
4507820
Black
BrickLink 30554b



1x
6338799
Black
BrickLink 30383



3x
302426
Black
BrickLink 3024



2x
302326
Black
BrickLink 3023



4x
362326
Black
BrickLink 3623



2x
6308000
Black
BrickLink 61252



2x
6281993
Black
BrickLink 4081b



3x
6330189
Black
BrickLink 4085d



1x
4515368
Black
BrickLink 60478



3x
6104209
Black
BrickLink 4697b



1x
307026
Black
BrickLink 3070



1x
6335388
Black
BrickLink 15712



1x
4540274
Black
BrickLink 30375
rare / discontinued



1x
4633691
Flat Silver
BrickLink 4073



1x
6401523
Orange
BrickLink 13786pb08
rare / discontinued

About this model

It goes together in small sections that clip onto each other. Start with the hips, a T-shaped bar: build the two legs flat on the table and slide one onto each end. Clip on the torso, the arms and the head, push the back with its four tubes into the stud behind the torso, then click the tail together link by link and hang it on the hinge. Last comes the cat: its saddle, a small plate with a handle, clips into the end of a back tube.

Checked on a computer

WARN	**real elements**	22 part/colour combinations: 0 not real, 2 rare
PASS	**connections**	53 connections (22 stud, 17 clip, 7 bar, 5 hinge, 1 pin, 1 press); 1 separate piece(s)
PASS	**collisions**	0 overlapping pair(s) among 51 parts
PASS	**buildability**	52 insertions tried across 10 submodel(s); 0 problem(s)
PASS	**stability**	about 16 g; centre of mass inside the base (91% margin); tips at 14.1 deg
PASS	**mechanism**	no moving parts defined
PASS	**electrics**	no electrics in this model
PASS	**technique**	0 note(s)

Not yet built with real bricks

These checks catch most mistakes a designer can make, but not all: clutch power, part tolerances, how stiff a long axle is and how the model survives handling can only be judged with real bricks. If you build it, we would love to hear how it went.

Files

3D model (LDraw, opens in BrickLink Studio, LeoCAD and LDCad), parts lists for BrickLink and LEGO Pick a Brick, and an interactive 3D viewer: **bricks.vhsgarage.com/m/xenomorph**

Trademarks

LEGO® is a trademark of the LEGO Group, which does not sponsor, authorize or endorse this booklet. Other names belong to their owners. Part geometry from the LDraw library (CC BY 4.0); connection data from the LDCad shadow library; element data from Rebrickable.