```
' in ABE580. 1/12/00
Public numEq As Integer
                                   'Just some variable declarations.
Public stepSize, stopTime, startTime 'Move onto the constants subroutine below
Public O(), I()
                                   'and enter the relavent information
Sub constants()
   'Enter the values for the step size and the number of equations here.
   stepSize = 0.05
   numEq = 2
   **************
   ReDim I (numEq), O (numEq)
                              ' Just leave this line alone. It dimensions the
                              ' input and output arrays
   ' Enter the initial conditions
   startTime = 0
                            'Time value at which the intial conditions are known
                             'Remark for Output 1
   0(1) = 0.1
   O(2) = 50
                            'Remark for Output 2
   'Enter the time at which you would like the simulation to end
   stopTime = 125
End Sub
Function inputs(eqnNumber As Integer, timeValue As Variant, outputs() As Variant)
   'Just leave this code alone.
   Dim j As Integer
   For j = 1 To numEq
    O(j) = outputs(j)
   Next j
                          't is the time
   t = timeValue
   ***************
   'Enter the constants here
   Pi = 3.14
   F = 75
   S0 = 50
   X0 = 0
   Ks = 0.719
   mumax = 0.134
   V = 800
   D = F / V
   Ysx = 12.698
   'Constraints
   If O(1) \le 0 Then O(1) = 0
   If O(2) \le 0 Then O(2) = 0
   'Enter the input equations here
   I(1) = ((mumax * O(2) / (Ks + O(2))) - D) * O(1)
   I(2) = D * (SO - O(2)) - ((mumax * O(2) / (Ks + O(2))) * O(1) * Ysx)
   ***************
   inputs = I(eqnNumber)
End Function
```

Module1 - 1

' This program was written by Craig Keim for use

```
Module1 - 2
```

```
Sub magic()
    Static j As Integer, k As Integer
    'Get all of the information about the constants
     'Clear out the old data from the spreadsheet
    clearData
    'Determine the number of iterations
    iterations = Int((stopTime - startTime) / stepSize)
    t = startTime
    'Print the initial time label
    Sheets ("Data"). Cells (numEq + 5, 1). Value = "Time"
    Sheets ("Data"). Cells (numEq + 6, 1). Value = t
    'Print the time variables used (step size, start and stop times)
    Sheets ("Data"). Cells (2, 1). Value = "Step Size"
Sheets ("Data"). Cells (2, 2). Value = stepSize
Sheets ("Data"). Cells (3, 1). Value = "Start Time"
Sheets ("Data"). Cells (3, 2). Value = start Time
Sheets ("Data"). Cells (4, 1). Value = start Time
    Sheets("Data").Cells(4, 1).Value = "Stop Time"
Sheets("Data").Cells(4, 2).Value = stopTime
    For k = 1 To numEq
         'List the Initial Conditions
         Sheets("Data").Cells(numEq + 5, k + 1).Value = "O(" & LTrim(Str(k)) & ")"
         Sheets("Data").Cells(numEq + 6, k + 1).Value = O(k)
    Next k
    For j = 1 To iterations
              For k = 1 To numEq
                   Sheets("Data").Cells(j + numEq + 6, k + 1).Value = O(k)
              Next k
              t = t + stepSize
              Sheets("Data").Cells(j + numEq + 6, 1).Value = t
    Next j
End Sub
Sub RK4(timeValue As Variant)
    Static k1(), k2(), k3(), k4(), oldOutput(), temp1(), temp2(), temp3(), newOutput()
    ReDim k1(numEq), k2(numEq), k3(numEq), k4(numEq)
    ReDim oldOutput(numEq), temp1(numEq), temp2(numEq), temp3(numEq), newOutput(numEq)
    Dim t, j As Integer
    t = timeValue
    For j = 1 To numEq
         oldOutput(j) = O(j)
    Next j
    'Calculate the 4 Runga-Kutta constants
    For j = 1 To numEq
         k1(j) = inputs(j, t, oldOutput())
         temp1(j) = oldOutput(j) + 0.5 * stepSize * k1(j)
    Next j
```

```
For j = 1 To numEq
        k2(j) = inputs(j, t + 0.5 * stepSize, temp1())
       temp2(j) = oldOutput(j) + 0.5 * stepSize * k2(j)
   Next j
   For j = 1 To numEq
        k3(j) = inputs(j, t + 0.5 * stepSize, temp2())
       temp3(j) = oldOutput(j) + stepSize * k3(j)
   Next j
   For j = 1 To numEq
       k4(j) = inputs(j, t + stepSize, temp3())
   Next j
   For j = 1 To numEq
        'Calculate the new y Value
       newOutput(j) = oldOutput(j) + stepSize / 6 * (k1(j) + 2 * k2(j) + 2 * k3(j) + k4(j))
       O(j) = newOutput(j)
   Next j
End Sub
Sub clearData()
    'Clears all of the old data prior to putting in the new data
   Static lastCell As String
   Sheets ("Data") . Activate
   Sheets ("Data"). Cells (numEq + 6, 1). End (xlToRight). Select
   ActiveCell.End(xlDown).Select
   lastCell = ActiveCell.Address()
   Sheets("Data").Range("A1:" & lastCell).Clear
   Sheets ("Data") . Range ("A1") . Select
End Sub
Sub viewCode()
    'Sheets ("Module1") . Activate
   Application.Goto Reference:="constants"
End Sub
```

Module1 - 3