


Three modules. One core.

Modules share one data model, so a bespoke component can replace or extend one without a rebuild.

Select a module to see its interface, schema and parameters.



طبقة واحدة تحمل الجميع: رسم معماري يوضح أن الوحدات الثلاث تقف على نواة واحدة ونموذج بيانات واحد فوق بنية العميل. هذه هي الميزة الحقيقية للوحدات الجاهزة، وتدعم عبارة «يمكن استبدال وحدة بمكوّن مخصص».

Choose what you run.



Inventory

One stock position across every warehouse, store and channel.



Units

Units, stays and turnover, held to a single source of availability.



Ledger

Every sale, online or in store, posts once to one ledger.

Your configuration

Inventory and Ledger

Inventory

Topology	n-node, multi-warehouse
Sync	event-sourced, deterministic merge
Reservations	per-channel holds, auto-expiry

Ledger

Model	double-entry, append-only
Idempotency	one key per transaction
Gateways	settlement matched automatically

[Request this configuration →](#)

Opens an email with your selection filled in.

A.1
Inventory

Stock position per node, reservations and transfers.

A.2
Units


Units, stays, availability and turnover tasks.

- Allocation
- Housekeeping
- Channels
- overlap-free by construction
- status transitions create tasks
- booking channels kept in step

A.3
Ledger

The transaction ledger: every entry, posted once.

Interface wireframe · Units



A.1
Inventory

keeps **one stock position** across every warehouse, store and channel, merged **event by event**, **working offline** and reconciling on reconnect.

A.2
Units

holds **one source of availability** for every stay and turnover, **overlap-free by construction**, with housekeeping tasks opened at check-out.

A.3
Ledger

posts every sale, online or in store, **exactly once**: **double-entry**, **append-only**, matched to gateway settlement.

A.1

Inventory


Stock position per node, reservations and transfers.

A.2

Units

A.3

Ledger



s, availability and turnover tasks.

action ledger: every entry, posted once.