

Choose what you run, and what is particular to you.

Pillar A · Turnkey modules

☒  Inventory

☐  Units

☒  Ledger

Pillar B · Built for you

☐ Custom internal operating systems

☒ Private agentic workflows

☐ High-availability distributed databases

Your configuration

Turnkey

Inventory, Ledger

Built for you

Private agentic workflows

[Request an architectural walkthrough →](#)

الركيزتان في أداة واحدة: يختار القارئ الوحدات الجاهزة (A) ويضيف ما يخصه من أنظمة مخصصة (B) في نفس المكان، فيظهر ملخصه من الجهتين وزر يطلب جولة معمارية. يوجّد القسمين ويقلل التكرار في الصفحة.

We run stock across warehouses ✓, bookings and units and sales at the till ✓.



Inventory

Stock position per node, reservations and transfers.

Topology	n-node, multi-warehouse
Sync	event-sourced, deterministic merge
Reservations	per-channel holds, auto-expiry



Ledger

The transaction ledger: every entry, posted once.

Model	double-entry, append-only
Idempotency	one key per transaction
Gateways	settlement matched automatically

That is Inventory and Ledger.

[Request this configuration →](#)

Choose what you run.



Inventory

One stock position across every warehouse, store and channel.



Units

Units, stays and turnover, held to a single source of availability.



Ledger

Every sale, online or in store, posts once to one ledger.

Your configuration

Inventory and Ledger

Inventory

Topology	n-node, multi-warehouse
Sync	event-sourced, deterministic merge
Reservations	per-channel holds, auto-expiry

Ledger

Model	double-entry, append-only
Idempotency	one key per transaction
Gateways	settlement matched automatically

[Request this configuration →](#)

Choose what you run.



Inventory

One stock position across every warehouse, store and channel.



Units

Units, stays and turnover, held to a single source of availability.



Ledger

Every sale, online or in store, posts once to one ledger.

Your configuration

Inventory and Ledger

Inventory

Topology	n-node, multi-warehouse
Sync	event-sourced, deterministic merge
Reservations	per-channel holds, auto-expiry

Ledger

Model	double-entry, append-only
Idempotency	one key per transaction
Gateways	settlement matched automatically

[Request this configuration →](#)

Choose what you run.

2 modules selected

[Request this configuration →](#)

	☒  Inventory	☐  Units	☒  Ledger
Owns	Stock position per node, reservations and transfers.	Units, stays, availability and turnover tasks.	The transaction ledger: every entry, posted once.
Fed by	Warehouse scanners · 3PL & logistics	Booking channels · Property systems	Point of sale · Payment gateways
Sync / model	n-node, multi-warehouse	overlap-free by construction	double-entry, append-only
Offline & audit	node-local ledger, reconcile on reconnect	turnover opens at check-out	immutable history, exportable

مقارنة بأعمدة قابلة للتحديد: أعمدة الوحدات الثلاث متجاورة، يختار القارئ العمود بمربع في رأسه فيُظَلَّل العمود كله بخلفية ناعمة. يجمع المقارنة والاختيار في جدول واحد وزر الطلب في أعلاه.