尖头塔式起重机

Topkit Tower Crane

Q6010-6T



本技术参数不受法律约束，技术信息请详见相应技术说明书。

Specifications and data is not legally binding. For any technical information, please refer to the corresponding instructions.

塔身截面 | Masts (1.6x1.6x2.5m)



F2	○	117t
	□	127.3t
F3	○	86.7t
	□	101.5t
		34t

○ 工作状态	○ In service
□ 非工作状态	□ Out of service
自重	Without load and ballast with longest jib and maximum height

附着 | Anchorages

如果塔机高度高于本图所示最大高度，请向本公司咨询。

If the height of tower crane is higher than the maximum height shown in figure, please consult with our company.



载荷表 | Load Diagrams

起重臂 Jib	倍率Fall	起重幅度 Range(m)	2.5~14	15	16.52	18	20	20.18	22	25	25.93	28	30	32	35	36.25
60m	IV	起重量 Load(t)	6	5.555	5	5.446	4.04	4	3.626	3.13	3	2.74	2.523	2.333	2.09	2
	II		3						3.626	3.13	3	2.74	2.523	2.333	2.09	2

起重臂 Jib	倍率Fall	起重幅度 Range(m)	38	40	42	45	46	48	50	52	54	55	58	60
60m	IV	起重量 Load(t)	1.855	1.765	1.657	1.512	1.468	1.386	1.31	1.24	1.175	1.145	1.06	1
	II		1.855	1.765	1.657	1.512	1.468	1.386	1.31	1.24	1.175	1.145	1.06	1

起重臂 Jib	倍率Fall	起重幅度 Range(m)	2.5~15.4	18	18.15	20	22	22.17	25	28	28.49	30	32	35
55m	IV	起重量 Load(t)	6	5.046	5	4.49	4.035	4	3.49	3.061	3	2.823	2.615	2.347
	II		3						3.49	3.061	3	2.823	2.615	2.347

起重臂 Jib	倍率Fall	起重幅度 Range(m)	38	39.84	40	42	45	46	48	50	52	54	55
55m	IV	起重量 Load(t)	2.122	2	1.99	1.87	1.712	1.664	1.573	1.49	1.413	1.342	1.3
	II		2.122	2	1.99	1.87	1.712	1.664	1.573	1.49	1.413	1.342	1.3

起重臂 Jib	倍率Fall	起重幅度 Range(m)	2.5~16.3	18	19.28	20	22	23.5	25	28	30	30.19
50m	IV	起重量 Load(t)	6	5.379	5	4.79	4.308	4	3.73	3.276	3.023	3
	II		3						3.73	3.276	3.023	3

起重臂 Jib	倍率Fall	起重幅度 Range(m)	32	35	38	40	42.23	45	46	48	50
50m	IV	起重量 Load(t)	2.803	2.519	2.279	2.14	2	1.846	1.794	1.698	1.6
	II		2.803	2.519	2.279	2.14	2	1.846	1.794	1.698	1.6

起重臂 Jib	倍率Fall	起重幅度 Range(m)	2.5~17.36	18	20	20.5	22	25	25.06	28	30
45m	IV	起重量 Load(t)	6	5.768	5.14	5	4.626	4.01	4	3.526	3.257
	II		3							3.526	3.257

起重臂 Jib	倍率Fall	起重幅度 Range(m)	32	32.2	35	38	40	42	45
45m	IV	起重量 Load(t)	3.021	3	2.719	2.464	2.315	2.18	2
	II		3.021	3	2.719	2.464	2.315	2.18	2

平衡重配置 | Counter-jib Ballast

吊臂长度 Jib Length(m)	后臂长度 Counter Jib Length(m)	平衡重/Counter-weight			
		CA	CB	CC	合计/Tatal(kg)
		2200kg	1600kg	1000kg	
60	12.75	7	1	1	18000
55	12.75	7		1	16400
50	12.75	6	1		14800
45	12.75	6		1	14200



机构配置 | Specifications(Mechanisms)

机构名称 Item	机构代号 Mechanism						功率/Power
		m/min	t	m/min	t	m	
起升 Hoisting	QTJ63	4.25	6	8.5	3	400 >400*	24KW
		20	6	40	3		
		40	3	80	1.5		
	33LVF15	20	6	40	3	400 >400* 变频调速 Ferquency control	22KW
		40	3	80	1.5		
变幅 Trolleying	QTB4.0-H	44/22m/min					2.4KW
	DVF95	0-60m/min		变频调速 Ferquency control			4.5KW
回转 Slewing	QTH100	0-0.7r/min					2X3.7KW
	RVF95			变频调速 Ferquency control			2X4.5KW
行走 Traveling	14TVF	0-25m/min		变频调速 Ferquency control			2X5.2KW
电网 Mains supply		CE138 ICE38					380V(±5%)/50Hz 440V(±5%)/60Hz
电力容量 Necessary electric power							52KVA

部件尺寸及重量 | Component size and weight

序号 No.	名称 Name	产品描述 Description	长 L(m)	宽 W(m)	高 H(m)	单件重量 Weight(Kg)	数量 Qty
1	平衡臂 Counter-jib		12	2.3	1.5	1870	1

序号 No.	名称 Name	产品描述 Description	长 L(m)	宽 W(m)	高 H(m)	单件重量 Weight(Kg)	数量 Qty
2	起升机构 Hoist Mechanism		1.54	1.51	0.8	1171	1
3	塔头 Towerhead		7.33	2.67	1.69	1651	1
4	司机室 Cabin		1.65	1.07	2.03	330	1
5	回转支承 Slewing Table		3.39	3.52	2.97	3574	1
6	根部节 Jib-Section1		7.62	1.33	1.36	856	1
7	起重臂第二节 Jib-Section2		7.61	1.33	1.26	733	1

序号 No.	名称 Name	产品描述 Description	长 L(m)	宽 W(m)	高 H(m)	单件重量 Weight(Kg)	数量 Qty
8	起重臂第三节 Jib-Section3		7.61	1.33	1.2	624	1
9	起重臂第四节 Jib-Section4		7.61	1.33	1.2	620	1
10	起重臂第五节 Jib-Section5		7.61	1.33	1.2	620	1
11	起重臂第六节 Jib-Section6		7.61	1.33	1.2	664	1
12	起重臂第七节 Jib-Section7		5.11	1.33	1.18	336	1
13	起重臂第八节 Jib-Section8		5.11	1.33	1.18	336	1
14	起重臂第九节 Jib-Section9		5.11	1.33	1.18	327	1

序号 No.	名称 Name	产品描述 Description	长 L(m)	宽 W(m)	高 H(m)	单件重量 Weight(Kg)	数量 Qty
15	起重臂端部节 Jib Nose		0.73	1.33	1.35	96	1
16	小车 Trolley		1.35	1.38	0.55	246	1
17	吊钩 Hook		1.09	1.17	0.25	166	1
18	套架 Telescoping Cage		7.02	3.71	3.71	3037	1
19	基础节 Basic Mast		7.5	1.88	1.88	3366	1
20	加强节 Reinforced Mast		2.5	1.74	1.74	1056	6

序号 No.	名称 Name	产品描述 Description	长 L(m)	宽 W(m)	高 H(m)	单件重量 Weight(Kg)	数量 Qty
21	标准节 Mast		2.5	1.74	1.74	857	6
22	附着框 Anchorage Frame		2.268	1.948	0.315	430	n